

**WALGREENS SUGAR FREE NIGHTTIME WAL-FLU SEVERE COLD AND
COUGH NATURAL HONEY LEMON FLAVOR- acetaminophen, diphenhydramine hcl, and
phenylephrine hcl. granule, for solution
Walgreen Co.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Walgreens Sugar Free Nighttime Wal-Flu severe cold and cough natural honey lemon flavor
Active ingredients (in each packet) Purpose**

Acetaminophen 650 mgPain reliever/Fever reducer
Diphenhydramine hydrochloride 25 mgAntihistamine/Cough suppressant
Phenylephrine hydrochloride 10 mgNasal decongestant.

Uses

- temporarily relieves:
- minor aches and pains - minor sore throat pain
- headache - nasal and sinus congestion
- runny nose - sneezing
- itchy nose and throat - itchy, watery eyes due to hay fever
- cough due to minor throat and bronchial irritation
- temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take - more than 6 packets in 24 hours, which is the maximum daily amount - with other drugs containing acetaminophen - 3 or more alcoholic drinks every day while using this product.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- In a child under 4 years of age.
- With any other drug containing acetaminophen (prescription and nonprescription). Ask a doctor or pharmacist before using with other drugs if you are not sure.
- with any other product containing diphenhydramine, even one used on the skin
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease - heart disease - high blood pressure
- thyroid disease - diabetes - glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema, asthma, or chronic bronchitis

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin.

When using this product

- do not exceed recommended dosage
- avoid alcoholic drinks - marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days - redness or swelling is present
- new symptoms occur - symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions


- do not use more than directed

- take every 4 hours; not to exceed 6 packets in 24 hours or as directed by a doctor.
- adults and children 12 years of age and over: dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- children under 12 years of age: consult a doctor
- If using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

Other information

- each packet contains: potassium 10 mg,
sodium 19 mg
- phenylketonurics: contains phenylalanine
11 mg per packet
- store at controlled room temperature
20-25C (68-77F). Protect from
excessive heat and moisture.

Acesulfame K, aspartame, calcium phosphate dibasic, citric acid, D and C Yellow 10, maltodextrin, natural flavor, silicon dioxide, sodium citrate dihydrate.



WALGREENS SUGAR FREE NIGHTTIME WAL-FLU SEVERE COLD AND COUGH NATURAL HONEY LEMON FLAVOR

acetaminophen, diphenhydramine hcl, and phenylephrine hcl. granule, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0602
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg
---	------------------------------------	-------

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME (UNII: MA3UYZ6K1H)	
ASPARTAME (UNII: Z0H242BBR1)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	yellow (D & C Yellow 10)	Score	
Shape		Size	
Flavor	HONEY (Natural Honey & Lemon Flavor) , LEMON (Natural Honey & Lemon Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0602-06	6 in 1 BOX; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/15/2014	

Labeler - Walgreen Co. (008965063)

Revised: 12/2015

Walgreen Co.