

**BASIC CARE STOOL SOFTENER- docusate sodium capsule, liquid filled
Amazon.com Services LLC**

Amazon Stool Softener Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1 - 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 6 mg
- very low sodium
- store at 20-25°C (68-77°F)

Inactive ingredients

D&C red no. 33, edible ink, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

amazon

basic care

Softgels

Compare to Colace[®] active ingredient

Stool Softener

Docusate Sodium 100 mg

Stool Softener

Laxative

actual size

Gentle

Dependable Effect

Stimulant-Free

100 SOFTGELS

Drug Facts (continued)

Other information

- each softgel contains: sodium 6 mg
- very low sodium
- store at 20-25°C (68-77°F)

Inactive ingredients: D&C red no. 33, edible ink, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments? 1-800-719-9260



basiccare

Softgels Compare to Colace® active ingredient*

NDC 72288-486-78

Stool Softener

Docosate Sodium 100 mg actual size
Stool Softener
Laxative

Gentle Dependable Effect Stimulant-Free



100 SOFTGELS

*This product is not manufactured or distributed by the manufacturer or distributor of Colace®. Do not use if printed seal under cap is broken or missing.

DISTRIBUTED BY:
AMAZON.COM SERVICES LLC
410 TERRY AVENUE N.
SEATTLE, WA 98109



how2recycle.com

46b78 BN F2

Drug Facts

Active ingredient (in each softgel) Purpose
Docosate sodium 100 mg.....Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Take only by mouth. Doses may be taken as a single dose or in divided doses.
- adults and children 12 years and over take 1 - 3 softgels daily
- children 2 to under 12 years of age take 1 softgel daily
- children under 2 years ask a doctor

BASIC CARE STOOL SOFTENER			
docosate sodium capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-486
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	100 mg
Inactive Ingredients			
Ingredient Name			Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	RED, WHITE (to off beige)	Score	no score
Shape	OVAL (softgel)	Size	13mm
Flavor		Imprint Code	L486
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-486-78	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/14/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/14/2020	

Labeler - Amazon.com Services LLC (128990418)

Revised: 6/2024

Amazon.com Services LLC