

4% LIDOCAINE PATCH- lidocaine patch
Hengyang Chuangjiujia Trading Co., Ltd.

84735-010 4% Lidocaine Patch

Lidocaine 4%

Topical Anesthetic

Use Temporarily relieves minor pain.

For external use only

Do not use More than one patch on your body at a time On gut, irritated or swollen skin
On puncture wounds For more than one week without consulting a doctor if you are
allergic to any active or inactive ingredients If pouch is damaged or opened.

When using this product Use only as directed Read and follow all directions and warnings
on this carton Do not allow contact with the eyes Do not use at the same time as other
topical analgesics Do not bandage tightly or apply local heat (such as heating pads, to the
area of use Dispose of used patch in a manner that always keeps product away from
children and pets, Used patches still contain the drug product that can produce serious
adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if condition worsens Redness is present Irritation
develops Symptoms persist for more than 7 days or clear up and occur again within a
few days You experience signs of skin injury, such as pain, swelling or blistering where
the product was applied.

Keep out of reach of children and pets.

Adults and children 12 years of age and over: Clean and dry affected area Carefully
remove backing from patch starting at a corner. Apply sticky side of patch to affected
area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12
years of age: consult a physician.

Aluminum Glycinate

Aluminum Hydroxide

Cellulose Gum (Sodium CMC)

DMDM Hydantoin

Glycerin

Polyacrylic Acid

Polysorbate 80

Propylene Glycol

Ricinus Communis (Castor) Seed Oil

Silica (Colloidal)

Sodium Polyacrylate

Tartaric Acid

Titanium Dioxide

Urea

Water (Purified Water)



4% LIDOCAINE PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84735-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CELLULOSE GUM (UNII: K679OBS311)	
TARTARIC ACID (UNII: W4888119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
SILICA (UNII: ETJ7Z6XBU4)	
UREA (UNII: 8W8T17847W)	
RICINUS COMMUNIS (CASTOR) SEED OIL (UNII: D5340Y2I9G)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
GLYCERIN (UNII: PDC6A3COOX)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84735-010-01	20 in 1 BOX; Type 0: Not a Combination Product	05/21/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/21/2025	

Labeler - Hengyang Chuangjiujia Trading Co., Ltd. (977292157)

Establishment

Name	Address	ID/FEI	Business Operations
Hengyang Chuangjiujia Trading Co., Ltd.		977292157	manufacture(84735-010)

Revised: 11/2025

Hengyang Chuangjiujia Trading Co., Ltd.