

IMMU-N WAKER- apis mel, echinacea, hydrastis, thuja occ, aconitum nap, agaricus musc, allium sat, aloe, arnica, arsenicum alb, baptisia, belladonna, bryonia, calc carb, calendula, capsicum, carduus mar, hepar sulph calc, iodine, lachesis, lycopodium, mercurius viv, nux vom, phos, pulsatilla, rhus tox, salvia, selenium, taraxacum, tarentula hisp, zinc met, zingiber, anthracinum, azadirachta, influenzinum liquid
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Immu-n Waker 4862L

INDICATIONS & USAGE SECTION

Formulated for symptoms such as hypersensitivity, debility, glandular swellings, infections and inflammation.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) three to four times daily or as directed by a health professional.

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Apis mel 6x, Echinacea 6x, Hydrastis 6x, Thuja occ 6x, Aconitum nap 15x, Agaricus musc 15x, Allium sat 15x, Aloe 15x, Arnica 15x, Arsenicum alb 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Calc carb 15x, Calendula 15x, Capsicum 15x, Carduus mar 15x, Hepar sulph calc 15x, Iodine 15x, Lachesis 15x, Lycopodium 15x, Merc viv 15x, Nux vom 15x, Phos 15x, Pulsatilla 15x, Rhus tox 15x, Salvia 15x, Selenium 15x, Taraxacum 15x, Tarentula hisp 15x, Zinc met 15x, Zingiber 15x, Anthracinum 16x, Azadirachta 16x, Influenzinum 30x.

OTC - PURPOSE SECTION

Formulated for symptoms such as hypersensitivity, debility, glandular swellings, infections and inflammation.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

QUESTIONS SECTION

newtonlabs.net - Questions? 800.448.7256

WARNINGS SECTION

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL



Product uses are based on traditional homeopathic practice and have not been evaluated by the FDA nor for scientific-medical evidence. Product results are not based on randomized, controlled clinical trials (RCTs).

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est # 1051203 • Conyers, GA 30013

NEWTON
homeopathics®
PRO

NDC #
55714-4862-1

**Immu-n
Waker**

Formulated for symptoms
such as hypersensitivity,
debility, glandular
swellings, infections
and inflammation.

1 FL OZ (30 ML)

Dispensed by health professionals - not sold over-the-counter.
Directions: Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) three to four times daily or as directed by a health professional.
Active Ingredients: Equal parts of Apis mel 6x, Echinacea 6x, Hydrastis 6x, Thuja occ 6x, Aconitum nap 15x, Agaricus musc 15x, Allium sat 15x, Aloe 15x, Arnica 15x, Arsenicum alb 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Calc carb 15x, Calendula 15x, Capsicum 15x, Carduus mar 15x, Hepar sulph calc 15x, Iodium 15x, Lachesis 15x, Lycopodium 15x, Merc viv 15x, Nux vom 15x, Phos 15x, Pulsatilla 15x, Rhus tox 15x, Salvia 15x, Selenium 15x, Taraxacum 15x, Tarentula hisp 15x, Zinc met 15x, Zingiber 15x, Anthracinum 16x, Azadirachta 16x, Influenzinum 30x.
Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.



IMMU-N WAKER

apis mel, echinacea, hydrastis, thuja occ, aconitum nap, agaricus musc, allium sat, aloe, arnica, arsenicum alb, baptisia, belladonna, bryonia, calc carb, calendula, capsicum, carduus mar, hepar sulph calc, iodium, lachesis, lycopodium, mercurius viv, nux vom, phos, pulsatilla, rhus tox, salvia, selenium, taraxacum, tarentula hisp, zinc met, zingiber, anthracinum, azadirachta, influenzzinum

liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-4862
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	15 [hp_X] in 1 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	15 [hp_X] in 1 mL
LYCOSA TARANTULA (UNII: 86M454L2TT) (LYCOSA TARANTULA - UNII:86M454L2TT)	LYCOSA TARANTULA	15 [hp_X] in 1 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	15 [hp_X] in 1 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 mL
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	15 [hp_X] in 1 mL
INFLUENZA A VIRUS (UNII: R9HH0NDE2E) (INFLUENZA A VIRUS - UNII:R9HH0NDE2E)	INFLUENZA A VIRUS	30 [hp_X] in 1 mL
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	6 [hp_X] in 1 mL
AMANITA MUSCARIA FRUITING BODY (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)	AMANITA MUSCARIA FRUITING BODY	15 [hp_X] in 1 mL
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	15 [hp_X] in 1 mL
ALOE (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	ALOE	15 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	15 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 mL
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HW5WUJ) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WUJ)	BAPTISIA TINCTORIA ROOT	15 [hp_X] in 1 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	15 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	15 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	15 [hp_X] in 1 mL
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	15 [hp_X] in 1 mL
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	15 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MDM07E1OY) (CALCIUM SULFIDE - UNII:1MDM07E1OY)	CALCIUM SULFIDE	15 [hp_X]

CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	in 1 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	15 [hp_X] in 1 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 1 mL
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 mL
SAGE (UNII: 065C5D077J) (SAGE - UNII:065C5D077J)	SAGE	15 [hp_X] in 1 mL
INFLUENZA B VIRUS (UNII: 1314JZ2X6W) (INFLUENZA B VIRUS - UNII:1314JZ2X6W)	INFLUENZA B VIRUS	30 [hp_X] in 1 mL
ANEMONE PULSATILLA (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	15 [hp_X] in 1 mL
AZADIRACHTA INDICA BARK (UNII: G580B439YI) (AZADIRACHTA INDICA BARK - UNII:G580B439YI)	AZADIRACHTA INDICA BARK	16 [hp_X] in 1 mL
MERCURY (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL)	MERCURY	15 [hp_X] in 1 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	15 [hp_X] in 1 mL
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	15 [hp_X] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	15 [hp_X] in 1 mL
BACILLUS ANTHRACIS IMMUNOSERUM RABBIT (UNII: 41LZ22DD4N) (BACILLUS ANTHRACIS IMMUNOSERUM RABBIT - UNII:41LZ22DD4N)	BACILLUS ANTHRACIS IMMUNOSERUM RABBIT	16 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4862-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/21/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/21/2025	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4862)

Revised: 5/2025

Newton Laboratories, Inc.