

NUMBING CREAM- lidocaine cream
100 KARMA INC

Initial Drug Listing - 5% lidocaine numbing cream

Lidocaine 5%
Menthol 0.7%

Local Anesthetic

Local Anesthetic

For temporary relief local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders and anorectal inflammation.

For external use only

Do not use this product if

- Pregnant or breastfeeding, ask a health professional before use.
- If there is any allergic reaction to this product.
- In case of accidental overdose, get medical help, or contact the poison control center immediately.
- Only take the recommended daily dosage unless otherwise instructed by a doctor.
- Some individuals may experience allergic reactions to the ingredients contained in this product.
- Never put it into the rectum by using the finger or any medical device.

Stop using and ask a doctor

- If discomfort persists for 7 days.
- The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.

Keep out of reach of children

Avoid contact with eyes.

In case of accidental ingestion, seek medical attention immediately.

- For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times a day.
- For children under 12 years of age: Consult a doctor.
- Keep away from direct sunlight or heat.
- Store at room temperature 59~86°F (15°-30°C).

Water, Arnica, Emu Oil, Lecithin (Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer 934, Benzyl Alcohol.

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/12/2025	

Labeler - 100 KARMA INC (120186232)

Revised: 5/2025

100 KARMA INC