

ALOE UP SPF 50 MINERAL- zinc oxide lotion
Aloe International, LLC

Aloe Up SPF 50 Mineral Sunscreen Lotion 3 fl.oz & 1 Gallon

Zinc Oxide 20%

Sunscreen

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

- apply liberally 15 minutes before sun exposure
- **reapply:**
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10am - 2pm
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

protect this product in this container from excessive heat and direct sun.

Aloe Barbadensis Leaf Extract

Benzyl Alcohol

Butyloctyl Salicylate

Citric Acid

Coco-Caprylate

Dehydroacetic Acid

Ethylhexyl Methoxycrylene

Fragrance

Glycerin

Glyceryl Stearate

Niacinamide

Panthenol

Polyhydroxystearic Acid

Saccharide Isomerate

Sodium Phytate

Sodium Stearoyl Glutamate

Sucrose Palmitate

Sucrose Tristearate


Tocopheryl Acetate

Water

Xathan Gum

Questions or Comments?

Call toll free 1-800-950-2563



ALOE UP[®]

MINERAL

SUNSCREEN




LOTION

50

UVA/UVB

BROAD SPECTRUM

SPF 50



DRIES CLEAR

NON-COMEDOGENIC

LIGHTWEIGHT




3 FL OZ (89 mL)

Drug Facts

Active Ingredients	Purpose
Zinc Oxide 20%	Sunscreen
Uses	
• helps prevent sunburn	
• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• apply liberally 15 minutes before sun exposure	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. – 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
• children under 6 months of age: Ask a doctor	
Inactive Ingredients	
Aloe Barbadensis Leaf Extract, Benzyl Alcohol, Butyloctyl Salicylate, Citric Acid, Coco-Caprylate, Dehydroacetic Acid, Ethylhexyl Methoxycrylene, Fragrance, Glycerin, Glyceryl Stearate, Niacinamide, Panthenol, Polyhydroxystearic Acid, Saccharide Isomerate, Sodium Phytate, Sodium Stearoyl Glutamate, Sucrose Palmitate, Sucrose Tristearate, Tocopheryl Acetate, Water, Xanthan Gum	
Other Information	
• protect this product in this container from excessive heat and direct sun.	
Questions or Comments?	
Call toll free 1-800-950-2563	


PARABEN FREE / VEGAN / GLUTEN FREE / OIL FREE

PHTHALATE FREE / RETINYL PALMITATE FREE



WWW.ALOEUP.COM | 1-800-950-2563

HAWAII ACT 104 REEF COMPLIANT



0 79385 87050 8

©2023 AloeUp International, L.L.C. All rights reserved. MFG. for ALOE UP, 9700 W. 76th St., Ste 112, Eden Prairie, Minnesota 55344

ALOE UP SPF 50 MINERAL

zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61477-234
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	20 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE TRISTEARATE (UNII: 71I93STU5M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
PANTHENOL (UNII: WW9CM0O67Z)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
SODIUM PHYTATE (UNII: 88496G1ERL)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
NIACINAMIDE (UNII: 25X51I8RD4)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CITRIC ACID (UNII: 2968PHW8QP)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61477-234-01	89 g in 1 TUBE; Type 0: Not a Combination Product	05/22/2025	
2	NDC:61477-234-02	3785 g in 1 JUG; Type 0: Not a Combination Product	05/22/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/22/2025	

Labeler - Aloe International, LLC (938242187)

Registrant - Inspec Solutions, LLC (081030372)

Establishment			
Name	Address	ID/FEI	Business Operations
Inspec Solutions, LLC		081030372	manufacture(61477-234)

