

**DETOX DROPS ACNE TONER- acne toner liquid**  
**KENDO HOLDINGS INC.**

-----

**ACTIVE INGREDIENT**

SALICYLIC ACID 2%

**PURPOSE**

ACNE TREATMENT

**USES**

FOR THE TREATMENT OF ACNE. CLEARS ACNE BLEMISHES AND ALLOWS SKIN TO HEAL. HELPS PREVENT THE DEVELOPMENT OF NEW ACNE BLEMISHES.

**WARNINGS**

**FOR EXTERNAL USE ONLY**

**WHEN USING THIS PRODUCT** SKIN IRRITATION AND DRYNESS IS MORE LIKELY TO OCCUR IF YOU USE ANOTHER TOPICAL ACNE MEDICATION AT THE SAME TIME. IF IRRITATION OCCURS, ONLY USE ONE TOPICAL ACNE MEDICATION AT A TIME

AVOID CONTACT WITH EYES. IF EYE CONTACT OCCURS, FLUSH THOROUGHLY WITH WATER.

**KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED GET MEICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**DIRECTIONS**

SHAKE WELL BEFORE USE. CLEANSE SKIN THOROUGHLY BEFORE APPLYING THIS PRODUCT.

COVER THE ENTIRE AFFECTED AREA WITH A THIN LAYER ONE TO THREE TIMES DAILY. BECAUSE EXCESSIVE DRYING OF THE SKIN MAY OCCUR, START WITH ONE APPLICATION DAILY, THEN GRADUALLY INCREASE TO TWO OR THREE TIMES DAILY IF NEEDED OR AS DIRECTED BY A DOCTOR.

IF BOTHERSOME DRYNESS OR PEELING OCCURS REDUCE APPLICATION TO ONCE A DAY OR EVERY OTHER DAY.

**OTHER INFORMATION**

STORE AT ROOM TEMPERATURE.

## **INACTIVE INGREDIENTS**

WATER, JUNIPERUS COMMUNIS FRUIT EXTRACT, POLYSORBATE 20, METHYLPROPANEDIOL, LACTOBACILLUS/SALIX PURPUREA BARK FERMENT EXTRACT, BUTYLENE GLYCOL, GLYCERIN, SODIUM HYDROXIDE, DECYL GLUCOSIDE, MENTHYL LACTATE, LACTOBACILLUS FERMENT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, LAURYL GLUCOSIDE, CITRIC ACID, LACTIC ACID.

## **QUESTIONS?**

[OLEHENRIKSEN.COM](http://OLEHENRIKSEN.COM)

## **LABEL**

## Drug Facts

**Active Ingredient**      **Purpose**  
Salicylic Acid 2% ..... Acne medication

### Use

For the treatment of acne. Clears acne blemishes and allows skin to heal. Helps prevent the development of new acne blemishes.

### Warnings

**For external use only.**

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time, if irritation occurs, only use one topical acne medication at a time • avoid contact with eyes • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • shake well before use • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

### Other information

Store at room temperature.

### Inactive Ingredients

WATER, JUNIPERUS COMMUNIS FRUIT EXTRACT, POLYSORBATE 20, METHYLPROPANEDIOL, LACTOBACILLUS/SALIX PURPUREA BARK FERMENT EXTRACT, BUTYLENE GLYCOL, GLYCERIN, SODIUM HYDROXIDE, DECYL GLUCOSIDE, MENTHYL LACTATE, LACTOBACILLUS FERMENT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, LAURYL GLUCOSIDE, CITRIC ACID, LACTIC ACID.

### Questions?

olehenriksen.com

OLEHENRIKSEN

BALANCE+

Reduces oil & unclogs pores  
Réduit le sébum et désobstrue  
les pores

## Detox Drops 2% Salicylic Acid Acne Toner

Treats acne & exfoliates skin;  
formulated with 2% salicylic acid (BHA)  
& Danish purple willow ferment.

Acne treatment

120ML / 4FL. OZ.

## DETOX DROPS ACNE TONER

acne toner liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:71499-523 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID    | 2 g in 100 mL |

**Inactive Ingredients**

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)                            |          |
| <b>JUNIPER BERRY</b> (UNII: O84B5194RL)                    |          |
| <b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)                   |          |
| <b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)                |          |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)                 |          |
| <b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)                  |          |
| <b>MENTHYL LACTATE</b> (UNII: 2BF9E65L7I)                  |          |
| <b>LIMOSILACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)    |          |
| <b>CUCUMIS SATIVUS (CUCUMBER) FRUIT</b> (UNII: YY7C30VXJT) |          |
| <b>LAURYL GLUCOSIDE</b> (UNII: 76LN7P7UCU)                 |          |
| <b>CITRIC ACID</b> (UNII: 2968PHW8QP)                      |          |
| <b>LACTIC ACID</b> (UNII: 33X04XA5AT)                      |          |
| <b>SALIX PURPUREA BARK</b> (UNII: 287VJO13M9)              |          |

**Packaging**

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:71499-523-01 | 1 in 1 BOX   | 05/23/2025           |                    |
| 1 | NDC:71499-523-02 | 120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006                                     | 05/23/2025           |                    |

**Labeler** - KENDO HOLDINGS INC. (078489982)

Revised: 9/2025

KENDO HOLDINGS INC.