

ACTINEL DIABETIC- dextromethorphan hydrobromide, guaifenesin liquid
ACTIPHARMA, LLC

ACTINEL® Diabetic

Drug Facts

Active ingredients (in each 5 mL teaspoonful)

Dextromethorphan HBr 10 mg

Guaifenesin 100 mg

Purposes

Cough suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily relieves cough due to minor throat and bronchial irritation associated with a cold or inhaled irritants

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if

- cough is accompanied by excessive phlegm (mucus)
- persistent or chronic cough such occurs with smoking, asthma, or emphysema

When using this product

- **do not exceed recommended dosage**

Stop use and ask a doctor if

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash or a persistent headache, These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 6 doses in any 24-hour period.
- mL = milliliter, tsp = teaspoon

adults and children 12 years of age and over	10 mL (2 tsp) every 4 hours
children under 12 years of age	consult a doctor

Other information

- tamper evident feature: Do not use if inner seal is torn, cut, or opened
- store at controlled room temperature 15° - 30°C (59° - 86°F)
- avoid excessive heat or humidity

Inactive ingredients

citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments?

1.787.608.0082

You may also report serious side effects to this phone number.

Call weekdays from 8AM to 4PM AST

Alcohol FREE

Dye FREE

Sugar FREE

Contains the same active ingredients as Tusnel® *Diabetic**

ActiPharma

COMMITTED TO HEALTH AND WELL-BEING

WWW.ACTIPHARMA.NET

Manufactured for ActiPharma

San Juan, PR 00917

Manufactured in USA with imported ingredients

*Tusnel® *Diabetic* is a registered trademark of Llorens Pharmaceutical. This product is not manufactured, distributed or marketed by Llorens Pharmaceutical.

Packaging

NDC 63102-140-16

ACTINEL[®]

Diabetic

Dextromethorphan HBr
COUGH SUPPRESSANT

Guaifenesin
EXPECTORANT

Alcohol FREE
Dye FREE
Sugar FREE

Contains the same active ingredients as Tusnel[®] Diabetic*

Strawberry Banana Flavor

16 fl oz (1 pt.) 473 mL

Drug Facts

Active ingredients (in each 5 mL teaspoonful) **Purposes**
Dextromethorphan HBr 10 mg..... Cough suppressant
Guaifenesin 100 mg..... Expectorant

Uses
■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
■ temporarily relieves cough due to minor throat and bronchial irritation associated with a cold or inhaled irritants

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if
■ cough is accompanied by excessive phlegm (mucus)
■ persistent or chronic cough such occurs with smoking, asthma, or emphysema

When using this product
■ do not exceed recommended dosage

Stop use and ask a doctor if
■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash or a persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions ■ do not exceed 6 doses in any 24-hour period.
■ mL = milliliter, tsp = teaspoon

adults and children 12 years of age and over	10 mL (2 tsp) every 4 hours
children under 12 years of age	consult a doctor

Other information
■ tamper evident feature: Do not use if inner seal is torn, cut, or opened
■ store at controlled room temperature 15°- 30°C (59°- 86°F)
■ avoid excessive heat or humidity

Inactive ingredients
citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments?
1.787.608.0882
You may also report serious side effects to this phone number.
Call weekdays from 8AM to 4PM AST

Manufactured for ActiPharma
San Juan, PR 00917
www.actipharma.net
Manufactured in USA
with imported ingredients

*Tusnel[®] Diabetic is a registered trademark of Llorens Pharmaceutical. This product is not manufactured, distributed or marketed by Llorens Pharmaceutical.

Rev. 12/25

N 3 63102 14016 7

ACTINEL DIABETIC			
dextromethorphan hydrobromide, guaifenesin liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63102-140
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	
Inactive Ingredients			
Ingredient Name	Strength		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
WATER (UNII: 059QF0KO0R)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			

Product Characteristics

Color		Score	
Shape		Size	
Flavor	STRAWBERRY (Strawberry Banana Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63102-140-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/12/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/12/2026	

Labeler - ACTIPHARMA, LLC (079340948)

Revised: 1/2026

ACTIPHARMA, LLC