# SERYNTH FAST RELIEF NASAL- naphazoline hcl 0.05% fast relief nasal spray Jiangxi Hemei Pharmaceutical Co., Ltd

-----

84010-117

### **Active Ingredient**

Naphazoline HCL 0.05%.

## **Purpose**

Nasal Decongestant

#### Use

temporarily relieves

- ·nasal congestion due to a cold, hay fever, or other upper respiratory allergies
- ·sinus congestion and pressure

#### Warnings

Ask a doctor before use if you have

- ·heart disease
- ·high blood pressure
- ·thyroid disease
- ·diabetes
- ·trouble urinating due to enlarged prostate gland

#### Do not use

- ·do not exceed recommended dosage
- ·do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- ·temporary discomfort such as burning, stinging, sneezing, or increased nasaldischarge may occur
- ·use of this container by more than one person may spread infection do not use children under 2 years.

## When Using

- $\cdot \text{do not exceed recommended dosage} \\$
- ·do not use this product for more than 3 days. Use only as directed. Frequent or

prolonged use may cause nasal congestion to recur or worsen

- ·temporary discomfort such as burning, stinging, sneezing, or increased nasaldischarge may occur
- ·use of this container by more than one person may spread infection

#### Stop Use

Stop use and ask a doctor if symptoms persist.

#### **Ask Doctor**

If pregnant or breast-feeding, ask a health professional before use. children 2 to under 6 years.

#### Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away

#### **Directions**

adults&children 6 years &older(with adult supervision) 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours

#### Other information

do not exceed 25°C.

### **Inactive ingredients**

borneol, Camphor, glycerin, menthol propylene glycol, etc.

#### PRINCIPAL DISPLAY PANEL





# FAST RELIEF



Dealer: Jiangxi Hemei Pharmaceutical Co., Ltd. Address: 4th Floor, Building 1956, Phase III, Zhangjiashan Medicallncubation Park, Zhangshu, Yichun, Jiangxi 331208, China (CHN)



# **SERYNTH**

NAPHAZOLINE HCL NASAL DECONGESTANT

# **FAST RELIEF**

**NASAL SPRAY** 

Nasal Drip 
Stuffy Nose 
Sinus Pressure 
Blocked Ears 

12
HOURS



#### Drug Facts

ACTIVE INGREDIENT PURPOSE

Naphazoline HCL 0.05%...Nasal Decongestant

**Uses** temporarily relieves

- nasal congestion due to a cold, hay fever, or other upper respiratory allergies
- •sinus congestion and pressure

#### Warnings

#### Ask a doctor before use if you have

- •heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland

#### When using this product

- · do not exceed recommended dosage
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if** symptoms persist.

If pregnant or breast-feeding ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

#### Directions

adults & children 6 yrs. & older (with adult supervision)2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours. ask a doctor children 2 to under 6 years. do not use children under 2 years.

Other information do not exceed 25°C Inactive ingredients

borneol, Camphor, glycerin, menthol, propylene glycol, etc.

#### SERYNTH FAST RELIEF NASAL

naphazoline hcl 0.05% fast relief nasal spray

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84010-117

**NET WT** 

30ml / 1 fl oz

**Route of Administration** 

NASAL

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
NAPHAZOLINE HCL (UNII: MZ 1131787D) (NAPHAZ OLINE - UNII: H231GF11BV)	NAPHAZOLINE HCL	0.05 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
BORNEOL (UNII: M89NIB437X)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
MENTHOL (UNII: L7T10EIP3A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/23/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/23/2025	

# Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-117)	

Revised: 5/2025 Jiangxi Hemei Pharmaceutical Co., Ltd