## SERYNTH LIQUID WART CORN REMOVER- salicylic acid 17% liquid wart corn remover liquid

Jiangxi Hemei Pharmaceutical Co., Ltd

84010-120

### **Active Ingredient**

Salicylic acid 17%

### **Purpose**

Wart remover

### Use

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

### Warnings

For external use only.

### Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

### When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

## Stop Use

Stop use and ask a doctor if discomfort persists.

### Ask Doctor

Stop use and ask a doctor if discomfort persists.

## Keep Out Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222) right away.

### **Directions**

Wash the affected area.

May soak wart in warm water for 5 minutes. Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for upto 12 weeks.

### Other information

Store at room temperature. Avoid excessive heat (37°C/99°F). Skin discoloration may occur during or after use.

### **Inactive ingredients**

Water, Polyethylene Glycol, Glycerin, Borneol, Podofilox

### PRINCIPAL DISPLAY PANEL

# **SERYNTH**

# 38\*50\*88mm

#### Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away. Directions

Wash the affected area.

May soak wart in warm water for 5 minutes. Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

#### Other information

Store at room temperature. Avoid excessive heat (37°C / 99°F). Skin discoloration may occur during or

#### Inactive ingredients:

•
Podofilox · · · · · · · · 0.5%
Borneol
Glycerin
Polyethylene Glycol · · · · · · · 16%
Water 52.5%





Dealer:Jiangxi Hemei Pharmaceutical Co., Ltd. Address:4th Floor, Building 1956,Phase III, Zhangjiashan MedicalIncubation Park, Zhangshu,Yichun,Jiangxi 331208, China(CHN)

## **SERYNTH**

### **LIQUID WART & CORN REMOVER**

### SAFE FORMULA

### **FAST ACTING LIQUID**

- ✓ WORKS QUICKLY
- ✓ PROVEN EFFECTIVE
- FORMULATED FOR WART AND CORN REMOVAL



NET WT: 30ml / 1fl oz

### Drug Facts

Active ingredient:

Purpose

### Salicylic acid 17% · · · · · · Wart remover

For the removal of common warts and plantar warts.

Common warts have a rough "cauliflower -like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

#### Warnings

For external use only.

#### Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes.If you have diabetes or poor blood circulation.

### When using this product

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes.Non-edible.

Cap tightly and store at room temperature away from heat.



## **SERYNTH**

### **LIQUID WART & CORN REMOVER**

### SAFE FORMULA

### **FAST ACTING LIQUID**

- ✓ WORKS QUICKLY
  ✓ PROVEN EFFECTIVE
- FORMULATED FOR WART AND





NET WT: 30ml / 1fl oz

## **SERYNTH LIQUID WART CORN REMOVER**

salicylic acid 17% liquid wart corn remover liquid

### **Product Information**

**Product Type HUMAN OTC DRUG** Item Code (Source) NDC:84010-120

**Route of Administration TOPICAL** 

### **Active Ingredient/Active Moiety**

**Basis of Strength Ingredient Name** Strength SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 17 g in 100 mL

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PODOFILOX (UNII: L36H50F353)				
BORNEOL (UNII: M89NIB437X)				

l	Packaging						
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
		NDC:84010-120- 01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/23/2025			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M028	05/23/2025			

## Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-120)		

Revised: 5/2025 Jiangxi Hemei Pharmaceutical Co., Ltd