BISACODYL LAXATIVE- bisacodyl laxative suppositories suppository Neilmed Pharmaceuticals Inc.

Bisacodyl LaxativeAluminium Foil wrapped Suppositories

Drug Facts: Active Ingredient

(in each suppository) Bisacodyl 10 mg

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 15 to 60 minutes

Warnings

• For rectal use only

Do not use

- when abdominal pain, nausea or vomiting are present
- for a period longer than 1 week

Ask a doctor before use

if you have noticed a sudden change in bowel habits that lasts over a period of 2 weeks

When using this product

it may cause abdominal discomfort, faintness, rectal bleeding and mild cramps

Stop use and ask a doctor if

- you have rectal bleeding
- you fail to have a bowel movement after using this product. This may indicate a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- Detach one suppository from the strip
- Remove suppository from foil as shown in illustration
- Insert suppository into rectum, pointed end first

Adults and children 12 and over	1 suppository once daily
Children 6 to under 12 years	1/2 suppository daily
Children under 6 years	Do not use

Other Information

- Store at room temperature. Do not exceed 30° C (86° F)
- Lot No. & Exp. Date: see wrapper or box

Inactive Ingredients

hydrogenated vegetable oil

Questions?

Adverse Drug Event Call: 1(877) 477-8633

Important:


Please do not discard this printed box and any enclosed printed material. The inside final product may not have all the details you require for the ongoing use of the product.

Purpose

Purpose - Vasoconstrictor

Package Label

Package Label



BISACODYL LAXATIVE							
bisacodyl laxative suppositories suppository							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:1	NDC:13709-328		
Route of Administration	RECTAL						
Active Ingradient/Active	Malahy						
Active Ingredient/Active Moiety							
Ingred	lient Name		Basis of Strer	ngth	Stre	ngth	
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)		BISACODYL		10 mg	in 1.8 g		
Inactive Ingredients							

		Strength							
ΗY	DROGENATED								
Packaging									
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date					
1	NDC:13709- 328-01	30 in 1 CARTON	05/23/2025						
1		1.8 g in 1 BLISTER PACK; Type 0: Not a Combination Product							
Marketing Information									
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
ОТ	C Monograph Dr	ug M015	05/23/2025						

Labeler - Neilmed Pharmaceuticals Inc. (799295915)

Establishment

Name	Address	ID/FEI	Business Operations
Neilmed Pharmaceuticals Inc.		799295915	manufacture(13709-328)

Revised: 5/2025

Neilmed Pharmaceuticals Inc.