

FIVE PHOTO BRAND FIRST AID ANTISEPTIC- alcohol liquid
LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FTY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active Ingredients
Alcohol 48%

Purpose
First Aid Antiseptic

Uses
First aid to help prevent the risk of skin infection in:
minor cuts
scrapes
burns

Warning
For external use only
Flammable, keep away from fire or flame.

Do not use
in the eyes
over large areas of the body

Ask doctor before you use if you have
deep or punter wounds
animal bites
serious burns

Stop use and ask doctor if
condition worsens
condition persists for more than 7 days
redness, irritation, swelling, or pain persists or increases
nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other Information
keep container tightly closed

Inactive Ingredients

Cattail (pu huang) pollen extract, Chinese peony (chi shao) root extract, costus (mu xiang) root extract, dong quai (dang gui) root extract, dragon's blood palm (xue jie) fruit extract, frankincense (ru xiang) resin extract, myrrh (mo yao) resin extract, peppermint oil, safflower (hong hua) flower extract, Tienchi ginseng (san qi) root extract, and water.

Questions or comments? (888) 221-3496 M-F 9am to 5pm
you may also report serious side effects to this phone number

FIVE PHOTO BRAND FIRST AID ANTISEPTIC
NDC 61358-100-01
7.44 FL OZ (220 ML)

EXTERNAL USE ONLY NDC 61358-100-02

solstice
medicine company

梁財信五像牌
急救抗菌劑

梁財信

跌打專科聖藥 散瘀 止痛

跌打回七藥酒

貳佰余年老號 祛風 活絡

Drug Facts
藥品資料

Active Ingredients Purpose
有效成份 用途
Alcohol 48% First Aid Antiseptic
酒精 48% 急救抗菌

Uses 作用
First aid to help prevent the risk of skin infection in:
防止下列症狀引起皮膚感染的急救抗菌劑:
■ minor cuts 割傷/傷口
■ scrapes 刮傷/擦傷
■ burns 燒傷/燙傷

Warnings 告誡
For external use only
本品僅供外用。
Flammable. Keep away from fire or flame. 本品易燃，別使之接近火點。
Do not use 不要用於
■ in the eyes 眼睛
■ over large areas of the body 身體上的大面積

Ask a doctor before you use if you have
如有下列症狀，應用前先請醫診:
■ deep or puncture wounds 深度或貫刺傷口
■ animal bites 動物咬傷傷痕
■ serious burns 嚴重燒/灼傷/燙傷

Stop use and ask a doctor if
如有下列症狀，停止使用並請醫診:
■ condition worsens. 症狀變劇
■ infection occurs. 感染
■ condition persists for more than 7 days. 症狀持續七天以上
■ redness, irritation, swelling, or pain persists or increases. 紅腫、發炎或疼痛持續或加劇
■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs. 噁心、嘔吐、腹瀉不適、皮膚紅腫或皮疹

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center.

EXTERNAL USE ONLY NDC 61358-100-02

solstice
medicine company

FIVE PHOTO BRAND
FIRST AID ANTISEPTIC

梁財信

跌打專科聖藥 散瘀 止痛

跌打回七藥酒

貳佰余年老號 祛風 活絡

Drug Facts (Continued)
藥品資料 (續)

將本品儲存在於兒童不可接近處，以避免意外中毒。如果不慎吞服，應立即尋求醫療護理，或與毒物控制中心(Poison Control Center)聯絡。

Directions 用法
Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
洗淨傷患處，用少量於患處。每日一至三次，可用消毒繃帶覆蓋。如使用繃帶，先讓傷口乾透。


Other information
其它注意事項
■ Keep container tightly closed 容蓋緊閉。

Inactive Ingredients
輔助成份
Cattail (pu huang) pollen extract, Chinese peony (chi shao) root extract, dong quai (dang gui) root extract, dragon's blood palm (xue jie) fruit extract, frankincense (ru xiang) resin extract, myrrh (mo yao) resin extract, peppermint oil, safflower (hong hua) flower extract, and water.
蘆薈、赤芍、當歸、血竭、吳萸、沒藥、薄荷油、紅花糖、田七和水。

Questions or Comments
問題或建議? (888) 221-3496
M-F, 9 am to 5 pm
■ you may also report serious side effects to this phone number
週一至週五，上午9時至下午5時
■ 您還可以使用這組電話號碼向最嚴重的副作用

製造商:
MANUFACTURED BY:
梁財信五像牌藥酒廠
LUNG CHOY SHUNG MEDICINE FACTORY
Tsing Yi Island 青洲島, Hong Kong 香港

美國總代理:
U.S. Distributor:
SOLSTICE MEDICINE COMPANY
美國蘇氏藥業有限公司
216 W. Ann Street
Los Angeles, CA 90012



FIVE PHOTO BRAND FIRST AID ANTISEPTIC

alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61358-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	48 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TYPHA LATIFOLIA POLLEN (UNII: 341PDX5PLM)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)	
DAEMONOROPS DRACO RESIN (UNII: 787Z7N9UCU)	
FRANKINCENSE (UNII: R9XLF1R1WM)	
MYRRH (UNII: JC71GJ1F3L)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
SAFFLOWER (UNII: 4VBL71TY4Y)	
PANAX NOTOGINSENG ROOT (UNII: GQX1C1175U)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61358-100-01	1 in 1 BOX	08/08/2016	
1		220 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:61358-100-02	1 in 1 BOX	08/08/2016	
2		130 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/08/2016	

Labeler - LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FTY (667407808)**Establishment**

Name	Address	ID/FEI	Business Operations
LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FTY		667407808	manufacture(61358-100)

Revised: 8/2016

LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FTY