

BENZOCAINE AND BENZETHONIUM- benzocaine and benzethonium aerosol, spray
Tender Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Genuine First Aid Antiseptic Spray

Active Ingredients

Benzethonium Chloride 0.2% w/w

Benzocaine 10% w/w

Purpose

Topical Antiseptic

Topical Anesthetic

Uses

For temporary relief of pain, treatment and helps prevent infection in

- minor cuts and scrapes
- insect bites
- minor skin irritations

Warnings

For external use only

Flammable:

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120°F

Do not use:

- in or near mucous membranes
- on serious burns
- on deep puncture wounds
- for a prolonged period of time
- on a large portion of the body

Stop use and ask a doctor if:

- redness, swelling, or irritation occurs
- infection occurs
- condition persists or worsens
- symptoms persists for more than 7 days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- shake can well before using
- for adult institutional use only
- not for use on children
- hold 4-6 inches from surface and spray area until wet
- may be covered with sterile bandage. If bandaged, let dry first

Other Information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive Ingredients

Dipropylene Glycol, Isobutane, n-Butane, Propane

Label



NDC 044224-3120-1

GENUINE FIRST AID®

ANTISEPTIC SPRAY

For Cuts and Abrasions

Provides a fast and easy way to disinfect minor cuts, scratches, and abrasions while helping to minimize pain

FLAMMABLE CONTENTS UNDER PRESSURE

Contains no fluorocarbons

ESPRAY ANTISÉPTICO

Para cortes y abrasiones

Proporciona una forma rápida y fácil de desinfectar cortes menores, arañeos y abrasiones al mismo tiempo que ayuda a minimizar el dolor.

CONTENIDO INFLAMABLE BAJO PRESIÓN.

No contiene fluorocarbonos

NET WEIGHT: 3 oz (85 g)

Distributed by:
GENUINE FIRST AID®
A division of Tender Corporation
Littleton, NH 03561
www.GenuineFirstAid.com

47.0336

Drug Facts

Active Ingredients	Purpose
Benzethonium Chloride 0.2% w/w.....	Topical Antiseptic
Benzocaine 10% w/w.....	Topical Anesthetic

Uses For temporary relief of pain, treatment and helps prevent infection in
■ minor cuts and scrapes ■ insect bites ■ minor skin irritations

Warnings
For external use only

Flammable: ■ keep away from fire or flame ■ contents under pressure
■ do not puncture or incinerate container
■ do not expose to temperatures above 120°F

Do not use: ■ in or near mucous membranes ■ on serious burns
■ on deep puncture wounds ■ for a prolonged period of time
■ on a large portion of the body

Stop use and ask a doctor if: ■ redness, swelling, or irritation occurs
■ infection occurs ■ condition persists or worsens
■ symptoms persist for more than 7 days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ clean the affected area ■ shake can well before using
■ for adult institutional use only ■ not for use on children
■ hold 4-6 inches from surface and spray area until wet
■ may be covered with sterile bandage. If bandaged, let dry first

Other Information
■ avoid inhaling ■ use only as directed
■ intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive Ingredients Dipropylene Glycol, Isobutane, n-Butane, Propane

9999-3120

BENZOCAINE AND BENZETHONIUM

benzocaine and benzethonium aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44224-3120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	170 mg in 85 g
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	8500 mg in 85 g

Inactive Ingredients

Ingredient Name	Strength
PROPANE (UNII: T75W9911L6)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ISOBUTANE (UNII: BXR49TP611)	
BUTANE (UNII: 6LV4FOR43R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-3120-1	85 g in 1 CAN; Type 0: Not a Combination Product	08/19/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/19/2014	

Labeler - Tender Corporation (064437304)

Revised: 6/2016

Tender Corporation