

FIRST AID ONLY ANTISEPTIC FIRST AID- benzalkonium chloride spray
Acme United Corporation

First Aid Only Antiseptic First Aid Spray

Drug Facts

Benzalkonium Chloride 0.1% **Purpose First Aid Antiseptic**

Benzocaine 5.0% **Purpose Topical Pain Relief**

Benzalkonium Chloride 0.1% Purpose First Aid Antiseptic

Benzocaine 5.0% Purpose Topical Pain Relief

Uses

First Aid to help prevent infection and for temporary pain relief in minor cuts, scrapes, burns.

clean affected area

spray over the area 1 to 3 times daily

may be covered with a sterile bandage (let it dry first)

children under 2 ask a doctor

For External use Only

Flammable. Keep away from fire or flame

Do Not Use

- near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns
- Over large areas of the body
- More than one week unless directed by a doctor.

Stop use and ask a doctor if condition persists or gets worse

Keep out of the reach of children If swallowed, get medical help or contact Poison Control Center right away

Directions

- Clean affected area
- Spray over the area 1 to 3 times daily
- May be covered by a sterile bandage (let it dry first)

Children under 2 ask a doctor

Inactive Ingredients

isopropyl alcohol, purified water

Questions? 1.800.835.2263

clean affected area

spray over the area 1 to 3 times daily

may be covered with a sterile bandage (let it dry first)

children under 2 ask a doctor



13-080
ANTISEPTICS

Antiseptic First Aid Spray

Antiseptic Pain Reliever
First Aid Antiseptic
and External Analgesic

4 FL OZ (118.3mL)



Drug Facts

Active ingredients

Benzalkonium chloride 0.1% First aid antiseptic
Benzocaine 5.0% Topical pain relief

Purpose

Uses First aid to help prevent infection and for temporary pain relief in minor ■ cuts ■ scrapes ■ burns

Warnings

For external use only.

Flammable. Keep away from fire or flame.

Do not use

- near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns
- over large areas of the body
- more than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children If swallowed, get medical help or contact Poison Control Center right away

Directions

- clean affected area
- spray over the area 1 to 3 times daily
- may be covered with a sterile bandage (let it dry first)
- children under 2 ask a doctor

Inactive ingredients isopropyl alcohol, purified water

Questions? 1.800.835.2263

Manufactured for:
Acme United Corporation
1 Waterview Dr, Shelton, CT 06484
www.FirstAidOnly.com
© 2021 Acme United Corporation.
13-080-revD



FIRST AID ONLY ANTISEPTIC FIRST AID

benzalkonium chloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0924-0938(NDC:61010-5300)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
		50 mg

BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)		BENZOCAINE	50 mg in 1 g	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)		BENZALKONIUM CHLORIDE	1 mg in 1 g	
Inactive Ingredients				
Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-0938-01	118.3 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/30/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M003	05/30/2025	

Labeler - Acme United Corporation (001180207)

Establishment			
Name	Address	ID/FEI	Business Operations
Acme United Corporation		045924339	relabel(0924-0938) , repack(0924-0938)

Establishment			
Name	Address	ID/FEI	Business Operations
Acme United Corporation		080119599	repack(0924-0938) , relabel(0924-0938)