

BLACK COBRA TATTOO NUMBINGSPRAY 4% LIDOCAINE- lidocaine liquid
Foshan Sugar Max Cosmetics CO.,Ltd

84938-003 Black Cobra Tattoo Numbing Spray 4% Lidocaine

Lidocaine 4%

External Analgesic

Temporarily relieves pain and itching due to: Tattoo procedures,
Minor scrapes, Minor cuts, Minor skin irritations,
Tattoo Laser Remova

For external use only

Keep out of reach of children.

Not for use on children under 12 years old, consult a doctor before use.

Avoid contact with eyes, mouth, or open wounds.

Do not apply over large areas of the body.

Stop use and seek medical attention if irritation, rash, or an allergic reaction occurs, or if symptoms worsen or persist for more than seven days.

If swallowed, get medical help or contact Poison Control at 1-800-222-1222. Store at room temperature and do not freeze

Adults and children 12 years and older: Apply a generous layer to the affected area 15-30 minutes before the procedure. Allow the anesthetic to take effect, For prolonged comfort, reapply as necessary, but do not exceed 3 applications in 24 hours. Children under 12 years: Consult a doctor before use.

Aqua

Propylene Glycol

Sodium Hyaluronate

Kojic Acid

Sodium Hydroxide

Trisodium Citrate

1,3-Butanediol

Phenoxyethanol

Ethylhexylglycerin



BLACK COBRA TATTOO NUMBINGSPRAY 4% LIDOCAINE

lidocaine liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84938-003 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 0.04 g in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-------------------------------------|----------|
| AQUA (UNII: 059QF0K00R) | |
| PHENOXYETHANOL (UNII: H1E492ZZ3T) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| KOJIC ACID (UNII: 6K23F1TT52) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |

| | |
|--|--|
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| SODIUM HYALURONATE (UNII: YSE9PPT4TH) | |
| TRISODIUM CITRATE (UNII: 1Q73Q2JULR) | |

| Packaging | | | | |
|------------------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:84938-003-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 05/26/2025 | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M017 | 05/26/2025 | |

Labeler - Foshan Sugar Max Cosmetics CO.,Ltd (700689935)

| Establishment | | | |
|------------------------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Foshan Sugar Max Cosmetics CO.,Ltd | | 700689935 | manufacture(84938-003) |

Revised: 1/2026

Foshan Sugar Max Cosmetics CO.,Ltd