

MENTHOL- menthol paste
FlexiGo Inc

How to Use it correctly?

- Clean your hands and treatment area thoroughly with mild soap and warm water. Gently dry them afterward.
- Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
- leave it on for 40-50 minutes for the best results (keeping it on longer gives better effects).
- Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Notice:

The duration of numbness may vary depending on temperature and individual skin types It's recommended to perform a small patch test for the best numbing effect.

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
 MAXIMUM STRENGTH LONG LASTING
 NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:
 For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
 (For external use only)

Stop and ask a doctor if
 -an allergic reaction occurs.
 -symptom does not improve or if redness, irritation, swelling,pain or other symptoms develop or increase.

When using this product
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
 ask a health professional before use.Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

DRUG FACTS (Continued)

Directions
 -For children under 12, consult a doctor.
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
 -Apply up to 4 times daily.

DIRECTIONS:
 Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

Questions or comments?
 Contact us at
 tattoo8989@outlook.com

DISTRIBUTED BY:
 FlexiGo Inc
 2910 S Tejon St
 Englewood Colorado 80110

SHELF LIFE: 3 years

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA

**MAXIMUM STRENGTH LONG LASTING
NUMBNESS**

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning

(For external use only)

Stop and ask a doctor if

- an allergic reaction occurs.
- symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product

do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding

ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

How to Use it correctly?

- Clean your hands and treatment area thoroughly with mild soap and warm water. Gently dry them afterward.
- Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
- leave it on for 40-50 minutes for the best results (keeping it on longer gives better effects).
- Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Notice:

The duration of numbness may vary depending on temperature and individual skin types It's recommended to perform a small patch test for the best numbing effect.

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
MAXIMUM STRENGTH LONG LASTING
NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

Questions or comments?
Contact us at
tattoo8989@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

How to Use it correctly?

- Clean your hands and treatment area thoroughly with mild soap and warm water. Gently dry them afterward.
- Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
- leave it on for 40-50 minutes for the best results (keeping it on longer gives better effects).
- Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Notice:

The duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
MAXIMUM STRENGTH LONG LASTING
NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

Questions or comments?
Contact us at
tattoo8989@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

- Do not exceed the recommended daily dosage unless directed by a doctor.
- Avoid inserting this product into the rectum with fingers, medical devices or applicators.
- Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA

**MAXIMUM STRENGTH LONG LASTING
NUMBNESS**

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning

(For external use only)

Stop and ask a doctor if

- an allergic reaction occurs.
- symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product

do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding

ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor.

Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

How to Use it correctly?

- Clean your hands and treatment area thoroughly with mild soap and warm water. Gently dry them afterward.
- Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
- leave it on for 40-50 minutes for the best results (keeping it on longer gives better effects).
- Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Notice:

The duration of numbness may vary depending on temperature and individual skin types It's recommended to perform a small patch test for the best numbing effect.

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
MAXIMUM STRENGTH LONG LASTING
NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

Questions or comments?
Contact us at
tattoo8989@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

How to Use it correctly?

- Clean your hands and treatment area thoroughly with mild soap and warm water. Gently dry them afterward.
- Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
- leave it on for 40-50 minutes for the best results (keeping it on longer gives better effects).
- Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Notice:

The duration of numbness may vary depending on temperature and individual skin types It's recommended to perform a small patch test for the best numbing effect.

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
MAXIMUM STRENGTH LONG LASTING
NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

Questions or comments?
Contact us at
tattoo8989@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA

**MAXIMUM STRENGTH LONG LASTING
NUMBNESS**

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning

(For external use only)

Stop and ask a doctor if

- an allergic reaction occurs.
- symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product

do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding

ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

MFG: 12/14/2024
EXP: 12/13/2027
BATCH NUMBER: 20241214-01

DRUG FACTS (Continued)

Directions:

- For children under 12, consult a doctor.
- For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly.
- Gently dry the area with toilet tissue or a soft cloth before applying the product.
- Apply up to 4 times daily.

Other Information:

Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

If Pregnant or Breast-feeding:

Ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

NUMBING CREAM
Topical Anesthetic



6
HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:

For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warnings:

- For external use only.
- Keep out of the reach of children.
- Stop use and ask doctor if any allergic reaction occurs. Or if irritation, redness or other discomfort develop or increase.
- Avoid contact with eyes. Flush with water in case of eye contact.

When Using This Product:

Do not exceed the recommended daily dosage unless directed by a doctor.

Avoid inserting this product into the rectum with fingers, medical devices or applicators.

Do not use if you are allergic to the ingredients of this product, or if the seal is broken or missing.

Inactive Ingredients:

Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

How To Use It:

1. Clean your hands and the skin area in need of treatment with soap and warm water, rinse thoroughly and then gently dry them.
2. Apply a thick layer of the numbing cream evenly (1mm) on the treatment area.
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes for the best results.
4. Wipe away the remaining cream with a soft cloth or tissue, then wait an additional 10 minutes for the numbness effect reach to peak.

Notice: Please be aware that the duration of numbness may vary depending on temperature and individual skin types. It's recommended to perform a small patch test for the best numbing effect.

57*57*47mm

How to Use it correctly?

- Clean your hands and treatment area thoroughly with mild soap and warm water. Gently dry them afterward.
- Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
- leave it on for 40-50 minutes for the best results (keeping it on longer gives better effects).
- Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Notice:

The duration of numbness may vary depending on temperature and individual skin types It's recommended to perform a small patch test for the best numbing effect.

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
MAXIMUM STRENGTH LONG LASTING
NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

Questions or comments?
Contact us at
tattoo8989@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA

**MAXIMUM STRENGTH LONG LASTING
NUMBNESS**

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%.....	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

MENTHOL

menthol paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85524-2510
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 934 (UNII: Z135WT9208)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85524-2510-6	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/20/2025	
2	NDC:85524-2510-9	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/20/2025	

Labeler - FlexiGo Inc (118951527)

Establishment

Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	manufacture(85524-2510) , label(85524-2510)

Revised: 9/2025

FlexiGo Inc