

**ISOPROPYL RUBBING ALCOHOL- isopropyl alcohol solution**  
**Healthwell**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Isopropyl Alcohol**

**Drug Facts Box**

**Active Ingredient**

Isopropyl Alcohol 70%

**Purpose**

First Aid Antiseptic

**Warnings**

For external use only

Flammable

Keep away from fire or flame, heat, spark, electrical

Do not use with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product

do not get into eyes

do not apply over large areas of the body

do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

Clean the affected area

Apply a small amount of this product 1 to 3 times daily

May be covered with a sterile bandage

If bandaged, let dry first

**Other Information**

Does not contain, nor is intended as a substitute for grain or ethyl alcohol

Will produce serious gastric disturbances if taken internally

**Inactive Ingredient**

purified water

Isopropyl Rubbing Alcohol 70%

USP FIRST AID ANTISEPTIC

TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

Manufactured for HealthWell

32 FL OZ

(946 mL)

Tamper evident cap for your protection.  
If ring-band is broken or missing, do not use



PART #HS17502  
NDC #87010-002-32

# Isopropyl Rubbing Alcohol

**70%**  
first aid antiseptic

32 fl. oz.  
946 ml



1-07D0024N054FC

## Drug Facts

Active ingredient	Purpose
isopropyl alcohol 70%	First Aid Antiseptic

**Uses** • first aid to help prevent the risk of infection in: • minor cuts • scrapes • burns

### Warnings For external use only

#### Flammable

- keep away from fire or flame, heat, spark, electrical.
- Flash point 72°F.
- do not use with electrocautery procedures.

**Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns**

**When using this product** • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if** condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean the affected area  
• apply 1 to 3 times daily

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredient** purified water



**WARNING: Flammable!**  
**ADVERTENCIA: Inflamable!**



1-07D0024N054BC

MANUFACTURED FOR  
HEALTHWELL  
15 AMERICA AVE.  
LAKEWOOD, NJ 08701

HEALTHWELLPRODUCTS.COM  
877.260.9472

## ISOPROPYL RUBBING ALCOHOL

isopropyl alcohol solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87010-002
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87010-002-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/08/2017	
2	NDC:87010-002-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/08/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	11/08/2017	

**Labeler** - Healthwell (004227758)

Revised: 10/2020

Healthwell