

ISHANCARE NAIL FUNGUS SERUM- nail fungus serum gel
Shenzhen Ishan Technology Co., Ltd

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Active ingredient

Chlorhexidine Acetate 2%

Inactive ingredient

Purified water, Benzoic acid, Boric acid, Ethanol, Triclosan.

Keep out of reach of children.

if swallowed, call poison control or seek medical help.

Ask a doctor if

Stop use and ask a doctor if

pain worsens or persists, or if you experience any of these symptoms: burning, itching, rash, or other changes in the skin where the product was placed.

USES

Effectively treats nail fungus, discoloration, splitting, thickening, crumbling and brittleness.

Other information

Store at room temperature 59-86°F(15-30°C)

Directions

- * Before use, clean the affected area with soap and soak the nail in warm water to soften it.
- * For toenail fungus, scrape the dirt off the nail and gently file the thickened part of the fungal nail until it's flat (be careful not to damage the nail bed).
- * Use twice a day, morning and evening.
- * Repeat this process 2-3 times a day until a healthy nail begins its gradual regeneration.

* For best results, use continuously for 6 weeks.

Dosage & administration

Apply 2-3 times a day

When using this product

Do not wear this product directly on skin.

Be aware of low-temperature burns.

Warning

Warnings: For external use only

- * Do not use on children under 2 years of age unless directed by a doctor.
- * Avoid contact with eyes when using this product, if contact occurs rinse thoroughly with water
- * Stop use and ask a doctor if irritation occurs or discomfort persists. Keep out of reach of children
- * If swallowed, call a poison control centre or seek medical attention immediately.

Lable



ISHANCARE NAIL FUNGUS SERUM

nail fungus serum gel

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:73076-163 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------|-----------------|
| CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE ACETATE | 2 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
| | |

| | |
|---|--|
| WATER (UNII: 059QF0KO0R) | |
| 2-(TRIFLUOROMETHYL)BENZOIC ACID (UNII: 0R1CK7MZUA) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| TRICLOSAN (UNII: 4NM5039Y5X) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:73076-163-01 | 20 g in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2025 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 01/01/2025 | |

Labeler - Shenzhen Ishan Technology Co., Ltd (554484192)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------------------|---------|-----------|------------------------|
| Shenzhen Ishan Technology Co., Ltd | | 554484192 | manufacture(73076-163) |

Revised: 2/2026

Shenzhen Ishan Technology Co., Ltd