

LEADER KIDS SPORT SUNSCREEN SPF 50- avobenzene, homosalate, octisalate, octocrylene spray
CARDINAL HEALTH 110, LLC. DBA LEADER

Active Ingredients

Avobenzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable:

- keep away from fire or flame
- wait 10 minutes after application before approaching a source of heat or flame, or before smoking

Do not use

- on damaged or broken skin.

When using this product

- avoid spraying eyes. Rinse with water to remove
- do not puncture or incinerate. Contents under pressure.
- do not store at temperature above 120 F
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- Shake well
- hold container 4 to 6 inches from the skin to apply
- spray liberally and evenly by hand 15 minutes before sun exposure
- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions, use in well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10:00 a.m.-2:00 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor.

Inactive ingredients

Aloe Barbadensis Leaf Juice, Ascorbic Acid, Butylparaben, Caprylyl Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylene, Ethylparaben, Glycerin, Isobutane, Isobutylparaben, Isododecane, Methyl Dihydroabietate, Methylparaben, Octyldodecanol, PEG-8, PEG-8 Dimethicone, Phenoxyethanol, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Propylparaben, Retinyl Palmitate, Silica, Sodium Chloride, Sodium Citrate, Sodium Propoxyhydroxypropyl Thiosulfate Silica, Tocopheryl Acetate, Water.

Other Information

- protect the product in this container from excessive heat and direct sun
- may stain some fabrics

Questions or comments?

+1-866-306-9136

You may also report serious side effects to this phone number.

Mon - Fri 9:00 am - 5:00 pm EST

Principal Display Panel

LEADERTM
NDC 70001-0700-1

kids[®]
Sport
Sunscreen Spray

50
UVA/UVB BROAD SPECTRUM SPF 50

Water Resistant (80 Minutes)
Shake Well Before Use

COMPARE TO BANANA BOAT[®] KIDS SPORT SUNSCREEN LOTION SPRAY active ingredients*

100% Money Back Guarantee

6 FL OZ (177 mL)

<p>Drug Facts</p> <p>Active Ingredients Purpose</p> <p>Avobenzone 3% } Homosalate 10% } Sunscreen Octisalate 5% } Octocrylene 6% }</p> <p>Uses</p> <ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun <p>Warnings</p> <p>For external use only.</p> <p>Flammable:</p> <ul style="list-style-type: none"> keep away from fire or flame wait 10 minutes after application before approaching a source of heat or flame, or before smoking <p>Do not use</p> <ul style="list-style-type: none"> on damaged or broken skin <p>When using this product</p> <ul style="list-style-type: none"> avoid spraying in eyes. Rinse with water to remove do not puncture or incinerate. Contents under pressure do not store at temperature above 120 °F use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> rash occurs <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away 1-800-222-1222.</p> <p>Directions</p> <ul style="list-style-type: none"> shake well hold container 4 to 6 inches from the skin to apply spray liberally and spread evenly by hand 15 minutes before sun exposure do not spray directly into face. Spray on hands then apply to face do not apply in windy conditions use in a well-ventilated area and avoid inhalation reapply: <ul style="list-style-type: none"> after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours 	<p>Drug Facts (continued)</p> <p>Sun Protection Measures.</p> <p>Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> limit time in the sun, especially from 10:00 a.m. - 2:00 p.m. wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months of age: Ask a doctor <p>Other information</p> <ul style="list-style-type: none"> protect the product in this container from excessive heat and direct sun may stain some fabrics <p>Inactive ingredients</p> <p>Aloe Barbadosensis Leaf Juice, Ascorbic Acid, Butylparaben, Caprylyl Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylene, Ethylparaben, Glycerin, Isobutane, Isobutylparaben, Isododecane, Methyl Dihydroxibetate, Methylparaben, Octyldodecanol, PEG-8, PEG-8 Dimethicone, Phenoxyethanol, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Propylparaben, Retinyl Palmitate, Silica, Sodium Chloride, Sodium Citrate, Sodium Propoxyhydroxypropyl Thiosulfate Silica, Tocopheryl Acetate, Water.</p> <p>Questions or comments?</p> <p>+1-866-306-9136 You may also report serious side effects to this phone number. Mon - Fri 9:00am - 5:00pm EST</p> <p>DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017 www.myleader.com 1-800-200-6333 Made in China ©2025 Cardinal Health. All other marks are the property of their respective owners. *This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, owner of registered trademark Banana Boat[®].</p> <p>100% Money Back Guarantee Return to place of purchase if not satisfied.</p> <p>REV 04/25 CIN 5922224 8 0 962951 14363 8</p>
---	---

LEADER KIDS SPORT SUNSCREEN SPF 50

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0700
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
DIBUTYL ADIPATE (UNII: F4K100DXP3)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ETHYLPARABEN (UNII: 14255EXE39)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOBUTANE (UNII: BXR49TP611)	
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
ISODODECANE (UNII: A8289P68Y2)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PEG-8 (UNII: B697894SGQ)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
RETINYL PALMITATE (UNII: 1D1K0N0VVC)	
SILICA (UNII: ETJ7Z6XBU4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM PROPOXYHYDROXYPROPYL THIOSULFATE SILICA (UNII: 208G222332)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0700-1	177 mL in 1 CAN; Type 0: Not a Combination Product	05/28/2025	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	05/28/2025	

Labeler - CARDINAL HEALTH 110, LLC. DBA LEADER (063997360)

Registrant - Medical Group Care LLC (085137089)

Revised: 6/2025

CARDINAL HEALTH 110, LLC. DBA LEADER