#### PLEO PIN- fomitopsis pinicola suppository Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

Pleo™ Pin SUPPOSITORIES 4X

## Homeopathic Antipyretic Medicine 10 SUPPOSITORIES

#### Indications

For temporary relief of fever

#### **ACTIVE INGREDIENT PER DOSE**

0.2 g Fomitopsis pinicola e mycelio 4x.

#### **Inactive ingredients**

hydrogenated palm kernel glycerides, lactose.

#### DOSAGE

Once daily, insert one suppository rectally at bedtime.

#### WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

**Keep this and all medications out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

#### **Tamper Evident**

Do not use this product if imprinted inner blister pack is missing or broken.

Made in Germany.

**Distributed by:** SANUM USA Corp. 1465 Slater Road Ferndale, WA 98248

**Manufactured By:** Sanum-Kehlbeck GmbH & Co. KG Rev. 05/2005

### **PRINCIPAL DISPLAY PANEL - 10 Suppositories Carton**

Pleo™ Pin SUPPOSITORIES 4X

### Homeopathic Antipyretic Medicine

**Indications :** For temporary relief of fever

**10 SUPPOSITORIES** 



# 2703-1

## Pleo<sup>™</sup>Pin SUPPOSITORIES 4X Homeopathic Antipyretic Medicine

Indications: For temporary relief of fever

## **10 SUPPOSITORIES**

Rev. 06/2005

ACTIVE INGREDIENT PER DOSE: 0.2 g Fomitopsis pinicola e mycelio 4x. Inactive ingredients: hydrogenated palm kernel glycerides, lactose.

DOSAGE: Once daily, insert one suppository rectally at bedtime.

sitory rectally at bedtime. WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. Keep this and all medications out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Tamper Evident: Do not use this product if imprinted inner blister pack is missing or broken.

#### Lot #:

Made in Germany.

Distributed by: SANUM USA Corp. 1465 Slater Road Ferndale, WA 98248 Manufactured By: Sanum-Kehlbeck GmbH & Co. KG



490ZA4XF810US504

PLEO PIN			
fomitopsis pinicola suppository			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-2703
Route of Administration	RECTAL		
Active Ingredient/Active Moi	ety		

amitancia ninicala (UNUL)	Ingredient Name				ength	Strength
fomitopsis pinicola (UNII: 30D02U2IRN) (fomitopsis pinicola - UNII:30D02U2IRN)			fomitopsis pinic	o la	4 [hp_X]	
Inactive Ingredients						
Ingredient Name				Strength		
lactose (UNII: J2B2A4N98G)						
Packaging						
# Item Code	Package Description	Marketing	Start Date	Mark	eting E	nd Date
<b>I</b> NDC:60681-2703-1	1 in 1 CARTON					
1	10 in 1 DOSE PACK					
Marketing Inform	lation					
Marketing Inform Marketing Category	l <b>ation</b> Application Number or Monog	raph Citation	Marketing	Start Date M	Iarketin	g End Date

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 10/2009

Sanum Kehlbeck GmbH& Co. KG