TERBINAFINE HYDROCHLORIDE- terbinafine hydrochloride cream Taro Pharmaceuticals U.S.A., Inc.

Terbinafine Hydrochloride

Drug Facts

Active ingredient

Terbinafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking and scaling which accompany this condition

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - apply once a day (morning **or** night) for **1 week** or as directed by a doctor
 - wash hands after each use
- children under 12 years: ask a doctor

Other information

TAMPER EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE.

- store at controlled room temperature 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions?

call **1-866-923-4914**

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

PRINCIPAL DISPLAY PANEL - 12 g Tube Carton

Cures Most Jock Itch

Full Prescription Strength

Terbinafine Hydrochloride Cream 1% Antifungal

NET WT 0.42 oz (12 g)

NDC 51672-2083-8

Cures Most Jock Itch

Compare to the active ingredient in Lamisil

Terbinafine Hydrochloride

F

Cream 1% Antifungal

• For Effective R
• Full Prescription

For Effective Relief of Itching and Burning

Full Prescription Strength

Cures Most Jock Itch

Full Prescription Strength

Terbinafine Hydrochloride

Cream 1% Antifungal

NET WT 0.42 oz (12 g)

Terbinafine Hydrochloric

LPK-5456-0720-1 17

ENG19.53

NO COPY / NO COLOR THIS FLAP FOR LOT # AND EXP DATE PRINT





Distributed by: Taro Pharmaceuticals U.S.A., Inc. Hawthorne, NY 10532 TARO is a registered trademark of Taro Pharmaceuticals U.S.A., Inc. Made in Canada

" All trademarks are property of their respective owners.

Questions? call 1-866-923-4914

Inactive ingredients: berzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

expiration date

- (68° to 77°F) see carton or tube crimp for lot number and
- Other information

 TAMPER EVIDENT: DO NOT USE IF THE SEAL ON

 THE TUBE IS PUNCTURED OR NOT VISIBLE.

 store at controlled room temperature 20° to 25°C

 store at controlled room temperature 20° to 25°C
 - children under 12 years: aak a doctor
 - wash hands after each use
 - apply once a day (morning or night) for 1
 week or as directed by a doctor
 - open the affected skin with soap and water wash the affected skin with soap and water and dry completely before applying
 - Directions

 adults and children 12 years and over:

 use the ip of the cap to break the seal and

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and sak a doctor if too much irritation occurs or gets worse

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.


- Do not use on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections
 - Narnings
 For external use only

 relieves itching, burning, cracking and scaling which accompany this condition

· cures most jock itch (tinea cruris)

Ses

Active ingredient Purpose Terbinafine hydrochlonde 1%....Antifungal



TERBINAFINE HYDROCHLORIDE

terbinafine hydrochloride cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51672-2083
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Terbinafine Hydrochloride (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine Hydrochloride	1 g in 100 g		

Inactive Ingredients			
Ingredient Name	Strength		
benzyl alcohol (UNII: LKG8494WBH)			
cetyl alcohol (UNII: 936JST6JCN)			
cetyl palmitate (UNII: 5ZA2S6B08X)			
isopropyl myristate (UNII: ORE8K4LNJS)			
polysorbate 60 (UNII: CAL22UVI4M)			
water (UNII: 059QF0KO0R)			
sodium hydroxide (UNII: 55X04QC32I)			
sorbitan monostearate (UNII: NVZ 4I0H58X)			
stearyl alcohol (UNII: 2KR89I4H1Y)			

Product Characteristics				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51672- 2083-8	1 in 1 CARTON	07/02/2007	
		10 - to 1 TUDE Tons O Not - Constitution		

1	12 g in 1 TOBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

Labeler - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(51672-2083)	

Revised: 7/2020 Taro Pharmaceuticals U.S.A., Inc.