

SENNOSIDES- sennosides tablet
Morepen Laboratories Limited

Sennosides Tablet 8.6mg

Active Ingredient Section Label

Drug Facts

Active ingredient Purpose
(in each tablet)

Sennosides 8.6 mg.... Laxative

Purpose Section Label

Drug Facts

Active ingredient Purpose (in each tablet)

Sennosides 8.6 mg.... Laxative

Indications & Usage Section Label

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Dosage & Administration Section Label

Directions

■ take preferably at bedtime or as directed by a doctor

age	Starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Inactive Ingredients Section Label

Inactive ingredients

croscarmellose sodium,
dibasic calcium phosphate,
hypromellose,
lactose monohydrate,
magnesium stearate,
microcrystalline cellulose,
povidone, polyethylene glycol

Questions Section Label

Question or comments?

Call toll - free +1-844-524-5035
(Mon-Fri 9AM-5PM EST) or
email us at pv@morepen.com or
contact the FDA at 1-800-FDA-1088
or www.fda.gov/medwatch

Warnings Section

Warnings

Do not use

■ laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you

have ■ stomach pain

■ nausea ■ vomiting

■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.



Keep out of reach of Children Section Label

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Other information

■ each tablet contains: **calcium** 26.9 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F)

NDC 62993-0001-1

Distributed by :
Morepen Bio Inc.
666, Plainsboro Road,
Suite 215 Plainsboro, NJ 08536

Manufactured by :
Morepen Laboratories Limited
Morepen Village, Malkumajra,
Baddi Nalagarh Road, Baddi,
Himachal Pradesh 173205, India.



Sennosides Tablets

8.6 mg

Standardized Senna Concentrate 8.6 mg

*Compare to active ingredient in Senokot®

Regular Strength

Gentle, dependable constipation relief

30 Tablets

Do not use if
seal under cap
is missing or
damaged.

No varnish Area
for Lot No., Exp Date



Peel here

Drug Facts

Active ingredient Purpose (in each tablet)

Sennosides 8.6 mg... Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Warnings

Do not use
laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

take preferably at bedtime or as directed by a doctor

age	Starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

each tablet contains: calcium 26.9 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, polyethylene glycol

Question or comments?

Call toll - free +1-844-524-5035 (Mon-Fri 9AM-5PM EST) or email us at pv@morepen.com or contact the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch

* This product is not manufactured or distributed by Atlantis consumer healthcare Inc., owner of the registered trademark Senokot®

100 Tablets Bottle Label (NDC 62993-0001-2)

NDC 62993-0001-2

Distributed by :
Morepen Bio Inc.
 666, Plainsboro Road,
 Suite 215 Plainsboro, NJ 08536

Manufactured by :
 Morepen Laboratories Limited
 Morepen Village, Malkumajra,
 Baddi Nalagarh Road, Baddi,
 Himachal Pradesh 173205, India.



Sennosides Tablets

8.6 mg

Standardized Senna Concentrate 8.6 mg

Compare to active ingredient in Senokot

Regular Strength

Gentle, dependable constipation relief

100 Tablets



N 31629930001213 Peel here

Do not use if seal under cap is missing or damaged.

No varnish Area for Lot No., Exp Date

Drug Facts	Active ingredient Purpose (in each tablet) Sennosides 8.6 mg.....Laxative
Uses	<ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally produces a bowel movement in 6-12 hours
Warnings	<p>Do not use</p> <ul style="list-style-type: none"> laxative products for longer than 1 week unless directed by a doctor. <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> stomach pain nausea vomiting noticed a sudden change in bowel habits that continues over a period of 2 weeks <p>Stop use and ask a doctor if you have</p> <ul style="list-style-type: none"> rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition. <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>

Drug Facts (continued)		
Directions Take preferably at bedtime or as directed by a doctor		
age	Starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor
Other information		
each tablet contains: calcium 26.9 mg store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F)		
Inactive ingredients		
croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, polyethylene glycol		
Question or comments?		
Call toll-free +1-844-524-5035 (Mon-Fri 9AM-5PM EST) or email us at pv@morepen.com or contact the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch		
* This product is not manufactured or distributed by Atlantis consumer healthcare Inc., owner of the registered trademark Senokot®		

250 Tablets Bottle Label (NDC 62993-0001-3)

NDC 62993-0001-3



Sennosides Tablets

8.6 mg

Standardized Senna Concentrate 8.6 mg

*Compare to active ingredient in Senokot®

Regular Strength

Gentle, dependable constipation relief

250 Tablets



Distributed by :
Morepen Bio Inc.
 666, Plainsboro Road,
 Suite 215 Plainsboro, NJ 08536

Manufactured by :
 Morepen Laboratories Limited
 Morepen Village, Malkumajra,
 Baddi Nalagarh Road, Baddi,
 Himachal Pradesh 173205, India.

Do not use if seal under cap is missing or damaged.

No varnish Area for Lot No., Exp Date



N 3 6 2 9 9 3 1 0 0 1 3 0 0 Peel here →

Drug Facts	Active ingredient (in each tablet)	Purpose
	Sennosides 8.6 mg.....	Laxative
Uses	<ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally produces a bowel movement in 6-12 hours 	
Warnings	<p>Do not use</p> <ul style="list-style-type: none"> laxative products for longer than 1 week unless directed by a doctor. <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> stomach pain nausea vomiting noticed a sudden change in bowel habits that continues over a period of 2 weeks <p>Stop use and ask a doctor if you have</p> <ul style="list-style-type: none"> rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition. <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	

Drug Facts (continued)		
Directions		
take preferably at bedtime or as directed by a doctor		
age	Starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor
Other information		
<ul style="list-style-type: none"> each tablet contains: calcium 26.9 mg store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F) 		
Inactive ingredients		
croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, polyethylene glycol		
Question or comments?		
Call toll-free +1-844-524-5035 (Mon-Fri 9AM-5PM EST) or email us at pv@morepen.com or contact the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch		

* This product is not manufactured or distributed by Allantix consumer healthcare Inc., owner of the registered trademark Senokot®

1000 Tablets Bottle Label (NDC 62993-0001-4)

NDC 62993-0001-4

Drug Facts

Active ingredient Purpose (in each tablet)
Sennosides 8.6 mg Laxative

Uses ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 6-12 hours

Warnings

Do not use ■ laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.



Sennosides Tablets

8.6 mg

Standardized Senna Concentrate 8.6 mg

*Compare to active ingredient in Senokot®

Regular Strength

Gentle, dependable constipation relief

1000 Tablets

Drug Facts (continued)

Directions ■ take preferably at bedtime or as directed by a doctor

age	Starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information ■ each tablet contains: calcium 26.9 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F).

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, polyethylene glycol

Question or comments? Call toll-free +1-844-524-5035 (Mon-Fri 9AM-5PM EST) or email us at pr@morepen.com or contact the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch

Manufactured by: Morepen Laboratories Limited Morepen Village, Malkumajra, Baddi Nalagah Road, Baddi, Himachal Pradesh 173205, India.

Distributed by: Morepen Bio Inc. 666, Plainsboro Road, Suite 215 Plainsboro, NJ 08536

* This product is not manufactured or distributed by Aventis consumer healthcare Inc., owner of the registered trademark Senokot®

No varnish Area for Lot No., Exp Date.

Do not use if seal under cap is missing or damaged.



3000 Tablets Bottle Label (NDC 62993-0001-5)

NDC 62993-0001-5

Drug Facts

Active ingredient Purpose (in each tablet)
Sennosides 8.6 mg Laxative

Uses ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 6-12 hours

Warnings

Do not use ■ laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.



Sennosides Tablets

8.6 mg

Standardized Senna Concentrate 8.6 mg

*Compare to active ingredient in Senokot®

Regular Strength

Gentle, dependable constipation relief

3000 Tablets

Drug Facts (continued)

Directions ■ take preferably at bedtime or as directed by a doctor

age	Starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information ■ each tablet contains: calcium 26.9 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F).

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, polyethylene glycol

Question or comments? Call toll-free +1-844-524-5035 (Mon-Fri 9AM-5PM EST) or email us at pr@morepen.com or contact the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch

Manufactured by: Morepen Laboratories Limited Morepen Village, Malkumajra, Baddi Nalagah Road, Baddi, Himachal Pradesh 173205, India.

Distributed by: Morepen Bio Inc. 666, Plainsboro Road, Suite 215 Plainsboro, NJ 08536

* This product is not manufactured or distributed by Aventis consumer healthcare Inc., owner of the registered trademark Senokot®

No varnish Area for Lot No., Exp Date.

Do not use if seal under cap is missing or damaged.



30000 Tablets Drum Label (NDC 62993-0001-6)



Sennosides Tablets

8.6 mg

NDC 62993-0001-6

Standardized Senna Concentrate 8.6 mg

*Compare to active ingredient in Senokot®

Regular Strength

Gentle, dependable constipation relief

30,000 Tablets


Drug Facts		
Active ingredient (in each tablet)	Purpose	
Sennosides 8.6 mg.....	Laxative	
Uses ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 6-12 hours		
Warnings		
Do not use ■ laxative products for longer than 1 week unless directed by a doctor.		
Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks		
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.		
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		
Drug Facts (continued)		
Directions ■ take preferably at bedtime or as directed by a doctor		
age	Starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor
Other information ■ each tablet contains: calcium 26.9 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F).		
Inactive ingredients croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, polyethylene glycol		
Question or comments? Call toll-free +1-844-524-5035 (Mon-Fri 9AM-5PM EST) or email us at pv@morepen.com or contact the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch		

Distributed by - Morepen Bio Inc.
 666, Plainsboro Road,
 Suite 215 Plainsboro, NJ 08536
 Manufactured by - Morepen Laboratories Limited
 Morepen Village, Malkumira, Baddi Malagarh Road,
 Baddi, Himachal Pradesh 173205, India.

Do not use if seal under cap is missing or damaged.
 * This product is not manufactured or distributed by Atlantis consumer healthcare Inc., owner of the registered trademark "Senokot"



No varnish Area
 for Lot No., Exp Date.

SENNOSIDES

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62993-0001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92))	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)	
POVIDONE K30 (UNII: U725QWY32X)	

HYPROMELLOSE 2910 (3 MPA.S) (UNII: 0VUT3PMY82)	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

Product Characteristics

Color	brown (Light grey to brown mottled)	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62993-0001-1	30 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	
2	NDC:62993-0001-2	100 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	
3	NDC:62993-0001-3	250 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	
4	NDC:62993-0001-4	1000 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	
5	NDC:62993-0001-5	3000 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	
6	NDC:62993-0001-6	30000 in 1 DRUM; Type 0: Not a Combination Product	11/07/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/01/2025	

Labeler - Morepen Laboratories Limited (650087067)

Registrant - Morepen Laboratories Limited (772653251)

Establishment

Name	Address	ID/FEI	Business Operations
Morepen Laboratories Limited		772653251	manufacture(62993-0001) , analysis(62993-0001) , label(62993-0001) , pack(62993-0001)