SENNA- sennosides tablet AARNA USA INC.

Senna Tablets Natural Vegitable Lexative

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally causes a bowel movement in 6-12 hours

Do not use

laxative products for longer than one week unless directed by a doctor

Do not use

laxative products for longer than one week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

age	starting dosage	maximum dosage	
Adults and children	2 tablets	4 tablets	
12 years of age and older	once a day	twice a day	
Children 6 to under	1 tablet	2 tablets	
12 years of age	once a day	twice a day	
Children 2 to under	1/2 tablet	1 tablet	
6 years of age	once a day	twice a day	
Children under	ask a doctor	ask a doctor	
2 years of age	ask a doctor		

Other information

- Each tablet contains: Calcium 14 mg
- Store between 15° to 30°C (59 to 86F)

Inactive ingredients

microcrystaline cellulose, dicalcium phosphate, sodium starch glycolate, croscarmellose sodium, hypromellose, povidone, collodial silicon dioxide, megnesium stearate.

Questions or comments?

1-(877) 255-6999

Tamper Evident:

Do not use if imprinted inner safety seal is torn or missing.

This product is not manufactured or distributed by Purdue Products L.P.,

Owner of the registered trademark Senokot ®

Manufactured for:

Aarna USA Inc.

Leland, NC 28451

NDC 82568-0006-1



Senna Tablets

Compare to the active ingredient in Senokot Tablets*

Natural Vegetable Laxative

Sennosides 8.6 ma For Gentle, Relief of Constipation

100 **Tablets** Drug Facts

Active ingredient (in each tablet) Sennosides 8.6 mg..

Purpose

Uses • relieves occasional constipation (irregularity) • generally produces a bowel movement in 6-12 hours

Warnings Do not use • laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have ● stomach pain ● nausea ● vomiting ● noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions take preferably at bedtime or as directed by a doctor • adults and children 12 years of age and over:

starting dosage: 2 tablets once a day maximum dosage: 4 tablets twice a day • children 6 to under 12
years: starting dosage: 1 tablet once a day maximum dosage: 2 tablets twice a day • children 2 to under 6 years: starting dosage: 1/2 tablet once a day maximum dosage: 1 tablet twice a day • children under 2 years: ask a doctor

Other information • each tablet contains: calcium 14mg • store at 20° to 25°C (68° to 77°F)

Inactive ingredients: Crospovidone, Colloidal silicon dioxide, Dibasic calcium phosphate, Hydroxypropyl methyl cellulose, Croscarmellose sodium, Magnesium stearate, Microcrystalline cellulose, Povidone, Sodium starch glycolate, Stearic Acid, Talc

TAMPER EVIDENT: DO NOT USE IF IMPRINTED INNER SAFETY SEAL IS TORN OR MISSING. Questions or comments? Call toll-free 1-877-255-6

> Varnish 2



NDC 82568-0006-2



Compare to the active ingredient in Senokot Tablets'

Natural Vegetable Laxative

Sennosides 8.6 ma For Gentle, Relief of Constipation

1000 **Tablets**

Drug Facts

Active ingredient (in each tablet)

Laxative

TAMPER EVIDENT: DO NOT USE IF IMPRINTED INNER SAFETY SEAL IS TORN OR MISSING.

comments? 1-877-255-6999 Questions or c

2

This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot. Agrnd USA Manufactured for: AARNA USA Inc. Leland, NC-28451

Purpose Sennosides 8.6 mg. Uses • relieves occasional constipation (irregularity) • generally produces a bowel movement in 6-12 hours

Warnings Do not use • laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have ● stomach pain ● nausea ● vomiting ● noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.


If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions take preferably at bedtime or as directed by a doctor • adults and children 12 years of age and over: ■ starting dosage: 2 tablets once a day ■ maximum dosage: 4 tablets twice a day ● children 6 to under 12 years: ■ starting dosage: 1 tablet once a day ■ maximum dosage: 2 tablets twice a day • children 2 to under 6 years: ■ starting dosage: 1/2 tablet once a day ■ maximum dosage: 1 tablet twice a day

children under 2 years: ask a doctor

Other information • each tablet contains: calcium 14mg • store at 20° to 25°C (68° to 77°F)

Inactive ingredients: Crospovidone, Colloidal silicon dioxide, Dibasic calcium phosphate Hydroxypropyl methyl cellulose, Croscarmellose sodium, Magnesium stearate, Microcrystalline cellulose, Povidone, Sodium starch glycolate, Stearic Acid ,Talc



SENNA

sennosides tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82568-0006

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Str	ength Strength
------------------------------	----------------

SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) SENNOSIDES 8.6 mg

Ingredient Name	Strength
9.04.0111 11411110	0 0 9

CROSPOVIDONE (UNII: 2S7830E561)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)

HYDROXYPROPYL METHYLCELLULOSE (UNII: 3NXW29V3WO)

CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POVIDONE (UNII: FZ 989GH94E)

SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)

STEARIC ACID (UNII: 4ELV7Z65AP)

TALC (UNII: 7SEV7J4R1U)

Product Characteristics				
Color	brown	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code	8;6;A	
Contains				

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82568- 0006-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/29/2025	
2	NDC:82568- 0006-2	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/29/2025	
3	NDC:82568- 0006-3	100 in 1 PACKAGE	05/29/2025	
3		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/29/2025	

Labeler - AARNA USA INC. (118515992)

Establishment				
Name	Address	ID/FEI	Business Operations	
KJD PHARMA PRIVATE LIMITED		877256314	manufacture(82568-0006)	

Revised: 5/2025 AARNA USA INC.