ZICAM COLD REMEDY RAPIDMELTS ORIGINAL AND NIGHTTIME CONVENIENCE PACK- chamomilla, zincum aceticum, zincus gluconicum Church & Dwight Co., Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Zicam Cold Remedy RapidMelts Original and Nighttime Convenience Pack DRUG FACTS

Zicam Cold Remedy Rapidmelts Original

Active ingredients (in each tablet)

Zincum aceticum 2x

Zincum gluconicum 1x

Purpose

Reduces duration of the common cold and helps relieve nasal congestion

Uses

Reduces duration of the common cold and helps relieve nasal congestion

Zicam Cold Remedy ws not formulated to be effective for flu or allergies.

Warnings

If you are allergic or sensitive to zinc, consult a doctor before using

Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 - repeat every 2–3 hours, not to exceed 7 tablets in 24 hours. Take until symptoms are gone.

- to avoid minor stomach upset, do not take on an empty stomach
- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use

DO NOT TAKE ORIGINAL AND NIGHTTIME RAPIDMELTS AT THE SAME TIME, DO NOT TAKE MORE THAN A TOTAL OF ANY 7 RAPIDMELTS IN A 24-HOUR PERIOD. TAKE ONLY AS DIRECTED.

Other Information

- store between 15-29°C (59-84°F)
- KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

Inactive Ingredients

ascorbic acid, crospovidone, FD&C yellow no. 6 aluminum lake, magnesium stearate, mannitol, mono-ammonium glycyrrhizinate, natural and artificial flavor, sodium starch glycolate, stearic acid, sucralose

Questions? Comments? Side Effects?

call 877-942-2626 toll free

www.zicam.com

DRUG FACTS

Zicam Cold Remedy Rapidmelts Nighttime

Active Ingredients (in each tablet)

Chamomilla 5x

Zincum aceticum 2x

Zincum gluconicum 1x

Purpose

Relieves occasional sleeplessness Reduces duration of the common cold and helps relieve nasal congestion

Uses

Relieves occasional sleeplessness Reduces duration of the common cold and helps relieve nasal congestion Zicam Cold Remedy was not formulated to be effective for flu or allergies.

Warnings

If you are allergic or sensitive to zinc, consult a doctor before using

Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 - repeat every 2–3 hours, not to exceed 7 tablets in 24 hours. Take until symptoms are gone.
 - to avoid minor stomach upset, do not take on an empty stomach
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use

DO NOT TAKE ORIGINAL AND NIGHTTIME RAPIDMELTS AT THE SAME TIME, DO NOT TAKE MORE THAN A TOTAL OF ANY 7 RAPIDMELTS IN A 24-HOUR PERIOD. TAKE ONLY AS DIRECTED.

Other Information

- store between 15-29°C (59-84°F)
- KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION.

Inactive Ingredients

citric acid, crospovidone, D&C red no. 27 aluminum lake, FD&C Blue No. 1 aluminum lake, flavor, magnesium stearate, mannitol, mono-ammonium glycyrrhizinate, sodium starch glycolate, stearic acid, sucralose

Questions? Comments? Side Effects?

call 877-942-2626 toll free

www.zicam.com

PRINCIPAL DISPLAY PANEL

ZICAM COLD REMEDY RAPIDMELTS

SHORTENS COLDS

#1 COLD SHORTENER BRAND

ORIGINAL RAPIDMELTS ZINC FORMULA

Citrus Flavor

20 QUICK DISSOLVE TABLETS


HOMEOPATHIC

NIGHTTIME RAPIDMELTS ZINC FORMULA

with Chamomilla for occasional sleeplessness

Concord Grape Flavor 5 QUICK DISSOLVE TABLETS HOMEOPATHIC

25 TABLETS TOTAL



ZICAM COLD REMEDY RAPIDMELTS ORIGINAL AND NIGHTTIME CONVENIENCE PACK

chamomilla, zincum aceticum, zincus gluconicum kit

Product Information

	HUMAN (OTC DRUG	Item Code	(Source)	1	NDC:10237	-480
Product Type				(,			
Packaging							
	D = -			Marketing	g Start	Marke	ting End
# Item Code	Рас	kage Description	on	Date			ate
1 NDC:10237-480- 01	1 in 1 CARTON; Package	Type 1: Convenience	ce Kit of Co-	07/01/2025			
01	Tuckuge						
Quantity of Pa	arts						
Part #	Package Q	uantity		Total Pr	oduct Qı	uantity	
Part 1 4 BLISTER	PACK		20				
Part 2 1 BLISTER	PACK		5				
Part 1 of 2							
		DY RAPIDME		RUS			
zinc acetate anh	nydrous and z	inc gluconate ta	blet				
Product Infor	mation						
		NDC:10237-460					
ltem Code (Sou	rce)	NDC:10237-460 ORAL					
	rce)						
ltem Code (Sou	rce)						
Item Code (Sour	rce) istration	ORAL					
Item Code (Sour	rce) istration ient/Active I	ORAL Moiety			Bas	is of	Strong
Item Code (Sour	rce) istration ient/Active I	ORAL				is of ngth	Streng
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN	rce) istration ient/Active I Ingr	ORAL Moiety	NC CATION -			ngth	Streng 2 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:1351585F37)	rce) istration ient/Active I Ingr IHYDROUS (UNII	ORAL Moiety redient Name : H2ZEY72PME) (ZIN			Stre	ngth ON	2 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37)	rce) istration ient/Active I Ingr IHYDROUS (UNII	ORAL Moiety redient Name			Stre	ngth ON	
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37)	rce) istration ient/Active I Ingr IHYDROUS (UNII	ORAL Moiety redient Name : H2ZEY72PME) (ZIN			Stre	ngth ON	
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:1351585F37) ZINC GLUCONATE	rce) istration ient/Active I Ingr IHYDROUS (UNII (UNII: U6WSN5S	ORAL Moiety redient Name : H2ZEY72PME) (ZIN			Stre	ngth ON	2 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:1351585F37)	rce) istration ient/Active I Ingr IHYDROUS (UNII (UNII: U6WSN5S	ORAL Moiety redient Name : H2ZEY72PME) (ZIN	- UNII:13515		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:1351585F37) ZINC GLUCONATE	rce) istration ient/Active I ingr IHYDROUS (UNII (UNII: U6WSN5S edients	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N	- UNII:13515		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre	rce) istration ient/Active I ingr iHYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N	- UNII:13515		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre ALUMINUM OXIDE MAGNESIUM STEA MANNITOL (UNII: 3	rce) istration ient/Active I ingr HYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069 NATE (UNII: 700 OWL53L36A)	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N 33) 97M6I30)	- UNII:13515		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre ALUMINUM OXIDE MAGNESIUM STEA MANNITOL (UNII: 3 AMMONIUM GLYC	rce) istration ient/Active I ingr iHYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069 ARATE (UNII: 700 OWL53L36A) YRRHIZATE (UN	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N 933) 97M6I30) III: 3VRD35U26C)	- UNII:13515		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre ALUMINUM OXIDE MAGNESIUM STEA MANNITOL (UNII: 3 AMMONIUM GLYC FD&C YELLOW NO	rce) istration ient/Active I ingr iHYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069 ARATE (UNII: 700 OWL53L36A) YRRHIZATE (UN D. 6 (UNII: H77VE	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N 933) 97M6I30) III: 3VRD35U26C)	- UNII:13515		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre ALUMINUM OXIDE MAGNESIUM STEA MANNITOL (UNII: 3 AMMONIUM GLYC) FD&C YELLOW NO STEARIC ACID (UN	rce) istration ient/Active I ingr iHYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069 ARATE (UNII: 700 OWL53L36A) YRRHIZATE (UN D. 6 (UNII: H77VE III: 4ELV7Z65AP)	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N 133) 197M6I30) III: 3VRD35U26C) E193A8)	I - UNII:13S1S		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre ALUMINUM OXIDE MAGNESIUM STEA MANNITOL (UNII: 3 AMMONIUM GLYC FD&C YELLOW NO STEARIC ACID (UN CROSPOVIDONE (rce) istration ient/Active I Ingr IHYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069 ARATE (UNII: 700 OWL53L36A) YRRHIZATE (UN ONL53L36A) YRRHIZATE (UN ONL53L36A) YRRHIZATE (UN 15 MPA.S AT 5	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N 133) 197M6I30) II: 3VRD35U26C) E193A8) %) (UNII: 68401960N	I - UNII:13S1S		Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre ALUMINUM OXIDE MAGNESIUM STEA MANNITOL (UNII: 3 AMMONIUM GLYC FD&C YELLOW NC STEARIC ACID (UN CROSPOVIDONE (ASCORBIC ACID (U	rce) istration ient/Active I ingr iHYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069 ARATE (UNII: 700 OWL53L36A) YRRHIZATE (UNII: 700 OWL53L36A) YRRHIZATE (UNII: 177VE II: 4ELV7Z 65AP) 15 MPA.S AT 55 JNII: PQ6CK8PD0	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N 133) 197M6I30) II: 3VRD35U26C) E193A8) %) (UNII: 68401960N	I - UNII:13S1S		Stre	ngth ON CONATE	2 [hp_X]
Item Code (Sour Route of Admini Active Ingredi ZINC ACETATE AN UNII:13S1S8SF37) ZINC GLUCONATE Inactive Ingre ALUMINUM OXIDE MAGNESIUM STEA MANNITOL (UNII: 3 AMMONIUM GLYC FD&C YELLOW NO STEARIC ACID (UN CROSPOVIDONE (ASCORBIC ACID (UN	rce) istration ient/Active I Ingr IHYDROUS (UNII (UNII: U6WSN5S edients (UNII: LMI26069 ARATE (UNII: 700 OWL53L36A) YRRHIZATE (UN O. 6 (UNII: H77VE II: 4ELV7Z65AP) 15 MPA.S AT 5 JNII: PQ6CK8PD0 96K6UQ3ZD4)	ORAL Moiety redient Name : H2ZEY72PME) (ZIN Q1Z) (ZINC CATION Ingredient N 133) 197M6I30) II: 3VRD35U26C) E193A8) %) (UNII: 68401960N	I - UNII:13S1S lame MK)	8SF37)	Stre	ngth ON CONATE	2 [hp_X] 1 [hp_X]

Co		acteristics					
	lor			e	no s		
•			p shaped)	Size		15m	m
	vor	CITRUS		Impri	int Code	Z	
	ntains						
Pa	ckaging						
#	ltem Code	Pa	ckage Description	I	Marketing Start Date		eting End Date
1	NDC:10237-460- 20	4 in 1 KIT			2410		
1	20	5 in 1 BLISTER Product	PACK; Type 0: Not a Combinat	on			
		Troduct					
Μ	arketing	Informat	ion				
	Marketing Category	Applica	tion Number or Monogra Citation	oh	Marketing Start Date		eting End Date
	ipproved neopathic			0	07/01/2025		
Z				_	ТТІМЕ		
Z	CAM COL		DY RAPIDMELTS N n, zincum gluconiucum tal	_	ΤΤΙΜΕ		
Z I ch	CAM COL	um aceticun		_	TTIME		
ZI ch	CAM COI amomilla, zinc	um aceticun mation		_	TTIME		
ZI ch PI	CAM COI amomilla, zinc	:um aceticun mation rce)	n, zincum gluconiucum tal	_	TTIME		
ZI ch PI Ite Ro	CAM COI amomilla, zinc roduct Infor m Code (Sour ute of Admini	um aceticun mation rce) istration	n, zincum gluconiucum tal NDC:10237-481 ORAL	_	TTIME		
ZI ch PI Ite Ro	CAM COL amomilla, zinc roduct Infor m Code (Sour	mation rce) istration	n, zincum gluconiucum tal NDC:10237-481 ORAL Moiety	_		is of	Strongt
ZI ch Ite Ro	CAM COI amomilla, zinc roduct Infor m Code (Sour ute of Admini tive Ingredi	um aceticun mation rce) istration ient/Active Ing	n, zincum gluconiucum tal NDC:10237-481 ORAL Moiety redient Name	blet	Bas	is of ength	Strengt
ZI ch Ite Ra Ac	CAM COI amomilla, zinc roduct Infor m Code (Sour ute of Admini tive Ingredi	um aceticun mation rce) istration ient/Active Ing HYDROUS (UN	n, zincum gluconiucum tal NDC:10237-481 ORAL Moiety redient Name II: H2ZEY72PME) (ZINC CATION	-	Bas Stre ZINC CATIO	e ngth ON	2 [hp_X]
ZI ch Ite Ro Ac	CAM COI amomilla, zinc roduct Infor m Code (Sour ute of Admini tive Ingredi c ACETATE AN 1:13S1S8SF37) IC GLUCONATE	um aceticun mation rce) istration istration Ing HYDROUS (UN (UNII: U6WSN5)	n, zincum gluconiucum tal NDC:10237-481 ORAL Moiety redient Name II: H2ZEY72PME) (ZINC CATION SQ1Z) (ZINC CATION - UNII:135	- 1585F3	Bas Stre ZINC CATH 37) ZINC GLUG	on ON CONATE	Strengt 2 [hp_X] 1 [hp_X]
ZI ch Ite Ro Ac	CAM COI amomilla, zinc roduct Infor m Code (Sour ute of Admini tive Ingredi c ACETATE AN 1:13S1S8SF37) IC GLUCONATE	um aceticun mation rce) istration istration Ing HYDROUS (UN (UNII: U6WSN5)	n, zincum gluconiucum tal NDC:10237-481 ORAL Moiety redient Name II: H2ZEY72PME) (ZINC CATION	- 1585F3	Bas Stre ZINC CATH 37) ZINC GLUG	on CONATE A	2 [hp_X]
ZI ch Ite Ro ZIN UN ZIN MA	CAM COI amomilla, zinc roduct Infor m Code (Sour ute of Admini tive Ingredi c ACETATE AN h:1351585F37) IC GLUCONATE TRICARIA CHAM	um aceticun mation rce) istration ient/Active ing HYDROUS (UN (UNII: U6WS N5) 10MILLA (UNII:	n, zincum gluconiucum tal NDC:10237-481 ORAL Moiety redient Name II: H2ZEY72PME) (ZINC CATION SQ1Z) (ZINC CATION - UNII:135	- 1585F3	Bas Stre ZINC CATH 37) ZINC GLUG LA - MATRICARI	on CONATE A	2 [hp_X] 1 [hp_X]

AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	purple (Speckled)	Score	no score
Shape	ROUND (CUP SHAPED)	Size	15mm
Flavor	GRAPE (CONCORD)	Imprint Code	Z
Contains			

Package DescriptionMarketing Start
DateMarketing End
Date11 in 1 KIT111NDC:10237-4815 in 1 BLISTER PACK; Type 0: Not a Combination
Product1

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		07/01/2025		
Marketing In	formation			

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved homeopathic		07/01/2025	

Labeler - Church & Dwight Co., Inc. (001211952)

Revised: 7/2025

Church & Dwight Co., Inc.