

**DIPHENHYDRAMINE HCL- diphenhydramine hcl capsule**  
**AARNA USA INC.**

-----  
**DIPHENHYDRAMINE HCL 25MG & 50MG CAPS**

***Active ingredient (in each banded capsule)***

Diphenhydramine Hydrochloride 25 mg and 50 mg

***Purpose***

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

**25 mg Dosage:**

Age	Dose
adults and children 12 years and over	1 to 2 capsules
children 6 to under 12 years of age	1 capsule
children under 6 years of age	do not use this product in children under 6 years of age

**50 mg Dosage:**

Age	Dose
adults and children 12 years and over	1 capsules
children under 12 years of age	ask a doctor, the proper dosage strength is not available in this package**

\*\*Do not attempt to break capsules. The proper dosage strength and dosing information for children under 12 years of age is available on the 25 mg. package.

**Other information**

- store at room temperature 20 °-25 °C(68 °-77 °F)
- do not use if either capsule band or imprinted safety seal under cap is broken or missing
- protect from moisture

**Inactive ingredients**

Colloidal silicon dioxide, Gelatin, Lactose Monohydrate, Magnesium Stearate, Microcrystalline cellulose

Leland, NC 28451

<b>Drug Facts (continued)</b>	
<b>Directions</b> ■ take every 4 to 6 hours ■ do not take more than 6 doses in 24 hours	1 to 2 capsules
adults and children 12 years of age and over	
children 6 to under 12 years of age	1 capsule
children under 6 years of age	do not use this product in children under 6 years of age
<b>Other information</b>	
■ store at temperature 20° to 25°C (68° to 77°F) ■ do not use if either capsule band or imprinted safety seal under cap is broken or missing ■ protect from moisture	
<b>Inactive ingredients</b>	
Colloidal silicon dioxide, Gelatin, Lactose Monohydrate, Magnesium Stearate, Microcrystalline cellulose	
<b>Questions or comments? Call toll-free 1-877-225-6999</b>	

NDC 82568-0004-2



\*Compare to active ingredient in BENADRYL®

# Diphenhydramine HCl Capsules

**25mg**

**Antihistamine**  
**Complete Allergy Medication**

For the temporary relief of the symptoms of  
•Upper Respiratory Allergies •Hay Fever

**1000 CAPSULES**

## Drug Facts

**Active ingredient (in each banded capsule)**  
Diphenhydramine Hydrochloride 25 mg ..... **Purpose**  
Antihistamine

### Uses

■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies & common cold:  
■ runny nose ■ sneezing ■ itching of the nose or throat  
■ itchy, watery eyes

### Warnings

**Do not use** ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

### Ask a doctor before use if you have

■ glaucoma  
■ trouble urinating due to an enlarged prostate gland  
■ a breathing problem such as emphysema or chronic bronchitis

### Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

### When using this product

■ marked drowsiness may occur  
■ avoid alcoholic drinks  
■ alcohol, sedatives and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery  
■ excitability may occur, especially in children

**If pregnant or breast-feeding,**  
ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## Drug Facts (continued)

**Directions** ■ take every 4 to 6 hours ■ do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	1 to 2 capsules
children 6 to under 12 years of age	1 capsule
children under 6 years of age	do not use this product in children under 6 years of age

### Other information

■ store at temperature 20° to 25°C (68° to 77°F) ■ do not use if either capsule band or imprinted safety seal under cap is broken or missing  
■ protect from moisture

### Inactive ingredients

Colloidal silicon dioxide, Gelatin, Lactose Monohydrate, Magnesium Stearate, Microcrystalline cellulose

**Questions or comments? Call toll-free 1-877-225-6999**

### Child-Resistant Packaging

\*This Product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Benadryl.®

**THIS LARGE PACKAGE SIZE FOR DISPENSING PURPOSE ONLY**



**Aarna USA**  
Manufactured for:  
**AARNA USA Inc.**  
Leland, NC-28451



NDC 82568-0005-1



# Diphenhydramine HCl Capsules

**50mg**

**Antihistamine**  
**Complete Allergy Medication**

For the temporary relief of the symptoms of  
•Upper Respiratory Allergies •Hay Fever

**100 CAPSULES**

## Drug Facts

**Active ingredient (in each banded capsule)**  
Diphenhydramine Hydrochloride 50 mg ..... **Purpose**  
Antihistamine

### Uses

■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies & common cold:  
■ runny nose ■ sneezing ■ itching of the nose or throat  
■ itchy, watery eyes

### Warnings

**Do not use** ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

### Ask a doctor before use if you have

■ glaucoma  
■ trouble urinating due to an enlarged prostate gland  
■ a breathing problem such as emphysema or chronic bronchitis

### Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

### When using this product

■ marked drowsiness may occur  
■ avoid alcoholic drinks  
■ alcohol, sedatives and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery  
■ excitability may occur, especially in children

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Child-Resistant Packaging

\*This Product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Benadryl.®

**Aarna USA**  
Manufactured for:  
**AARNA USA Inc.**  
Leland, NC-28451

PEEL HERE  
FOR MORE  
DRUG  
FACTS

## Drug Facts (continued)

**Directions** ■ take every 4 to 6 hours ■ do not take more than 6 doses in 24 hours

adults and children 12 years of age and over

take 1 capsule (50 mg)

children under 12 years of age

ask a doctor, the proper dosage strength is not available in this package\*\*

\*\*Do not attempt to break capsules. The proper dosage strength and dosing information for children under 12 years of age is available on the 25 mg. package.

### Other information


■ store at temperature 20° to 25°C (68° to 77°F) ■ do not use if either capsule band or imprinted safety seal under cap is broken or missing  
■ protect from moisture

### Inactive ingredients

Colloidal silicon dioxide, Gelatin, Lactose Monohydrate, Magnesium Stearate, Microcrystalline cellulose

**Questions or comments? Call toll-free 1-877-225-6999**

NDC 82568-0005-2



\*Compare to active ingredient in BENADRYL®

# Diphenhydramine HCl Capsules

50mg

Antihistamine

Complete Allergy Medication

For the temporary relief of the symptoms of  
•Upper Respiratory Allergies •Hay Fever

1000 CAPSULES

### Drug Facts

**Active Ingredient (in each banded capsule)**  
Diphenhydramine Hydrochloride 50 mg ..... Antihistamine

**Purpose**

**Uses**  
■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies & common cold:  
■ runny nose ■ sneezing ■ itching of the nose or throat  
■ itchy, watery eyes

**Warnings**  
**Do not use** ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**  
■ glaucoma  
■ trouble urinating due to an enlarged prostate gland  
■ a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**  
taking sedatives or tranquilizers

**When using this product**  
■ marked drowsiness may occur  
■ avoid alcoholic drinks  
■ alcohol, sedatives and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery  
■ excitability may occur, especially in children

**If pregnant or breast-feeding,**  
ask a health professional before use.

**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Drug Facts (continued)

**Directions** ■ take every 4 to 6 hours ■ do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	take 1 capsule (50 mg)
children under 12 years of age	ask a doctor, the proper dosage strength is not available in this package**

\*\*Do not attempt to break capsules. The proper dosage strength and dosing information for children under 12 years of age is available on the 25 mg. package.


**Other information**  
■ store at temperature 20° to 25°C (68° to 77°F) ■ do not use if either capsule band or imprinted safety seal under cap is broken or missing  
■ protect from moisture

**Inactive ingredients**  
Colloidal silicon dioxide, Gelatin, Lactose Monohydrate, Magnesium Stearate, Microcrystalline cellulose


**Questions or comments? Call toll-free 1-877-225-6999**

**Child-Resistant Packaging**  
\*This Product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Benadryl®

**THIS LARGE PACKAGE SIZE FOR DISPENSING PURPOSE ONLY**



Manufactured for:  
**AARMA USA Inc.**  
Leland, NC 28451



82568-00052 5

N 3

DIPHENHYDRAMINE HCL			
diphenhydramine hcl capsule			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82568-0004
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
Inactive Ingredients			
Ingredient Name			Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
GELATIN (UNII: 2G86QN327L)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
Product Characteristics			
Color	pink (PINK WHITE)	Score	no score
Shape	CAPSULE (oblong)	Size	15mm
Flavor		Imprint Code	AD25
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82568-0004-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/30/2025	
2	NDC:82568-0004-2	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/30/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	12/06/2024	

DIPHENHYDRAMINE HCL				
diphenhydramine hcl capsule				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82568-0005	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	50 mg	
Inactive Ingredients				
Ingredient Name			Strength	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
GELATIN (UNII: 2G86QN327L)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
Product Characteristics				
Color	pink (PINK PINK)	Score	no score	
Shape	CAPSULE (oblong)	Size	15mm	
Flavor		Imprint Code	AD50	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:82568-0005-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/30/2025	
2	NDC:82568-0005-2	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/30/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	05/30/2025	

Labeler - AARNA USA INC. (118515992)

Establishment				
Name		Address	ID/FEI	Business Operations
KJD PHARMA PRIVATE LIMITED			877256314	manufacture(82568-0004, 82568-0005)