NOSMO KING SMOKING DETERRENT- clove tablet, soluble
Nosmo Co., Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Active Ingredients: Cloves, Lemon oil, Menthol

Nosmo king is natural herb supplement is known to help smokers
obstain from smoking by greatly reducing withdrawal symptoms
causing cravings to smoke

Effect
■ Smoking Deterrent, Stop Smoking Aid, Remove Nicotine, Restrain
withdrawal Symptoms

Warning
■ do not take if you have an allergy to medicinal herbs
■ do not take if you are pregnant or breast feeding

Directions
■ take a tablet four times a day for 4~5 weeks
■ after having a meal or on feeling like to smoke, you can conveniently
take it with enough water
■ start the very first medication in the evening after dinner

Caution
■ keep in a cool place
■ keep out of reach of children
■ avoid exposing the product direct to sunlight, high temperatures and humidity

Drug Facts

Active Ingredient (per gram)   *Purpose*
- Cloves 18.75mg ▪ Lemon oil 1.00mg ▪ Menthol 1.50mg -- smoking deterrent

USE ▪ Smoking Deterrent ▪ Stop Smoking Aid ▪ Remove Nicotine ▪ Restrain withdrawal symptoms

Warning ▪ if you continue to smoke while taking NOSMO[KING], you may feel REJECTION SYMPTOMS with respect to smoking such as dizziness, headache, and vomiting. Therefore, you had better not continue to smoke while taking NOSMO[KING].

Do not use ▪ if you have an allergy to medicinal herbs.

Ask your healthcare professional before use ▪ if you have or have had kidney or heart disease ▪ if you are taking any prescription medicine. ▪ if you are pregnant or breast feeding.

Recovering phenomenon
▪ you may experience RECOVERING PHENOMENON such as diarrhea within the first week of taking this product. Theses minor reactions usually resolve in a few days. This is one of the symptoms that show a turn for the better, which means a transient phenomenon in the process of constitution improvement, so it is different from side-effects.

Directions ▪ take a tablet three times a day for 4~5 weeks ▪ after having a meal or on feeling like to smoke, you can conveniently take it **with enough water** ▪ start the very first medication in the evening after dinner

Other information ▪ **store** avoid direct sunlight, high temperatures, and humidity. ▪ **keep** in a cool place out of reach of children.

Inactive ingredients
▪ Crataegus Pinnatifida ▪ Aloe ▪ Acathopanax Sessiliflorus ▪ Polygonum Multiflorum ▪ Arctium Lappa ▪ Platycodon Grandiflorum ▪ Glycyrrhizate ▪ Ligusticum Tenuissimum ▪ Citrus Reticulatae ▪ Raphani Sativus ▪ Vitamin A ▪ Vitamin C ▪ Vitamin E ▪ Magnesium Stearate

Drug Facts (continued)

Contact us
▪ call 82-51-851-7688 weekdays (10:00 a.m.- 4:30 p.m.) ▪ fax 82-51-851-7690 ▪ Http://www.enosmo.com

herbal supplement
20tablets (20g)

NDC 34605-5001-1

Stop SMOKING Aid

NOSMO [KING] ®

LOT No.
EXP Date.

8 809224 133110

NOSMO KING SMOKING DETERRENT

clove tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:34605-5001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
clove (UNII: K48IKT5321) (clove - UNII:K48IKT5321)	clove	0.11875 g
lemon (UNII: 24RS0A988O) (lemon - UNII:24RS0A988O)	lemon	0.001 g
menthol (UNII: L7T10EIP3A) (menthol - UNII:L7T10EIP3A)	menthol	0.0015 g

Product Characteristics

Color	white (pearl white)	**Score**	no score
Shape	OVAL (tablet)	**Size**	20mm
Flavor		**Imprint Code**	3;hp;x
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34605-5001-1	20 in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/17/2010	

Labeler - Nosmo Co., Ltd (687363874)

Revised: 3/2010   Nosmo Co., Ltd