TAGRID ANTIFUNGAL- tolnaftate soap TAGRID LLC

Initial Drug Listing-Tagrid Antifungal Soap Kit

Tolnaftate

Uses

For effective treatment of jock itch, ringworm, athlete's foot, folliculitnost tinea For effective relief of itching, burning, and cracking sking skin.

For external use only

Do not use on children under 2 years of age exceptunder the advice and supervision of a doctor.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if irritation occurs or if there is no improvement within 2weeks for jock itch.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Wash the affected area well and let the product sit for 1-2 minutes before rising Ensure thorough drying of the affected area.

Supervise children when using this product.

For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment. Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients. Endure any discomfort for 5-10 minutes before experiencing immediate relief. Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor.

The cream provided is intended for severe cases, and users may experience a burning or stinging sensation upon application. This discomfort should be tolerated for 5-10 minutes before subsiding and can be relieved immediately.

If you have any questions about this product, please contact us at support@tagridllc.com, or visit www.tagridllc.com for more information. Tested and designed in the USA.

GLEDITSIA SINENSIS FRUIT MENTHA CANADENSIS WHOLE STELLERA CHAMAEJASME WHOLE OATMEAL SOPHORA FLAVESCENS ROOT PHELLODENDRON CHINENSE WHOLE CNIDIUM MONNIERI FRUIT STEMONA SESSILIFOLIA ROOT EUCALYPTUS GLOBULUS LEAF OIL DICTAMNUS DASYCARPUS ROOT BARK MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL



TAGRID ANTIFUNGA	L				
tolnaftate soap					
Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (Source)		NDC:85384-0010	
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingred	ength	Strength			
TOLNAFTATE (UNII: 06KB629TKV)	29TKV)	TOLNAFTATE		10 mg in 1 g	
Inactive Ingredients					
Ingredient Name					
GLEDITSIA SINENSIS FRUIT (UNI	: A6W0J6UO7Q)				
MENTHA CANADENSIS WHOLE (UNII: J1BO4MHT2L)				
STELLERA CHAMAEJASME WHO	E (UNII: 80N0P0DD9J)				

	TMEAL (UNII: 8PI5	4V663Y)					
so	PHORA FLAVESC	ENS ROOT (UNII: IYR6K8KQ5K)					
PH	ELLODENDRON C	HINENSE WHOLE (UNII: QKA3ZK8IIE)					
CN	IDIUM MONNIERI	FRUIT (UNII: V1IA3S3CUS)					
ST	EMONA SESSILIF	OLIA ROOT (UNII: EKG8030U4N)					
EU	CALYPTUS GLOB	ULUS LEAF OIL (UNII: 2R04ONI662)					
DIC	TAMNUS DASYC	ARPUS ROOT BARK (UNII: LA97176ILS)					
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)							
Pa	ckaging						
				Marketing Start	Mai		
#	Item Code	Package Description		Date	Mai	rketing End Date	
	NDC:85384-	Package Description 142 g in 1 BOX; Type 0: Not a Combination Product		_	Mai	-	
1	NDC:85384-	142 g in 1 BOX; Type 0: Not a Combination		Date	Mai	-	
1	NDC:85384- 0010-1	142 g in 1 BOX; Type 0: Not a Combination Product		Date	Ma	-	
1	NDC:85384- 0010-1	142 g in 1 BOX; Type 0: Not a Combination		Date	Mai	-	
1	NDC:85384- 0010-1	142 g in 1 BOX; Type 0: Not a Combination Product	06,	Date		-	

Labeler - TAGRID LLC (118778969)

Revised: 6/2025

TAGRID LLC