
Oxygen

OXYGEN, COMPRESSED USP UN1072 PRODUCED BY AIR LIQUEFACTION DO NOT REMOVE THIS PRODUCT LABEL OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENCIFY FIRE: OXYDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 14014 (04/15) FILLED AND INSPECTED BY GENERAL AIR SERVICE And SUPPLY

1105 ZUNI ST. DENVER, CO 80204 303-892-7003

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



U.	XYGEN						
ЭX	ygen gas						
P	roduct Information	L					
Product T ype		PRESCRIPTION ANIMAL DRUG		Item Code (Source)		NDC:21220-019	
Route of Administration			RESPIRATORY (INHALATION)				
A	ctive Ingredient/Ac	tive Moi	ety				
		Ingree	lient Name		Basis of St	rength	Strength
	OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)					8 8 1	0
0	XYGEN (UNII: S88TT140	65) (OXYGI	EN - UNII:S88TT14065)		OXYGEN	8	995 mL in 1 L
0	XYGEN (UNII: S88TT140	65) (OXYGI	EN - UNII:S88TT14065)		OXYGEN	0	
0	XYGEN (UNII: S88TT140	65) (OXYGI	EN - UNII:S88TT14065)		OXYGEN		
	XYGEN (UNII: S88TT140 ackaging	65) (OXYGI	EN - UNII:S88TT14065)		OXYGEN		
	ackaging		EN - UNII:S88TT14065) ckage Description	Marketin	OXYGEN g Start Date		995 mL in 1 L
Р	ackaging Item Code	Pac		Marketin			
P #	ackaging Item Code NDC:21220-019-01	Pac 8778 L	ckage Description	Marketin			995 mL in 1 L

4	NDC:21220-019-04	2605 L in 1 CYLINDER				
5	NDC:21220-019-05	1841 L in 1 CYLINDER				
6	NDC:21220-019-06	708 L in 1 CYLINDER				
7	NDC:21220-019-07	425 L in 1 CYLINDER				
8	NDC:21220-019-08	170 L in 1 DEWAR				
9	NDC:21220-019-09	160 L in 1 DEWAR				
10	NDC:21220-019-10	180 L in 1 DEWAR				
11	NDC:21220-019-11	196 L in 1 DEWAR				
12	NDC:21220-019-12	230 L in 1 DEWAR				
Marketing Information						
Μ	arketing Category	Application Number or Monogra	ph Citation	Marketing Start Date	Marketing End Date	
NA	DA	NADA141387		06/01/1972		

Labeler - General Air Service & Supply Co (051227338)

Establishment					
Name	Address	ID/FEI	Business Operations		
General Air Service & Supply Co		006686091	manufacture		

Establishment

Name	Address	ID/FEI	Business Operations
General Air Service & Supply Co		0 1548 20 32	manufacture

Revised: 7/2020

General Air Service & Supply Co