# SHIELD MINERAL SUNSCREEN TINTED- zinc oxide cream SMOOTHE LLC

# **DRUG FACTS (Cont)**

## SUN PROTECTION MEASURES:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- · Limit time in the sun, especially from 10 am - 2 pm.
- · Wear long-sleeved shirts, pants, hats, and sunglasses.

# **INACTIVE INGREDIENTS:**

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, Iron Oxide, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

## OTHER INFORMATION:

- · Protect this product from excessive heat and direct sun.
- May stain some fabrics.

FREE of chemical sunscreen filters, dyes, fragrances, and preservatives.

## MANUFACTURED FOR:

Smoothe LLC | Raleigh, NC 27604 www.smootheraleigh.com





# BROAD SPECTRUM SUN PROTECTION

FOR DAILY USE

Reef Friendly • Cruelty Free Non-Comedogenic **Tinted** 



Net Wt. 1.75oz / 50q

## **DRUG FACTS**

**ACTIVE INGREDIENT: PURPOSE:** Zinc Oxide 16% Sunscreen

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

### WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### **DIRECTIONS:**

- · Apply liberally 15 minutes before sun exposure.
- · Use a water resistant product if swimming or sweating.
- Reapply at least every 2 hours.
  Children under 6 months: Ask a doctor.



# SHIELD MINERAL SUNSCREEN TINTED

zinc oxide cream

# **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:85417-208(NDC:58892-208)

**TOPICAL Route of Administration** 

# **Active Ingredient/Active Moiety**

ı	Ingredient Name	<b>Basis of Strength</b>	Strength
ı	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	160 mg in 1 g

		IA MEC
IIIAC IIVA		<b>12111</b>
Inactive	писч	

**Ingredient Name** Strength

CI 77491 (UNII: 1K09F3G675)	
CI 77492 (UNII: EX43802MRT)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CERAMIDE 3 (UNII: 4370DF050B)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
CI 77499 (UNII: XM0M87F357)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:85417- 208-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	04/14/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	04/14/2023		

# Labeler - SMOOTHE LLC (085215094)

Establishment					
Name	Address	ID/FEI	Business Operations		
Custom Analytics LLC		144949372	analysis(85417-208)		

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Fragrance Manufacturing INC		793406000	manufacture(85417-208)	

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Fallien Cosmeceuticals Ltd.		958388357	relabel(85417-208)

Revised: 12/2025 SMOOTHE LLC