

**EQUATE 8HR ARTHRITIS PAIN RELIEF- acetaminophen tablet, film coated, extended release**  
**WALMART INC.**

-----  
**Wal-Mart 8HR Arthritis Pain Relief Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

### **Ask a doctor before use if you have**

liver disease

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.


### **Directions**

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"> <li>• take 2 caplets every 8 hours with water</li> <li>• swallow whole; do not crush, chew, split or dissolve</li> <li>• do not take more than 6 caplets in 24 hours</li> <li>• do not use for more than 10 days unless directed by a doctor</li> </ul>
under 18 years of age	<ul style="list-style-type: none"> <li>• ask a doctor</li> </ul>

### **Other information**

- store at 20-25°C (68-77°F)



# 8HR Arthritis Pain Relief

## Acetaminophen Extended-Release Tablets, 650 mg

**Pain Reliever/Fever Reducer**


**For the Temporary Relief of Minor Arthritis Pain**

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

NDC 799-03-33

**Compare to Tylenol® 8HR Arthritis Pain active ingredient\*\***

**Actual Size**



**650 mg EACH**

**\*Capsule-Shaped Tablets**

**325 CAPLETS\***

**DO NOT USE IF PRINTED PAIL UNDER CAP IS BROKEN OR MISSING**

**Purpose**

**Active ingredient (in each caplet)**

Acetaminophen 650 mg

**Uses**

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- the common cold
- headache
- backache
- premenstrual and menstrual cramps
- toothache
- temporarily reduces fever

**Warnings**

This product contains acetaminophen. Severe liver damage may occur if you take more than 6 capsules in 24 hours, which is the maximum daily amount.

- more than 6 capsules in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- blistering
- itching
- skin rash
- if a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- these could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-422-1222) [222]. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- adults
  - take 2 capsules every 8 hours with water
  - swallow whole; do not crush, chew, split or dissolve
  - do not take more than 6 capsules in 24 hours
  - do not use for more than 10 days unless directed by a doctor
  - ask a doctor
- under 18 years of age
  - ask a doctor

**Other information**

- needs the requirements of USP Dissolution Test 4

**Inactive ingredients** carmellose, croscarmellose sodium, hypromellose, magnesium stearate, methocel K100, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

**Questions or comments?** 1-888-287-4915

**EXP LOT**

14546C 2E F7

Satisfaction guaranteed - Unlabeled reaction or size effect, please call 1-888-287-4915.

REGISTERED BY Wyeth Inc., KENILWORTH, NJ 07033  
This product is not manufactured or distributed by Wyeth Inc. or its registered trademark, **Tylenol®**.

Contains No Aspirin    U.S. Patent # 2897,172

hmr2recycleinfo  
**FLA-SAFE BOTTLE**

# EQUATE 8HR ARTHRITIS PAIN RELIEF

acetaminophen tablet, film coated, extended release

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-345
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

## Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	L544
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-345-33	325 in 1 BOTTLE; Type 0: Not a Combination Product	06/09/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075077	06/09/2025	

**Labeler** - WALMART INC. (051957769)

Revised: 6/2025

WALMART INC.