

PED X CORN REMOVERS, MEDICATED- salicylic acid patch
Pacific World Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Ped X™ Corn Removers, Medicated

Drug Facts

Active ingredient

Salicylic acid 40%

Purpose

Corn remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- on irritated skin or any area that is infected or reddened
- if you are a diabetic
- if you have poor blood circulation.

Stop use and ask a doctor if

- discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly.
- If necessary, cut medicated disk to fit corn before applying.
- After 48 hours, remove the medicated disk.
- Repeat this procedure every 48 hours as needed for up to 14 days (until corn is removed).
- may soak corn in warm water for 5 minutes to assist in removal.

Other information

- store between 59°F-86°F (15°C-30°C)

Inactive ingredient

Vinyl acetate.

Questions?

1(541)-476-3178, 8 am to 5 pm (M-F), PST

PRINCIPAL DISPLAY PANEL - 9 Disk Cello Pack

ped_x™

new!

medicated
removers
dissolving relief from tough

CORNS

9 cushions
9 medicated disks

SATISFACTION GUARANTEED
This product is guaranteed to be superior in lasting performance and free from defects in material and workmanship. RETURN DEFECTIVE ITEMS FOR REPLACEMENT. Please allow 6-8 weeks for handling.

PACIFIC WORLD
©2014 Pacific World Corp. 8409 Kerns St., Suite 100 San Diego, CA 92154 www.ped-x.com

Made in U.S.A. 6-48PX

7 1603 09837 4

ped_x™
Medicated Corn Removers
new!
removers
dissolving relief from tough
CORNS
9 cushions
9 medicated disks

Drug Facts

Active ingredient	Purpose
Salicylic acid 40%...Corn remover	

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings
For external use only.

Do not use

- on irritated skin or any area that is infected or reddened
- if you are a diabetic
- if you have poor blood circulation.

Stop use and ask a doctor if:

- discomfort persists.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly.
- If necessary, cut medicated disk to fit corn before applying.
- After 48 hours, remove the medicated disk.
- Repeat this procedure every 48 hours as needed for up to 14 days (until corn is removed).
- may soak corn in warm water for 5 minutes to assist in removal.

Other Information

- store between 59°F-86°F (15°C-30°C)

Inactive ingredient
Vinyl acetate.

Questions?
1(541)-476-3178, 8 am to 5 pm (M-F), PST

PED X CORN REMOVERS, MEDICATED

salicylic acid patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60193-402
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Salicylic acid (UNII: O414PZ4LPZ) (Salicylic acid - UNII:O414PZ4LPZ)	Salicylic acid	4 mg

Inactive Ingredients

Ingredient Name	Strength
Vinyl acetate (UNII: L9MK238N77)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60193-402-02	9 in 1 CELLO PACK		
1	NDC:60193-402-01	1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part358F	09/01/2007	

Labeler - Pacific World Corporation (089693097)

Revised: 10/2014

Pacific World Corporation