#### MUCUS RELIEF D- guaifenesin, pseudoephedrine hydrochloride tablet, extended release Walgreen Company

\_\_\_\_\_

# Walgreen Co. Mucus Relief D Drug Facts

# Active ingredients (in each extended-release tablet)

Guaifenesin 600 mg

Pseudoephedrine HCl 60 mg

#### Purpose

Expectorant

Nasal Decongestant

# Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

# Warnings

# Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

• cough accompanied by too much phlegm (mucus)

# When using this product

• do not use more than directed

#### Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

# Other information

- store between 20-25°C (68-77°F)
- do not use if blister unit is broken or torn

# Inactive ingredients

colloidal silicon dioxide, copovidone, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid

# **Questions or comments?**

1-800-719-9260

# Package/Label Principal Display Panel

Compare to Mucinex<sup>®</sup> D active ingredients

12 HOUR EXTENDED-RELEASE TABLETS Mucus Relief D GUAIFENESIN 600 mg PSEUDOEPHEDRINE HYDROCHLORIDE 60 mg EXTENDED-RELEASE TABLETS EXPECTORANT / NASAL DECONGESTANT 12 HOUR Clears nasal & sinus congestion Thins & loosens mucus 36 EXTENDED-RELEASE TABLETS ACTUAL SIZE



# MUCUS RELIEF D

guaifenesin, pseudoephedrine hydrochloride tablet, extended release

Marketing Marketing Category		ION tion Number or Mono Citation	graph Ma	arketing Start Date		ting End ate	
Marketing	Informat	ion					
		lee					
2	1 in 1 BLISTER Product	TER PACK; Type 0: Not a Combination					
<b>2</b> NDC:0363-0144- 68	36 in 1 CARTO			/2015	10/31/2021		
1	1 in 1 BLISTER Product	PACK; Type 0: Not a Com	bination				
<b>1</b> NDC:0363-0144- 89	18 in 1 CARTO		12/16/	/2015	09/30/2021		
# Item Code	Ра	ckage Description	Ma	rketing Start Date		ting End ate	
Packaging							
Contains							
Flavor		1	Imprint Code		600;Watson		
Shape	OVAL (biconvex) Size		Size	18n		mm	
Color	ORANGE (peach) Score		Score	no score			
Product Chara	acteristics						
STEARIC ACID (UN							
POVIDONE, UNSPE							
MALTODEXTRIN (UNII: 7CVR7L4A2D) MICROCRYSTALLINE CELLULOSE (UNII: 0P1R32D61U)							
MAGNESIUM STEARATE (UNII: 70097M6I30)							
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)							
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)							
COPOVIDONE K25-31 (UNII: D9C330MD8B)							
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)							
Ingredient Name						Strength	
Inactive Ingre	dients						
(PSEUDOEPHEDRINE	- UNII:7CUC9D	DI9F)		HYDROCHLORIDE			
PSEUDOEPHEDRIN		DRIDE (UNII: 6V9V2RYJ8N)	I8N) PSEUDOEPHED		INE 60 mg		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)			W7451VO)			600 mg	
Active Ingredient/Active Moiety Ingredient Name Basis of Stree						Strengt	
Active Ingredi	ent/Active	Moiety					
Route of Admini	Stration	UNAL					
Route of Admini		ORAL	item Code	Code (Source)		NDC:0363-0144	
Product Type		HUMAN OTC DRUG	Items Code	(Course)	NDC-026	0144	

# Labeler - Walgreen Company (008965063)

Revised: 3/2023

Walgreen Company