

NUMB 520- lidocaine cream
Ebanel Laboratories, Inc

Active Ingredient - Lidocaine 5%

■ Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Children under 12 years of age: consult a doctor.

■ Apply externally to the affected area up to 6 times daily.

Warnings (For external use only)

■ If condition worsens or does not improve within 7 days, consult a doctor.

■ Do not exceed the recommended daily dosage unless directed by a doctor.

■ In case of bleeding, consult a doctor promptly.

■ Do not put this product into the rectum by using fingers or any mechanical device or applicator.

■ Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.

Uses

■ For the temporary relief of local and anorectal itching and discomfort associated with anorectal disorders and anorectal inflammation.

■ For the temporary relief of pain, burning and soreness.

Other Information

■ Keep away from direct sunlight or heat.

■ Store at room temperature 15°-30°C (59°-86°F).

■ This package is child-resistant. Keep out of reach of children.

■ In case of accidental overdose or ingestion, call a doctor or poison control center immediately.

■ Do not use this product if seal is broken or missing.

Inactive Ingredients

Allantoin, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Carbomer, Cholesterol, Dimethyl Isosorbide, Disodium EDTA, Hydrogenated Polydecene, Lecithin, Neopentyl Glycol Dicaprylate/Dicaprate, Propylene Glycol, Sodium Polyacrylate, Tocopheryl Acetate, Trideceth-6, Triethanolamine, Water

Purpose.....Local Anesthetic

Manufactured for Ebanel Laboratories, Inc.
Brea, CA 92821 | 1-844-694-0004
www.ebanel.com | Made in USA

8 50011 66848 1

DRUG FACTS (Continued)

Directions

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Children under 12 years of age: consult a doctor.
- Apply externally to the affected area up to 6 times daily.

Other Information

- Keep away from direct sunlight or heat.
- Store at room temperature 15°-30°C (59°-86°F).
- This package is child-resistant. Keep out of reach of children.
- In case of accidental overdose or ingestion, call a doctor or poison control center immediately.
- Do not use this product if seal is broken or missing.

Inactive Ingredients

Allantoin, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Carbomer, Cholesterol, Dimethyl Isosorbide, Disodium EDTA, Hydrogenated Polydecene, Lecithin, Neopentyl Glycol Dicaprylate/Dicaprate, Propylene Glycol, Sodium Polyacrylate, Tocopheryl Acetate, Trideceth-6, Triethanolamine, Water

Ebanel
LIPOSOMAL
NUMB520

5% LIDOCAINE

CHILD-RESISTANT PACKAGING

Topical Anorectal Cream
4.9 oz e 138.9 g

DRUG FACTS

Active Ingredient	Purpose
Lidocaine 5%.....	Local Anesthetic

Uses

- For the temporary relief of local and anorectal itching and discomfort associated with anorectal disorders and anorectal inflammation.
- For the temporary relief of pain, burning and soreness.

Warnings (For external use only)

- If condition worsens or does not improve within 7 days, consult a doctor.
- Do not exceed the recommended daily dosage unless directed by a doctor.
- In case of bleeding, consult a doctor promptly.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.
- Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.

NUMB 520

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72654-027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
HYDROGENATED POLYDECENE (1500 CST) (UNII: 4YI0729529)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	
WATER (UNII: 059QF0KO0R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER (UNII: 0A5MM307FC)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLVW429K27K)	

DISODIUM EDTA-COPPER (UNII: 6V475AX06U)				
ALLANTOIN (UNII: 344S277G0Z)				
Product Characteristics				
Color		white	Score	
Shape			Size	
Flavor			Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72654-027-01	138.9 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/07/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M015	04/07/2025	

Labeler - Ebanel Laboratories, Inc (079352161)

Revised: 6/2025

Ebanel Laboratories, Inc