

VAPORIZING STEAM LIQUID- medicated cough suppressant solution
NeilMed Pharmaceuticals Inc.

Vaporizing steam liquid

Drug Facts

Camphor 6.2%

Purpose

Camphor 6.2%.....Cough Suppressant

Warnings

For External Use Only

Flammable: Keep away from fire or flame. For Steam Inhalation only.

Ask a doctor before use if

- you have a persistent or chronic cough
- cough that occurs with too much phlegm (mucus)

When using this product, do not

- Heat
- Microwave
- use near an open flame
- take by mouth
- direct stream from the vaporizer too close to the face
- add to hot water or any container in which you are heating water except when adding to cold water in a hot steam vaporizer. Improper use may cause the mixture to splatter and cause burns.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children

In case of eye exposure flush eyes with water. In case of accidental ingestion, seek medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- See important warnings under "When using this product"
- **Adults & Children 2 years & over:** use 1 tablespoon of solution for each quart of water, or 1-1/2 teaspoons of solution for each pint of water.
- add solution directly to cold water only in a hot steam vaporizer
- follow manufacturer's directions for using vaporizer
- breathe in medicated vapors
- may be repeated up to 3 times a day
- Children under 2 years: do not use

Other Information

- Close container tightly and store at room temperature away from heat

Important:

Please do not discard this printed box and any enclosed printed material. The inside final product may not have all the details you require for the ongoing use of the product

Directions

Adults & Children 2 years & over:

- use 1 tablespoon of solution for each quart of water or 1-1/2 teaspoons of solution for each pint of water.
- add solution directly to cold water only in a hot steam vaporizer.
- follow manufacturer's directions for using vaporizer
- breathe in medicated vapors
- may be repeated up to 3 times a day

Children under 2 years: do not use

Inactive Ingredients

dimethicone, eucalyptus(eucalyptus oil) leaf oil, laureth-7, menthol, myristica fragrans(nutmeg) kernel oil, poloxamer 124, SD alcohol 40-8, thuja occidentalis (cedar leaf) oil

Uses

Uses temporarily relieves cough due to minor throat and bronchial irritation associated with a cold.

NeilMed



Est. 2000

Also Available From NeilMed®
NOT INCLUDED IN THIS BOX



Tablets Vapor Shower



Chest Rub

NeilMed

VAPORIZING Steam Liquid

**MEDICATED COUGH
SUPPRESSANT**



Liquid medication
for hot steam vaporizers

Increase the action
of steam for colds

CAMPBOR 0.2% Do not Take by Mouth
8 FL OZ (237 mL)

NeilMed

Also Available From NeilMed®
NOT INCLUDED IN THIS BOX



The Original
Sinus Rinse™ Kit

Nasa Mist
SINUS RINSE SPRAY



NeilMed® Pharmaceuticals, Inc.
Offer valid for future purchase

Manufacturer's Coupon Expires December 31, 2020

\$300 OFF



NeilMed
VAPORIZER
Steam

Drug Facts

Active ingredient

Campbor 0.2%

August

Cough Suppressant

Little temporary relief may be due to heat and moisture
rather than medicinal action.

Warnings

For external use only.

Caution: Do not use with hot or steam. For steam inhalation only.

Do a double check on:

- you have a persistent or chronic cough
- you have a fever or sore throat
- you have a sore throat or hoarse voice

When using this product, do not:

- touch or inhale the steam
- use near an open flame
- take by mouth
- drink alcohol from the vaporizer
- use in hot water or any container in which you are holding water

except when using in hot water in a hot steam vaporizer.

Do not use this product in the vaporizer for longer than 10 minutes.

Do not use and do not drink if cough lasts more than 7 days, comes

back or return with fever, rash, or persistent headache. These could be

signs of a serious condition.

Keep out of reach of children. In case of eye exposure flush eyes with

water. In case of accidental ingestion, seek medical help or contact a

Poison Control Center right away. 1-800-527-1222.

Directions

See important warnings under "When using this product."

■ Adults & Children 2 years & over: use 1 tablespoon of solution

for each quart of water in 1-2" deepness of water in each part of

water.

■ Add solution directly to cold water only in a hot steam vaporizer.

■ Follow manufacturer's directions for using vaporizer.

■ Inhale in humidified vapor.

■ May be repeated up to 3 times a day.

■ Children under 2 years: do not use.

Other information

■ Store container tightly and store at room temperature away from heat.

■ Active ingredients: camphor, menthol, phenol, thymol, eucalyptol.

■ Inactive ingredients: water, sodium hydroxide, sodium chloride, sodium

phosphate, sodium sulfate, sodium bicarbonate, sodium citrate, sodium

acetate, sodium benzoate, sodium lactate, sodium stearate, sodium

oleate, sodium palmitate, sodium stearate, sodium lauryl sulfate, sodium

lauryl ether sulfate, sodium lauryl ether phosphate, sodium lauryl ether

sulfate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

sulfonate, sodium lauryl ether sulfonate, sodium lauryl ether sulfonate

VAPORIZER ONLY



7 05928 17005 6

LEARN MORE
A MANUFACTURER'S
REBATE



VAPORIZING STEAM LIQUID

medicated cough suppressant solution

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:13709-332 |
| Route of Administration | NASAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------|---------------|
| CAMPBOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPBOR (SYNTHETIC) - UNII:5TJD82A1ET) | CAMPBOR (SYNTHETIC) | 62 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CEDAR LEAF OIL (UNII: BJ169U4NLG) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| MENTHOL (UNII: L7T10EIP3A) | |
| EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6) | |
| LAURETH-7 (UNII: Z95S6G8201) | |
| MYRISTICA FRAGRANS (NUTMEG) KERNEL OIL (UNII: Z1CLM48948) | |

POLOXAMER 124 (UNII: 1S66E28KXA)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:13709-332-01 | 1 in 1 CARTON | 06/05/2025 | |
| 1 | | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 06/05/2025 | |

Labeler - NeilMed Pharmaceuticals Inc. (799295915)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------------|---------|-----------|------------------------|
| NeilMed Pharmaceuticals Inc. | | 799295915 | manufacture(13709-332) |

Revised: 6/2025

NeilMed Pharmaceuticals Inc.