

**PREMIUM MOISTURIZING SUNSCREEN BROAD SPECTRUM SPF 70-  
avobenzone, homosalate, octisalate, octocrylene spray  
Sun Bum, LLC**

-----  
**Premium Moisturizing Sunscreen Broad Spectrum SPF 70**

**Active Ingredients**

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures, (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Flammable: do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

**Warnings**

Keep Out Of Reach Of Children

**Directions**

- shake well before use

- hold container 4 to 6 inches from the skin to apply
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- do not spray directly onto face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- Avoid inhaling or exposing others to spray
- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.- 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses

## **Directions**

- shake well before use
- hold container 4 to 6 inches from the skin to apply
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- do not spray directly onto face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- Avoid inhaling or exposing others to spray

## **Other Information**

protect this product from excessive heat and direct sun

## **Inactive Ingredients**

alcohol denat. (65%), polyester-8, acrylates/octylacrylamide copolymer, ascorbyl palmitate, caprylic/capric triglyceride, dimethicone, fragrance, PPG-5-ceteth-20, tocopheryl acetate, trisiloxane

## **Questions?**

1-877-978-6286

Primary Packaging

Sun Bum® sunscreens are carefully formulated to help protect those of us who live and love in the sun.

**Trust The Bum®**

**Made Without**

- Oxybenzone • Octinoxate • Parabens • Retinyl Palmitate

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable:** do not use near heat, flame, or while smoking

**Do not use on damaged or broken skin**

**When using this product**

- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if rash occurs**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**

- shake well before use • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • do not spray directly into face. Spray on hands then apply to face. • do not apply in windy conditions • use in well-ventilated area. • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

**Other information** protect this product from excessive heat and direct sun

**Inactive ingredients** alcohol denat. (65%), polyester-8, acrylates/octylacrylamide copolymer, ascorbyl palmitate, caprylic/capric triglyceride, dimethicone, fragrance, PPG-5-ceteth-20, toco-phenyl acetate, trisiloxane

**Questions?** 1-877-978-6286

**Sun Bum**



**70**

**Premium Moisturizing Sunscreen Spray**  
**Broad Spectrum SPF 70**  
**Water Resistant (80 Minutes)**

Gluten Free and Vegan  
Antioxidant Enriched (Vitamin E)  
Dermatologist Tested

Net Wt. 6 OZ / 170 g



Mfg. for and Dist. by Sun Bum, LLC, PO Box 320598 Cocoa Beach, FL, 32932 USA.  
© 2019 Sun Bum, LLC. Made in the USA with globally sourced components.  
R444106, DOT2Q, M5706,



RECOMMENDED BY  
ACTIVE



71760-00208-1

PREMIUM MOISTURIZING SUNSCREEN BROAD SPECTRUM SPF 70

avobenzone, homosalate, octisalate, octocrylene spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69039-695
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	30 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)		OCTOCRYLENE	100 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	50 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED)</b> (UNII: T9296U138P)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PPG-5-CETETH-20</b> (UNII: 4AAN25P8P4)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69039-695-00	170 g in 1 CANISTER; Type 0: Not a Combination Product	01/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2025	

**Labeler -** Sun Bum, LLC (028642574)

Revised: 8/2025

Sun Bum, LLC