### FOAMING INSTANT HAND SANITIZER WITH ALOE AND VITAMIN E- foaming instant hand sanitizer with aloe and vitamin e solution OPI Correctional Industries

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Foaming Instant Hand Sanitizer with Aloe and Vitamin E

Benzethonium Chloride 0.2% w/w.....Antibacterial Agent

Water, Fragrance, Aloe Barbadensis Leaf, Tocopheryl Acetate, Cocamidopropyl Betaine, Propylene Glycol, Phenoxyethanol, PEG-7 Glyceryl Cocoate, Tetrasodium EDTA.

Hand sanitizer to help reduce bacteria on the skin that could cause disease. Recommended for repeated use.

### For external use only.

Avoid contact with eyes. If contact occurs, flush with water.

**Stop use if**, in rare instances, redness or irritation develop. If condition persists for more than 72 hours, consult a physician.

Keep out of reach of children. If swallowed, contact a physician or poison control center.

To decrease bacteria on skin, apply small amount to palm. Briskly rub, covering hands with product until dry.

Hand sanitizer to help reduce bacteria on the skin that could cause disease. Recommended for repeated use.

Avoid contact with eyes. If contact occurs, flush with water.

Stop use if, in rare instances, redness or irritation develop. If condition persists for more than 72 hours, consult a physician.

Keep out of reach of children. If swallowed, contact a physician or poison control center.

Keep out of reach of children. If swallowed, contact a physician or poison control center.

|  | _    |
|--|------|
| Drug Facts   |      |
| Active ingredient Purpos   | se   |
| Benzethonium Chloride 0.2% w/wAntibacterial Agen   | nt   |
| Uses For handwashing to decrease bacteria on skin.   |      |
| Warnings   |      |
| For external use only.   |      |
| Do not use in the eyes. In case of eye contact, flush with water.  | _    |
| Stop use and ask a doctor if irritation and redness develop and persists<br>for more than 72 hours.  | _    |
| Keep out of reach of children. If swallowed, contact a physician or poison control center.   | _    |
| Directions<br>■ To decrease bacteria on skin, apply small amount to palm. Briskly rub, covering hands<br>with product until dry.   |      |
| Inactive ingredients Water, Fragrance, Aloe Barbadensis Leaf Juice,Tocopheryl Acetate,<br>Cocamidopropyl Betaine, PEG-7 Glyceryl Cocoate, Propylene Glycol, Phenoxyethanol,<br>Tetrasodium EDTA. |      |
| MG42   | 29AA |
| Reorder 22021 07:  | 291  |
| Sold By:   |      |
| OPI CORRECTIONAL INDUSTRIES  |      |
| 1221 McKinley Avenue   |      |
| Columbus, OH 43222   |      |

800.237.3454 • www.opi.ohio.gov

This container is coded for Recycling





## FOAMING INSTANT HAND SANITIZER WITH ALOE AND VITAMIN E

foaming instant hand sanitizer with aloe and vitamin e solution

| Product Information                                   |                                |                    |                          |        |                     |  |
|---|--------------------------------|--------------------|--------------------------|--------|---------------------|--|
| Product Type  | HUMAN OTC DRUG                 | Item Code (Source) |                          | NDC:43 | NDC:43196-207       |  |
| Route of Administration                               | TOPICAL                        |                    |                          |        |                     |  |
|   |                                |                    |                          |        |                     |  |
|   |                                |                    |                          |        |                     |  |
| Active Ingredient/Active I                            | Aoiety                         |                    |                          |        |                     |  |
| I   | ngredient Name                 |                    | Basis of Stree           | ngth   | Strength            |  |
| <b>BENZETHO NIUM CHLO RIDE</b> (U<br>UNII:1VU15B70BP) | NII: PH41D05744) (BENZETHONIUM |                    | BENZETHONIUM<br>CHLORIDE |        | 7.56 g<br>in 100 mL |  |
|   |                                |                    |                          |        |                     |  |
|   |                                |                    |                          |        |                     |  |
| Inactive Ingredients                                  |                                |                    |                          |        |                     |  |
|   | Ingredient Name                |                    |                          |        | Strength            |  |
| WATER (UNII: 059QF0KO0R)                              |                                |                    |                          |        |                     |  |
| EDETATE SO DIUM (UNII: MP1J84                         |                                |                    |                          |        |                     |  |

| COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX) |                |  |  |                         |                     |  |  |
|---|----------------|--|--|-------------------------|---------------------|--|--|
| PEG-7 GLYCERYL COCOATE (UNII: VNX7251543) |                |  |  |                         |                     |  |  |
| PROPYLENE GLY                             | C <b>OL</b> (U | NII: 6 DC9 Q 16 7 V3)                              |  |                         |                     |  |  |
| PHENO XYETHANO                            | )L (UNI        | I: HIE492ZZ3T)                                     |  |                         |                     |  |  |
| ALOE VERA LEAF                            | (UNII: Z       | 2Y8 1Z8 3H0 X)                                     |  |                         |                     |  |  |
| .ALPHATOCOPH                              | EROL /         | ACETATE, DL- (UNII: WR1WPI7EW8)                    |  |                         |                     |  |  |
|   |                |  |  |                         |                     |  |  |
|   |                |  |  |                         |                     |  |  |
| Packaging                                 |                |  |  |                         |                     |  |  |
| # Item Code                               |                | Package Description                                |  | Marketing Start<br>Date | Marketing E<br>Date |  |  |
| 1 NDC:43196-207-                          | 50 mI          | a in 1 BAG; Type 0: Not a Combination Product      |  | 07/05/2016              |                     |  |  |
| 1/  | 2705           | mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination |  | 07/05/2016              |                     |  |  |
| 2 NDC:43196-207-<br>09                    | 3785<br>Produ  | ct   |  | 0770072010              |                     |  |  |
| 2 NDC:43196-207-                          |                | ct   |  | 07700/2010              |                     |  |  |
| 2 NDC:43196-207-                          |                | ct   |  |                         |                     |  |  |
| 2 NDC:43196-207-                          | Pro du         |  |  |                         |                     |  |  |
| 2 NDC:43196-207-<br>09                    | Produ<br>nforr | nation   |  | rketing Start Date      | Marketing End I     |  |  |

# Labeler - OPICorrectional Industries (809174501)

## Establishment

| Name                         | Address | ID/FEI    | <b>Business Operations</b> |
|------------------------------|---------|-----------|----------------------------|
| Kutol Products Company, Inc. |         | 004236139 | manufacture(43196-207)     |

Revised: 7/2016

**OPI** Correctional Industries