

FUNGUS MASTER- miconazole nitrate lotion

Clinical Resolution Laboratory, Inc.

Active Ingredient: Miconazole Nitrate 2%

Directions

Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

Warnings

- Do not use on children under 2 years of age unless directed by a doctor.
- For external use only.
- Avoid contact with the eyes.
- If irritation occurs or if there is no improvement within 4 weeks for the treatment of athlete's foot and ringworm, or 2 weeks for the treatment of jock itch, discontinue use and consult a doctor.

Uses

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis).

Other Information

- Shake well before use.
- Keep away from direct sunlight or heat. Store at room temperature 15°-30°C (59°-86°F).
- Keep out of reach of children.
- In case of accidental overdose or ingestion, call a doctor or poison control center immediately.
- Do not use this product if seal is broken or missing.

Inactive Ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Arginine HCl, Ascorbyl Palmitate, Butyrospermum Parkii (Shea) Butter, Caprylyl Glycol, Cetearyl Alcohol, Cinnamomum Zeylanicum Leaf Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Cocos Nucifera (Coconut) Oil, Cymbopogon Flexuosus Oil, Dimethyl Isosorbide, Disodium EDTA, Dodecane, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Eugenia Caryophyllus (Clove) Bud Oil, Fusanus Spicatus Wood (Sandalwood) Oil, Glycerin, Hexylene Glycol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Lavandula Angustifolia (Lavender) Oil, Leptospermum Scoparium Branch/Leaf Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Mentha Piperita (Peppermint) Oil, Origanum Vulgare (Oregano) Leaf Oil, Panthenol, PEG-

12 Dimethicone, PEG-4 Dilaurate, PEG-40 Hydrogenated Castor Oil, Persea Gratissima (Avocado) Oil, Phenoxyethanol, Phospholipids, Polysorbate 20, Polysorbate 60, PPG-26-Buteth-26, Retinyl Palmitate, Salicylic Acid, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Benzoate, Sodium Bicarbonate, Squalane, Tocopheryl Acetate, Triethanolamine, Undecylenic Acid, Urea, Water, Xanthan Gum

Purpose..... Antifungal

shake well before use



Ebanel
LIPOSOMAL
FUNGUS MASTER
ANTIFUNGAL TREATMENT

**Cures Most
Athlete's Foot
Ringworm, Jock Itch**

2% MICONAZOLE
Enhanced with Inactive Ingredients:
Undecylenic Acid, Herbal Oils

2.0 fl.oz e 59 mL

Clinically-Proven
Dermatologist-Tested

DRUG FACTS

Active Ingredient	Purpose
Miconazole Nitrate 2%	Antifungal

Uses

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis).
- For effective relief of itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, itchy, scaly skin between the toes, and chafing associated with jock itch.

Warnings

- Do not use on children under 2 years of age unless directed by a doctor.
- For external use only.

@EbanelSkincare

Manufactured in USA for Ebanel Laboratories, Inc.
1400 W. Lambert Rd., Suite D
Brea, CA 92821 | www.ebanel.com

FOR MORE INFO.

DRUG FACTS (Continued)	DRUG FACTS (Continued)	DRUG FACTS (Continued)	DRUG FACTS (Continued)
<p>■ Avoid contact with the eyes.</p> <p>■ If irritation occurs or if there is no improvement within 4 weeks for the treatment of athlete's foot and ringworm, or 2 weeks for the treatment of jock itch, discontinue use and consult a doctor.</p> <p>Directions Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special attention to spaces between</p>	<p>the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.</p> <p>Other Information Keep away from direct sunlight or heat. Store at room temperature 15°-30°C (59°-86°F). Keep out of reach of children. Do not use this product if seal is broken or missing.</p> <p>Inactive Ingredients Acrylates/C10-30 Alkyl</p>	<p>Acrylate Crosspolymer, Arginine, Ascorbyl Palmitate, Carthamus Tinctorius (Safflower) Seed Oil, Cetearyl Alcohol, Cinnamomum Zeylanicum Leaf Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Cocos Nucifera (Coconut) Oil, Cymbopogon Flexuosus Oil, Dimethyl Isosorbide, Dodecane, Eucalyptus Globulus Leaf Oil, Eugenia Caryophyllus (Clove) Flower Oil, Glycerin, Lavandula Angustifolia (Lavender) Flower Oil, Leptospermum Scoparium Branch/Leaf Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Mentha Piperita</p>	<p>(Peppermint) Oil, Origanum Vulgare Leaf Oil, Panthenol, PEG-12 Dimethicone, PEG-40 Hydrogenated Castor Oil, PEG-8 Dilaurate, Persea Gratissima (Avocado) Oil, Phenoxyethanol, Phospholipids, Polysorbate 20, Polysorbate 60, PPG-26-Buteth-26, Punica Granatum Seed Extract, Retinyl Palmitate, Salicylic Acid, Santalum Spicatum Seed Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Benzoate, Sodium Bicarbonate, Tocopheryl Acetate, Undecylenic Acid, Urea, Water</p>

shake well before use



Ebanel
LIPOSOMAL
FUNGUS MASTER
ANTIFUNGAL TREATMENT

DRUG FACTS

Active Ingredient **Purpose**
Miconazole Nitrate 2% . . Antifungal

Uses

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis).
- For effective relief of itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, itchy, scaly skin between the toes, and chafing associated with jock itch.

Warnings

- **Do not use on children under 2 years of age unless directed by a doctor.**
- For external use only.

vr3

@EbanelSkincare

Manufactured in USA for Ebanel Laboratories, Inc.
1400 W. Lambert Rd., Suite D
Brea, CA 92821 | www.ebanel.com

Cures Most
Athlete's Foot
Ringworm, Jock Itch

2% MICONAZOLE
Enhanced with Inactive Ingredients:
Undecylenic Acid, Herbal Oils

1.0 fl.oz e 30 mL

Clinically-Proven
Dermatologist-Tested

FOR MORE INFO.

DRUG FACTS (Continued)	DRUG FACTS (Continued)	DRUG FACTS (Continued)	DRUG FACTS (Continued)
<ul style="list-style-type: none"> ■ Avoid contact with the eyes. ■ If irritation occurs or if there is no improvement within 4 weeks for the treatment of athlete's foot and ringworm, or 2 weeks for the treatment of jock itch, discontinue use and consult a doctor. <p>Directions Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special attention to spaces between</p>	<p>the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.</p> <p>Other Information Keep away from direct sunlight or heat. Store at room temperature 15°-30°C (59°-86°F). Keep out of reach of children. Do not use this product if seal is broken or missing.</p> <p>Inactive Ingredients Acrylates/C10-30 Alkyl</p>	<p>Acrylate Crosspolymer, Arginine, Ascorbyl Palmitate, Carthamus Tinctorius (Safflower) Seed Oil, Cetearyl Alcohol, Cinnamomum Zeylanicum Leaf Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Cocos Nucifera (Coconut) Oil, Cymbopogon Flexuosus Oil, Dimethyl Isosorbide, Dodecane, Eucalyptus Globulus Leaf Oil, Eugenia Caryophyllus (Clove) Flower Oil, Glycerin, Lavandula Angustifolia (Lavender) Flower Oil, Leptospermum Scoparium Branch/Leaf Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Mentha Piperita</p>	<p>(Peppermint) Oil, Origanum Vulgare Leaf Oil, Panthenol, PEG-12 Dimethicone, PEG-40 Hydrogenated Castor Oil, PEG-8 Dilaurate, Persea Gratissima (Avocado) Oil, Phenoxyethanol, Phospholipids, Polysorbate 20, Polysorbate 60, PPG-26-Buteth-26, Punica Granatum Seed Extract, Retinyl Palmitate, Salicylic Acid, Santalum Spicatum Seed Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Benzoate, Sodium Bicarbonate, Tocopheryl Acetate, Undecylenic Acid, Urea, Water</p>

FUNGUS MASTER

miconazole nitrate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63742-098
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MENTHA PIPERITA (PEPPERMINT) OIL (UNII: AV092KU4JH)	
PANTHENOL (UNII: WW9CM0O67Z)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
UREA (UNII: 8W8T17847W)	
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL (UNII: AKN3KSD11B)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LEPTOSPERMUM SCOPARIUM BRANCH/LEAF OIL (UNII: M6QU9ZUH2X)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
CYMBOPOGON FLEXUOSUS OIL (UNII: UP0M8M3VZW)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	
UNDECYLENIC ACID (UNII: K3D86KJ24N)	
CINNAMOMUM ZEYLANICUM LEAF OIL (UNII: S92U8SQ71V)	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
GLYCERIN (UNII: PDC6A3C0OX)	
EUGENIA CARYOPHYLLUS (CLOVE) BUD OIL (UNII: 578389D6D0)	
COCOS NUCIFERA (COCONUT) OIL (UNII: Q9L0O73W7L)	
ORIGANUM VULGARE LEAF OIL (UNII: 7D0CGR40U1)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL (UNII: ZBP1YXW0H8)	
FUSANUS SPICATUS WOOD OIL (UNII: H9LVS6REV4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)	
PEG-4 DILAURATE (UNII: KCR71CW036)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
ARGININE HYDROCHLORIDE (UNII: F7LTH1E20Y)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PERSEA GRATISSIMA (AVOCADO) OIL (UNII: 6VNO72PFC1)	
SQUALANE (UNII: GW89575KF9)	
RETINYL PALMITATE (UNII: 1D1K0N0VVC)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	
DODECANE (UNII: 11A386X1QH)	

EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	white (Yellowish offwhite)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63742-098-01	30 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/06/2025	
2	NDC:63742-098-02	59 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	06/06/2025	

Labeler - Clinical Resolution Laboratory, Inc. (825047942)

Registrant - Clinical Resolution Laboratory, Inc. (825047942)

Establishment

Name	Address	ID/FEI	Business Operations
Clinical Resolution Laboratory, Inc.		825047942	manufacture(63742-098)

Revised: 6/2025

Clinical Resolution Laboratory, Inc.