ADAPALENE- adapalene gel Wal-Mart Stores Inc

Adapalene Gel USP, 0.1%

Drug Facts

Active ingredient

Adapalene USP, 0.1% (retinoid) 1

1 read consumer information leaflet

Purpose

Acne treatment

Use

For the treatment of acne

Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE.
- store at 20° to 25°C (68° to 77°F)[see USP Controlled Room Temperature].
- protect from freezing

Inactive ingredients

carbomer homopolymer type C, edetate disodium, phenoxyethanol, poloxamer 182, propylene glycol, purified water, sodium hydroxide.

Questions?

1-888-287-1915


DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

PRODUCT OF CANADA

PRINCIPAL DISPLAY PANEL - 15 g Carton

NDC 79903-338-05

Adapalene Gel USP, 0.1%



leaflet before use



NET WT 0.5 OZ (15g)

Drug Facts

Active ingredient Purpose Adapalene USP, 0.1%

GOL

97.50 8406929

(retinoid)*.... read consumer information leaflet

• For the treatment of acne

Warnings For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes
- irritation (redness, itching, dryness, burning) is more likely to oc
- in the first few weeks of use
- if using more than one topical acne medication at a time
- but irritation usually lessens
- with continued use of this product it may take up to 3 months of once daily use to see results

Drug Facts (continued)

· avoid product contact with eyes, lips, and mouth, If contact occurs, immediately flush the area with water wash hands after use

Stop use and ask doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

- Other information
 Tamper evident: Do not use if the seal on THE TUBE IS PUNCTURED OR NOT VISIBLE.
- store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]
- protect from freezing

Inactive ingredients

carbomer homopolymer type C, edetate disodium, phenoxyethanol, poloxamer 182, propylene glycol,

Questions? 1-888-287-1915



ADAPALENE

adapalene gel

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:79903-338

Route of Administration

TOPICAL

Active Ingredient/Active Moiety
--

Ingredient Name	Basis of Strength	Strength
ADAPALENE (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF)	ADAPALENE	1 mg in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
POLOXAMER 182 (UNII: JX0HIX6OAG)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM HYDROXIDE (LINII: 55X04OC32I)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:79903-338- 05	1 in 1 CARTON	06/06/2025		
1	15 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA215940	06/06/2025		

Labeler - Wal-Mart Stores Inc (051957769)

Establishment	stablishment		
Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(79903-338)

Revised: 6/2025 Wal-Mart Stores Inc