

TIZO ULTRA ZINC SPF 40 (TINTED)- zinc oxide cream
Fallien Cosmeceuticals, LTD

Active Ingredients:

Zinc Oxide 20%

Purpose

Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Apply liberally 15 minutes before sun exposure. Reapply:

- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am-2 pm
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Bismuth Oxychloride, C₁₂₋₁₅Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Hydrogen Dimethicone, Iron Oxides, Mica, Microcrystalline

Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

Other Information:

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- **Shake well before use**

Keep out of the reach of children.

Principal Display Panel - TiZO Ultra Zinc SPF 40 Carton Label

TiZO®

ULTRA ZINC

Tinted

SPF
40

**MINERAL SUNSCREEN
FOR BODY & FACE**

20% Zinc Oxide

Antioxidants C & E

Moisturizing

Broad Spectrum SPF 40

Water Resistant (40 Minutes)

Net Wt. 3.5 Oz./100 g

TiZO®
ULTRA ZINC
Tinted

DRUG FACTS

Active Ingredients: Zinc Oxide 20%
Purpose: Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Apply liberally 15 minutes before sun exposure. Reapply: · After 40 minutes of swimming or sweating · Immediately after towel drying · At least every 2 hours · Children under 6 months: Ask a doctor · **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
· Limit time in the sun, especially from 10 am-2 pm
· Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Bismuth Oxychloride, C₁₂₋₁₅ Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Hydrogen Dimethicone, Iron Oxides, Mica, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

Other Information:

· Protect this product from excessive heat and direct sun · May stain some fabrics · **Shake well before use**

TiZO® creates all-mineral broad spectrum sunscreen protection that is exceptionally lightweight, virtually invisible on skin, and 100% free of chemical sunscreen filters, dyes, fragrances, gluten and preservatives.



ALL-MINERAL
SUNSCREEN



PRESERVATIVE FREE



ANTIOXIDANTS C & E



REEF FRIENDLY



DEFEND YOUR SKIN.
DEFEND THE EARTH™



@tizoskin
tizoskin.com

TiZO®

ULTRA ZINC

Tinted

SPF
40

MINERAL SUNSCREEN
FOR BODY & FACE

20% Zinc Oxide
Antioxidants C & E
Moisturizing

Broad Spectrum SPF 40
Water Resistant (40 Minutes)
Net Wt. 3.5 Oz./100 g

TiZO Ultra Zinc Body & Face Sunscreen is a moisturizing all-mineral sunscreen suitable for all skin types and tones. Sheer and virtually invisible, it smooths onto the skin, leaving a soft, elegant finish.

· 20% Zinc Oxide formula calms and soothes

· Sheer, universal tint

· Gentle protection that is ideal for post-procedure use and sensitive skin

· **FREE** of chemical sunscreen filters, dyes, fragrances, oils and preservatives

Age Defying Fusion®

When used regularly, TiZO Ultra Zinc Body & Face Sunscreen helps to decrease the risk of skin cancer and early skin aging caused by the sun.

Fallien Cosmeceuticals Ltd.
Eagleville, PA 19403
Made in USA



3 58892 31901 5

Principal Display Panel - TiZO Ultra Zinc SPF 40 Tube Label

TiZO®

ULTRA ZINC

Tinted

SPF

MINERAL SUNSCREEN FOR BODY & FACE

With Antioxidants C & E

Broad Spectrum SPF 40

Water Resistant (40 Minutes)

Net Wt. 3.5 Oz./100 g

TiZO[®]

ULTRA ZINC
Tinted

SPF
40

**MINERAL SUNSCREEN
FOR BODY & FACE**

With Antioxidants C & E

Broad Spectrum SPF 40
Water Resistant (40 Minutes)
Net Wt. 3.5 Oz./100 g

DRUG FACTS

Active Ingredients: Zinc Oxide 20% **Purpose:** Sunscreen

Uses:
Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:
For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions:
Apply liberally 15 minutes before sun exposure.
Reapply: • After 40 minutes of swimming or sweating
• Immediately after towel drying • At least every 2 hours • Children under 6 months: Ask a doctor
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.-2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses

Other Information:
• Protect this product from excessive heat and direct sun • May stain some fabrics • Shake well before use

Fallien Cosmeceuticals, Ltd.
Eagleville, PA 19403
Made in USA
www.tizoskin.com

12 M ♻️ ♻️ ♻️ ♻️ 3 58892 31901 5

Minimum = 5MM

TIZO ULTRA ZINC SPF 40 (TINTED)

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-319
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE 100 (UNII: RO2660364U)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
MICA (UNII: V8A1AW0880)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PEG-30 DIPOLYHYDROXYSTEARATE (4000 MW) (UNII: 9713Q0S7FO)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARYL DIMETHICONE (400 MPA.S AT 50C) (UNII: R327X197HY)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58892-319-	1 is 1 CARTON	02/15/2022	

1	01	1 IN 1 CARTON	05/15/2022	
1		100 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		01/15/2015	

Labeler - Fallien Cosmeceuticals, LTD (958388357)

Establishment			
Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis(58892-319)

Establishment			
Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc. (FMI)		793406000	manufacture(58892-319) , pack(58892-319)

Revised: 10/2024

Fallien Cosmeceuticals, LTD