

**SINGISO (0.8G)- red ginseng tablet**  
**Sae In Dang Co., Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**ACTIVE INGREDIENTS**

Red ginseng 17.19%

**PURPOSE**

Stimulant

**KEEP OUT OF REACH OF CHILDREN**

Keep out of reach of children

**USES**

to help the treatment and prevention of blood circulation, antioxidant effect, memory improvement, prostate, erectile dysfunction

**WARNING**

If you take any serious medications or medical condition, consult your doctor.

**DIRECTION**

Take 1 tablet a day (after having dinner, before sleep)

**INACTIVE INGREDIENT**

Food material powders [ERC-101] (total 62.5%)

- Damiana extract powder 20%
- Maca(Lepidium meyenii) extract powder 10%
- Pumpkin seed extract powder 10%
- Soy protein isolate 10%
- Ginger(Zingiber officinale Roscoe) powder 10%
- Cordyceps militaris powder 10%
- Lycii fructus powder 10%
- Silkworm(Bombyx mori L.) powder 10%
- Corni fructus powder 5%
- Poria cocos powder 3%
- Octacosanol powder 2%

Lactose (Galacto fructose) powder 12.0%

L-Arginine 3.9%

Silicon dioxide 1.8%

Magnesium stearate 1.08%

L-Lysine Monohydrochloride 0.78%

Zinc oxide 0.15%  
 Hydroxypropyl methylcellulose 0.54%  
 Sucrose fatty acid ester 0.03%  
 Saw Palmetto(Serenoa repens) extract 0.03%

**OTHER INFORMATION**

- Keep product out of direct sunlight, high temperature and humidity.
- Store in a cool dry place.
- Any items past the expiration date or damaged in transit can be exchanged where you originally purchased the item

**SPL UNCLASSIFIED SECTION**

Do not exceed the recommended dosage.

To assure freshness and potency, store at room temperature 15 °C - 30 °C.

Store away from heat, light and moisture, if you are pregnant, nursing, taking any medication or have a medical condition, please consult your healthcare practitioner before taking any dietary supplement.

**PACKAGING**



<b>SINGISO (0.8G)</b>			
red ginseng tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69720-2001

Route of Administration ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ASIAN GINSENG (UNII: CUQ3A77YXI) (ASIAN GINSENG - UNII:CUQ3A77YXI)	ASIAN GINSENG	17.19 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
PUMPKIN SEED (UNII: GH30P1VXK2)	
CORDYCEPS GUNNII FRUITING BODY (UNII: D11BQN236E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
LEPIDIUM MEYENII ROOT (UNII: HP7119212T)	
SOY PROTEIN (UNII: R44IWB3RN5)	
BOMBYX MORI LARVA (UNII: 1WYM0QWX33)	
CORNUS OFFICINALIS FRUIT (UNII: 23NL8NQ187)	
FU LING (UNII: XH37TWY5O4)	
LACTOSE (UNII: J2B2A4N98G)	
LYSINE HYDROCHLORIDE (UNII: JNJ23Q2COM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
1-OCTACOSANOL (UNII: 81I2215OVK)	
SUCROSE (UNII: C151H8M554)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
HYPROMELLOSE 2208 (4000 MPA.S) (UNII: 39J80LT57T)	
SERENOA REPENS WHOLE (UNII: 487DXM62F2)	
GINGER (UNII: C5529G5JPQ)	
LYCIUM BARBARUM FRUIT (UNII: 930626MWDL)	
ARGININE (UNII: 94ZLA3W45F)	
TURNERA DIFFUSA LEAFY TWIG (UNII: RQ2CFA7WWJ)	

**Product Characteristics**

Color	brown	Score	2 pieces
Shape	OVAL	Size	180mm
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69720-2001-1	30 g in 1 BOX; Type 0: Not a Combination Product	07/06/2016	



**Drug Facts**  
**Precautions:** SINGISO - Capsule (Silymarin/Quercetin) does not help to reduce the risk of blood clots, stroke, heart disease, or other health problems. Tell your doctor before taking SINGISO. Tell your doctor if you have any serious conditions or medical conditions, consult your doctor.  
**Other Warnings:** SINGISO may interact with other medicines, including over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all the medicines you are taking. Tell your doctor if you are pregnant, planning to get pregnant, or are breastfeeding. Tell your doctor if you are taking any other medicines, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor if you are taking any other medicines, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor if you are taking any other medicines, including prescription and over-the-counter medicines, vitamins, and herbal products.  
**CAUTION:** Do not exceed the recommended dosage. Do not use if you are pregnant, nursing, or have a medical condition. Please consult your healthcare provider before taking any dietary supplement.

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/06/2016	

**Labeler** - Sae In Dang Co., Ltd. (689513142)

**Registrant** - Sae In Dang Co., Ltd. (689513142)

---

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Orye Life Science Co., Ltd.		688546629	manufacture(69720-2001)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Saindang Co. Ltd.		689513142	manufacture(69720-2001)

Revised: 7/2016

Sae In Dang Co., Ltd.