

**CVS PHARMACY CLOTRIMAZOLE 3- clotrimazole cream**  
**CVS Pharmacy**

-----  
**CVS Pharmacy**  
**Clotrimazole 3**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Clotrimazole USP 2% (100 mg in each applicatorful)	Vaginal antifungal
Clotrimazole USP 2% (external cream)	Vaginal antifungal

**Uses**

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

**Warnings**

**For vaginal use only**

**Do not use if you have never had a vaginal yeast infection diagnosed by a doctor**

**Ask a doctor before use if you have**

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.**

**You may have a more serious condition.**

- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

**When using this product**

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

**Stop use and ask a doctor if**

- **symptoms do not get better in 3 days**

- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge**

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- before using this product read the enclosed educational brochure for complete directions and information
- adults and children 12 years of age and over:
  - **vaginal cream:** insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
  - **external cream:** use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

### **Other information**

- To open: unscrew cap, use pointed end on cap to puncture seal
- do not use if carton is opened
- **safety sealed:** the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
- store between 20° to 25°C (68° to 77°F)
- see flap of carton or crimp of tube for lot number and expiration date

### **Inactive ingredients**

benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate-60, purified water, and sorbitan monostearate

### **Questions or comments?**

call **1-866-923-4914**

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

### **PRINCIPAL DISPLAY PANEL - 21 g Tube Carton**

CVSHealth™

Clotrimazole 3

CLOTRIMAZOLE VAGINAL CREAM USP 2%

NO VARNISH/ NO AQ  
ON THIS FLAP

**Drug Facts**

**Active ingredients** **Purpose**

Clotrimazole USP 2%  
(100 mg in each applicatorful).....Vaginal antifungal  
Clotrimazole USP 2% (external cream).....Vaginal antifungal

**Uses**

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

**Warnings**

**For vaginal use only**

**Do not use if you have never had a vaginal yeast infection diagnosed by a doctor**

**Ask a doctor before use if you have**

- vaginal itching and discomfort for the first time**
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

**When using this product**

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

**Stop use and ask a doctor if**

- symptoms do not get better in 3 days**
- symptoms last more than 7 days**
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge**

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- before using this product read the enclosed educational brochure for complete directions and information
- adults and children 12 years of age and over:
  - vaginal cream:** insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
  - external cream:** use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

**Drug Facts**  
(continued)

**Other information**

- to open: unscrew cap, use pointed end on cap to puncture seal
- do not use if carton is opened
- safety sealed:** the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
- store between 20° to 25°C (68° to 77°F)
- see flap of carton or crimp of tube for lot number and expiration date

**Inactive ingredients**

2-octyldodecanol, benzyl alcohol, cetostearyl alcohol, cetyl esters wax, polysorbate-60, purified water, and sorbitan monostearate

**Questions or comments?**  
call 1-866-923-4914

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
CVS.com®  
1-800-SHOP CVS  
Made in Canada V-16341  
100% money back guaranteed.  
CVS.com/returmpolicy

\*All trademarks are property of their respective owners.



#142811

0 50428 38689 7

CVS Health.

**Clotrimazole 3**

CLOTRIMAZOLE VAGINAL CREAM USP 2%

**Vaginal antifungal**

Cures most vaginal yeast infections

---

CVS Health.

Compare to the active ingredient in Gyne-Lotrimin® 3<sup>®</sup>

**3-Day Treatment**

NDC 69842-062-00

**Clotrimazole 3**

CLOTRIMAZOLE VAGINAL CREAM USP 2%

**Vaginal antifungal**


Cures most vaginal yeast infections

1 Tube of antifungal cream



3 Disposable applicators





EDUCATIONAL BROCHURE ENCLOSED

**1 TUBE 0.74 OZ (21 g)**  
**3 DISPOSABLE APPLICATORS**

CVS Health.

**Clotrimazole 3**

CLOTRIMAZOLE VAGINAL CREAM USP 2%

**Vaginal antifungal**

Cures most vaginal yeast infections

**3-Day Treatment**

**1 TUBE 0.74 OZ (21 g)**  
**3 DISPOSABLE APPLICATORS**

EDUCATIONAL BROCHURE ENCLOSED

5256289  
1124  
50

NO VARNISH/ NO AQ  
NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

T343  
B305.0  
ENG19.185

<b>CVS PHARMACY CLOTRIMAZOLE 3</b>			
clotrimazole cream			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-062
<b>Route of Administration</b>	VAGINAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name	Basis of Strength	Strength
<b>CLOTRIMAZOLE</b> (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETYL ESTERS WAX</b> (UNII: D072FFP9GU)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-062-00	1 in 1 CARTON	08/06/2019	
1		21 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021143	04/12/2000	

**Labeler** - CVS Pharmacy (062312574)

### Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(69842-062)

Revised: 7/2025

CVS Pharmacy