

CVS PHARMACY CLOTRIMAZOLE 3- clotrimazole cream

CVS Pharmacy

CVS Pharmacy

Clotrimazole 3

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Clotrimazole USP 2% (100 mg in each applicatorful)	Vaginal antifungal
Clotrimazole USP 2% (external cream)	Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.**

You may have a more serious condition.

- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- **symptoms do not get better in 3 days**
- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge**

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product read the enclosed educational brochure for complete directions and information
- adults and children 12 years of age and over:
 - **vaginal cream:** insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
 - **external cream:** use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

Other information

- To open: unscrew cap, use pointed end on cap to puncture seal
- do not use if carton is opened
- **safety sealed:** the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
- store between 20° to 25°C (68° to 77°F)
- see flap of carton or crimp of tube for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate-60, purified water, and sorbitan monostearate

Questions or comments?

call **1-866-923-4914**

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

PRINCIPAL DISPLAY PANEL - 21 g Tube Carton

CVSHealth™

Clotrimazole 3

CLOTRIMAZOLE VAGINAL CREAM USP 2%

Vaginal antifungal

Cures most vaginal yeast infections

EDUCATIONAL BROCHURE ENCLOSED

1 TUBE 21 g (0.74 OZ)

3 DISPOSABLE APPLICATORS

NDC 69842-062-00

CVS Health.

Cures most vaginal yeast infections

LPK-9116-0
0719-0
32

CVS Health.

Clotrimazole 3

CLOTRIMAZOLE VAGINAL CREAM USP 2%

NDC 69842-062-00

Vaginal antifungal
Cures most vaginal yeast infections

EDUCATIONAL BROCHURE ENCLOSED

1 TUBE 21 g (0.74 OZ)
3 DISPOSABLE APPLICATORS

NO VARNISH/ NO AQ
NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

CVS Health.

Clotrimazole 3

CLOTRIMAZOLE VAGINAL CREAM USP 2%

Vaginal antifungal

Cures most vaginal yeast infections



#142811

T128B
BB1.3
ENG19.33

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
CVS.com • 1-800-SHOP CVS
Made in Canada V-1634
CVS Quality
Money Back Guarantee

NO VARNISH
ON THIS FLAP

Drug Facts

Active Ingredients
Clotrimazole USP 2% (external cream)
Vaginal antifungal

Purpose
Vaginal antifungal

Uses • treats vaginal yeast infections

Warnings
For vaginal use only
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor
Ask a doctor before use if you have
• vaginal itching and discomfort for the first time
• lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.
You may have a more serious condition.
• vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
When using this product • do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fall to prevent pregnancy or sexually transmitted diseases (STDs).
• do not have vaginal intercourse
• mid-increase in vaginal burning, itching or irritation may occur
• if you do not get complete relief ask a doctor before using another product
• symptoms last more than 7 days

Stop use and ask a doctor if • symptoms do not get better in 3 days

Other information
• To open: unscrew cap, use pointed end on cap to puncture seal
• do not use if carton is opened
• safely sealed: the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
• store between 20° to 25°C (68° to 77°F)
• see flap of carton or crimp of tube for lot number and expiration date

Inactive ingredients
benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-cetyldecanoate, polyorbital-60, purified water, and sorbitan monostearate

Directions • before using this product read the enclosed educational brochure for complete directions and information
• adults and children 12 years of age and over:
• vaginal cream: insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
• external cream: use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your finger. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
• children under 12 years of age: ask a doctor.

Questions or comments? call 1-866-923-4914

CVS PHARMACY CLOTRIMAZOLE 3

clotrimazole cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-062
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetyl esters wax (UNII: D072FFP9GU)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
WATER (UNII: 059QF0K00R)	
sorbitan monostearate (UNII: NVZ4I0H58X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-062-00	1 in 1 CARTON	08/06/2019	
1		21 g in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021143	04/12/2000	

Labeler - CVS Pharmacy (062312574)

Revised: 8/2019

CVS Pharmacy