

**JANE BE BEAUTIFUL MULTI-BENEFIT BB BROAD SPECTRUM SPF 30 LIGHT-  
octinoxate and zinc oxide cream**

**JANE BE BEAUTIFUL MULTI-BENEFIT BB BROAD SPECTRUM SPF 30 MEDIUM-  
octinoxate and zinc oxide cream**

**JANE BE BEAUTIFUL MULTI-BENEFIT BB BROAD SPECTRUM SPF 30 DARK- octinoxate  
and zinc oxide cream**

**Stila Styles**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**jane.® Be Beautiful  
Multi-Benefit BB Broad Spectrum SPF 30**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Octinoxate 5.00%	Sunscreen
Zinc Oxide 18.60%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating

**Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 am - 2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: ask a doctor

## Other Information

- protect the product in this container from excessive heat and direct sun

## Inactive Ingredients

Butylphenyl Methyl Propional, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cyclopentasiloxane, Decarboxy Carnosine HCl, Dimethicone, Dimethicone Crosspolymer, Ethylhexylglycerin, Fragrance/Parfum, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hexyl Cinnamic Aldehyde, Hexylene Glycol, Hydroxypropylcocoate PEG-8 Dimethicone, Isododecane, Isopentyl diol, Limonene, Linalool, Palmitoyl Tripeptide-37, PEG/PPG-18/18 Dimethicone, Phenoxyethanol, Physalis Angulata Extract, Phytic Acid, Polyhydroxystearic Acid, Propylene Carbonate, Pyrus Malus (Apple) Fruit Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hydroxide, Tin Oxide, Tocopherol, Triethoxycaprylylsilane, Water (Aqua), **May Contain (+/-):** Mica, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499) <ILNJ121030>.

## Questions?

janecosmetics.com

Dist. by Jewel of Jane, LLC Glendale, CA  
91209 • Biorius Sprl 2 Rue René  
Descartes b-7000 Mons, Belgium

## PRINCIPAL DISPLAY PANEL - 30 ml Tube - Light

Light

jane.®

**Be Beautiful**

**Multi-Benefit BB Cream**

**BROAD SPECTRUM SPF 30**

**Water-Resistant (80 minutes)**

1 FL. OZ./30 ml



Light

**jane.**

**Be Beautiful  
Multi-Benefit BB Cream  
BROAD SPECTRUM SPF 30**

Water-Resistant (80 minutes)  
1 FL. OZ./30 ml

**jane.**

**Be Beautiful  
Multi-Benefit BB Cream**

**Drug Facts**

**BROAD SPECTRUM SPF 30**

**Light**

**BENEFITS**

- Diminishes the look of fine lines & wrinkles
- Reduces redness, irritation & pore size
  - Gives skin a smooth, radiant finish
  - Contains antioxidants

Dist. by Jewel of Jane, LLC Glendale, CA 91209 • Biorius Sprl 2 Rue René Descartes b-7000 Mons, Belgium  
Made in U.S.A. • J123-01-0800

**UPC PRINTS DIRECTLY**

**Drug Facts** *Peel back*

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 5.00% Sunscreen  
Zinc Oxide 18.60% Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

**Drug Facts** *(continued)*

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
  - reapply at least every 2 hours
  - use water resistant

**Drug Facts** *(continued)*

- especially from 10 am - 2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: ask a doctor

**Other Information**

- protect the product in this container from excessive heat and direct sun

sunscreen if swimming or sweating

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun,

**inactive ingredients**

Butylphenyl Methyl Propional, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cyclopentasiloxane, Decarboxy Carnosine HCl, Dimethicone, Dimethicone Crosspolymer, Ethylhexylglycerin, Fragrance/Parfum, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hexyl Cinnamic

**Drug Facts (continued)**

Aldehyde, Hexylene Glycol, Hydroxypropylcocoate PEG-8 Dimethicone, Isododecane, Isopentyl diol, Limonene, Linalool, Palmitoyl Tripeptide-37, PEG/PPG-18/18 Dimethicone, Phenoxyethanol, Physalis Angulata Extract, Phytic Acid, Polyhydroxystearic Acid, Propylene Carbonate, Pyrus Malus (Apple) Fruit Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hydroxide, Tocopherol, Triethoxycaprylylsilane, Water (Aqua), **May Contain (+/-):** Mica, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499) <ILNJ121028>.

**Questions?**

[ianecosmetics.com](http://ianecosmetics.com)



**PRINCIPAL DISPLAY PANEL - 30 ml Tube - Medium**

Medium

**jane.®**

**Be Beautiful**

**Multi-Benefit BB Cream**

**BROAD SPECTRUM SPF 30**

**Water-Resistant (80 minutes)**

1 FL. OZ./30 ml



Medium

**jane.**<sup>®</sup>

**Be Beautiful  
Multi-Benefit BB Cream  
BROAD SPECTRUM SPF 30**

Water-Resistant (80 minutes)  
1 FL. OZ./30 ml



BROAD SPECTRUM SPF 30

**Medium  
BENEFITS**

- Diminishes the look of fine lines & wrinkles
- Reduces redness, irritation & pore size
  - Gives skin a smooth, radiant finish
- Contains antioxidants

Dist. by Jewel of Jane, LLC Glendale, CA 91209 • Biorius Sprl 2 Rue René Descartes b-7000 Mons, Belgium  
Made in U.S.A. • J123-02-0800

**UPC PRINTS  
DIRECTLY**

**Drug Facts** *Peel back*

**Drug Facts** *(continued)*

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating

**Active Ingredients Purpose**

Octinoxate 5.00% Sunscreen  
Zinc Oxide 18.60% Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

**Drug Facts** *(continued)*

especially from 10 am - 2 pm

- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: ask a doctor

**Other Information**

- protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**

Butylphenyl Methyl Propional,



**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun,

C12-15 Alkyl Benzoate,  
Caprylic/Capric Triglyceride,  
Caprylyl Glycol,  
Cyclopentasiloxane,  
Decarboxy Carnosine HCl,  
Dimethicone, Dimethicone  
Crosspolymer, Ethylhexylglycerin,  
Fragrance/Parfum, Glycerin,  
Helianthus Annuus (Sunflower)  
Seed Oil, Hexyl Cinnamic

***Drug Facts (continued)***

Aldehyde, Hexylene Glycol,  
Hydroxypropylcocoate PEG-8  
Dimethicone, Isododecane,  
Isopentyl diol, Limonene,  
Linalool, Palmitoyl Tripeptide-37,  
PEG/PPG-18/18 Dimethicone,  
Phenoxyethanol, Physalis  
Angulata Extract, Phytic Acid,  
Polyhydroxystearic Acid,  
Propylene Carbonate, Pyrus  
Malus (Apple) Fruit Extract,  
Rosmarinus Officinalis  
(Rosemary) Leaf Extract, Silica,  
Sodium Chloride, Sodium  
Hydroxide, Tin Oxide, Tocopherol,  
Triethoxycaprylylsilane, Water  
(Aqua), **May Contain (+/-):** Mica,  
Titanium Dioxide (CI 77891), Iron  
Oxides (CI 77491, CI 77492,  
CI 77499) <LNJ121030>.

**Questions?**

janecosmetics.com

**PRINCIPAL DISPLAY PANEL - 30 ml Tube - Dark**

Dark

**jane.**<sup>®</sup>

**Be Beautiful**

**Multi-Benefit BB Cream**

**BROAD SPECTRUM SPF 30**

**Water-Resistant (80 minutes)**

1 FL. OZ./30 ml



Dark

**jane.**<sup>®</sup>

**Be Beautiful  
Multi-Benefit BB Cream  
BROAD SPECTRUM SPF 30**

**Water-Resistant (80 minutes)**

**1 FL. OZ./30 ml**

# jane.®

**Be Beautiful**  
Multi-Benefit BB Cream  
BROAD SPECTRUM SPF 30

**Dark**

### **BENEFITS**

- Diminishes the look of fine lines & wrinkles
- Reduces redness, irritation & pore size
  - Gives skin a smooth, radiant finish
- Contains antioxidants

Dist. by Jewel of Jane, LLC Glendale, CA  
91209 • Biorius Sprl 2 Rue René  
Descartes b-7000 Mons, Belgium  
Made in U.S.A. • J123-03-0800

**UPC PRINTS  
DIRECTLY**

**Drug Facts** *Peel back* 

### **Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
Octinoxate 5.00%	Sunscreen
Zinc Oxide 18.60%	Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

### **Drug Facts** *(continued)*

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

### **Drug Facts** *(continued)*

especially from 10 am - 2 pm

- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun,

• Children under 6 months of age: ask a doctor

**Other Information**

- protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**

Butylphenyl Methyl Propional, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cyclopentasiloxane, Decarboxy Carnosine HCl, Dimethicone, Dimethicone Crosspolymer, Ethylhexylglycerin, Fragrance/Parfum, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hexyl Cinnamic

**Drug Facts (continued)**

Aldehyde, Hexylene Glycol, Hydroxypropylcocoate PEG-8 Dimethicone, Isododecane, Isopentyl diol, Limonene, Linalool, Palmitoyl Tripeptide-37, PEG/PPG-18/18 Dimethicone, Phenoxyethanol, Physalis Angulata Extract, Phytic Acid, Polyhydroxystearic Acid, Propylene Carbonate, Pyrus Malus (Apple) Fruit Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hydroxide, Tocopherol, Triethoxycaprylylsilane, Water

(Aqua), May Contain (+/-):  
Titanium Dioxide (CI 77891), Iron  
Oxides (CI 77491, CI 77492,  
CI 77499) <ILNJ121026>.

**Questions?**  
janecosmetics.com

## JANE BE BEAUTIFUL MULTI-BENEFIT BB BROAD SPECTRUM SPF 30 LIGHT

octinoxate and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76049-123
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	186 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Butylphenyl Methylpropional</b> (UNII: T7540GJV69)	
<b>Alkyl (C12-15) Benzoate</b> (UNII: A9EJ3J61HQ)	
<b>Medium-Chain Triglycerides</b> (UNII: C9H2L21V7U)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Cyclomethicone 5</b> (UNII: 0THT5PCI0R)	
<b>Decarboxy Carnosine Hydrochloride</b> (UNII: 6X7K9I5QR7)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Sunflower Oil</b> (UNII: 3W1JG795YI)	
<b>.Alpha.-Hexylcinnamaldehyde</b> (UNII: 7X6O37OK2I)	
<b>Hexylene Glycol</b> (UNII: KEH0A3F75J)	
<b>Hydroxypropylcocoate Peg-8 Dimethicone</b> (UNII: 8TE0BZU36S)	
<b>Isododecane</b> (UNII: A8289P68Y2)	
<b>Isopentyl diol</b> (UNII: 19NOL5474Q)	
<b>Linalool, (+/-)-</b> (UNII: D81QY6I88E)	
<b>PEG/PPG-18/18 Dimethicone</b> (UNII: 9H0AO7T794)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Physalis Angulata</b> (UNII: W4TKW9D5GG)	

<b>Fytic Acid</b> (UNII: 7IGF0S7R8I)
<b>Propylene Carbonate</b> (UNII: 8D08K3S51E)
<b>Apple</b> (UNII: B423VGH5S9)
<b>Rosemary</b> (UNII: IJ67X351P9)
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)
<b>Sodium Chloride</b> (UNII: 451W47IQ8X)
<b>Sodium Hydroxide</b> (UNII: 55X04QC32I)
<b>Tocopherol</b> (UNII: R0ZB2556P8)
<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>Water</b> (UNII: 059QF0K00R)
<b>Mica</b> (UNII: V8A1AW0880)
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)
<b>Ferric Oxide Red</b> (UNII: 1K09F3G675)
<b>Ferric Oxide Yellow</b> (UNII: EX438O2MRT)
<b>Ferrosoferric Oxide</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76049-123-01	30 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	10/31/2013	

## JANE BE BEAUTIFUL MULTI-BENEFIT BB BROAD SPECTRUM SPF 30 MEDIUM

octinoxate and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76049-122
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	186 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Butylphenyl Methylpropional</b> (UNII: T7540GJV69)	
<b>Alkyl (C12-15) Benzoate</b> (UNII: A9EJ3J61HQ)	
<b>Medium-Chain Triglycerides</b> (UNII: C9H2L21V7U)	

Caprylyl Glycol (UNII: 00YIU5438U)
Cyclomethicone 5 (UNII: 0THT5PCI0R)
Decarboxy Carnosine Hydrochloride (UNII: 6X7K9I5QR7)
Dimethicone (UNII: 92RU3N3Y1O)
Ethylhexylglycerin (UNII: 147D247K3P)
Glycerin (UNII: PDC6A3C0OX)
Sunflower Oil (UNII: 3W1JG795YI)
.Alpha.-Hexylcinnamaldehyde (UNII: 7X6O37OK2I)
Hexylene Glycol (UNII: KEH0A3F75J)
Hydroxypropylcocoate Peg-8 Dimethicone (UNII: 8TE0BZU36S)
Isododecane (UNII: A8289P68Y2)
Isopentyl diol (UNII: 19NOL5474Q)
Linalool, (+/-)- (UNII: D81QY6I88E)
PEG/PPG-18/18 Dimethicone (UNII: 9H0AO7T794)
Phenoxyethanol (UNII: HIE492ZZ3T)
Physalis Angulata (UNII: W4TKW9D5GG)
Fytic Acid (UNII: 7IGF0S7R8I)
Propylene Carbonate (UNII: 8D08K3S51E)
Apple (UNII: B423VGH5S9)
Rosemary (UNII: IJ67X351P9)
Silicon Dioxide (UNII: ETJ7Z6XBU4)
Sodium Chloride (UNII: 451W47IQ8X)
Sodium Hydroxide (UNII: 55X04QC32I)
Stannic Oxide (UNII: KM7N50LOS6)
Tocopherol (UNII: R0ZB2556P8)
Triethoxycaprylylsilane (UNII: LDC331P08E)
Water (UNII: 059QF0KO0R)
Mica (UNII: V8A1AW0880)
Titanium Dioxide (UNII: 15FIX9V2JP)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferrosoferric Oxide (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76049-122-01	30 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	10/31/2013	

## JANE BE BEAUTIFUL MULTI-BENEFIT BB BROAD SPECTRUM SPF 30 DARK

octinoxate and zinc oxide cream



**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76049-121
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	186 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
Butylphenyl Methylpropional (UNII: T7540GJV69)	
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)	
Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Decarboxy Carnosine Hydrochloride (UNII: 6X7K9I5QR7)	
Dimethicone (UNII: 92RU3N3Y1O)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Glycerin (UNII: PDC6A3C0OX)	
Sunflower Oil (UNII: 3W1JG795YI)	
.Alpha.-Hexylcinnamaldehyde (UNII: 7X6O37OK2I)	
Hexylene Glycol (UNII: KEH0A3F75J)	
Hydroxypropylcocoate Peg-8 Dimethicone (UNII: 8TE0BZU36S)	
Isododecane (UNII: A8289P68Y2)	
Isopentyl diol (UNII: 19NOL5474Q)	
Linalool, (+/-)- (UNII: D81QY6I88E)	
PEG/PPG-18/18 Dimethicone (UNII: 9H0AO7T794)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Physalis Angulata (UNII: W4TKW9D5GG)	
Fytic Acid (UNII: 7IGF0S7R8I)	
Propylene Carbonate (UNII: 8D08K3S51E)	
Apple (UNII: B423VGH5S9)	
Rosemary (UNII: IJ67X351P9)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Sodium Chloride (UNII: 451W47IQ8X)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Tocopherol (UNII: R0ZB2556P8)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Water (UNII: 059QF0KO0R)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
Ferrosulfate (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76049-121-01	30 mL in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	10/31/2013	

**Labeler** - Stila Styles (809192896)**Establishment**

Name	Address	ID/FEI	Business Operations
GORDON LABORATORIES, INC.		008328619	MANUFACTURE(76049-123, 76049-122, 76049-121)

Revised: 1/2014

Stila Styles