

**CYPKEB 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM- minoxidil liquid**  
**Guangzhou Borderless Technology Co., Ltd.**

-----  
**85304-009 CYPKEB 5% Minoxidil Hair Growth Sprays Serum**

Minoxidil 5%

Biotin 0.5%

Hair regrowth treatment

Use to regrow hair and beard

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs .

If you do not see hair regrowth in 6 months.

1. Make sure your hair and scalp are dry (no need to wash your hair before each use).

2. Apply 3-4 pumps of spray directly to the treated area of the scalp.

3. Gently massage into the scalp or thinning hair areas until absorbed.

4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss

Butylene Glycol

Glycerin

Alcohol

Castor oil

Dexpanthenol

Water


1. Make sure your hair and scalp are dry (no need to wash your hair before each use).
2. Apply 3-4 pumps of spray directly to the treated area of the scalp.
3. Gently massage into the scalp or thinning hair areas until absorbed.
4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

# CYPKEB<sup>®</sup> MINOXIDIL SPRAY

5% Minoxidil with BIOTIN  
Hair & Beard Regrowth

**#1** DERMATOLOGIST RECOMMENDED  
ACTIVE INGREDIENT

- Reduce hair loss
- Reactivate hair follicles
- Unscented
- Easy to use
- Use twice daily



MEN & WOMEN

4 Month Supply  
4 x 60ml (2 fl oz) Bottles



Minoxidil Spray  
5% Minoxidil with BIOTIN



4 x 60ml (2 fl oz) Bottles  
TOTAL 240 ml (8 fl oz)

#### Drug Facts

##### Active Ingredient

Minoxidil 5% w/w  
Biotin 0.5% w/w

**Use** to regrow hair and beard.

##### Warnings

Keep out of reach of children.  
For external use only.

##### Do not use if

- Your hair loss is sudden and/or patchy.
- Your hair loss is associated with childbirth.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

##### When using

- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture.
- It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
- Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

##### Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs.
- Sudden, unexplained weight gain occurs.
- If unwanted facial hair growth occurs.
- If you do not see hair regrowth in 6 months.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

##### Directions

1. Make sure your hair and scalp are dry (no need to wash your hair before each use).
2. Apply 3-4 pumps of spray directly to the treated area of the scalp.
3. Gently massage into the scalp or thinning hair areas until absorbed.
4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

##### Other information

Before use, read all information on the carton and the enclosed leaflet.  
Store at a controlled room temperature of 5°C to 35°C (41°F to 95°F).  
Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).

##### Inactive ingredients

Butylene Glycol, Glycerin, Alcohol, Castor oil, Dexpanthenol, Water

##### Questions?

Support@CYPKEB.com

#### Purpose

Hair regrowth treatment

#### DIRECTIONS FOR USE

See the information leaflet for complete directions on how to use the product and obtain the best results.

##### Step 1

Make sure your hair and scalp are dry (no need to wash your hair before each use).

##### Step 2

Apply 3-4 pumps of spray directly to the treated area of the scalp.

##### Step 3

Gently massage into the scalp or thinning hair areas until absorbed.

##### Step 4

Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Distributor: Guangzhou Borderless Technology Co., Ltd.  
Address: Room 2665, 2nd Floor, Building 1, No. 2, Tiantougang 2nd Road, Xintang, Tianhe District, Guangzhou

Made IN PRC

**CYPKEB 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM**

minoxidil liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-009	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)		BIOTIN	0.5 g in 100 mL	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	5 g in 100 mL	
Inactive Ingredients				
Ingredient Name		Strength		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
ALCOHOL (UNII: 3K9958V90M)				
CASTOR OIL (UNII: D5340Y2I9G)				
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
DEXPANTHENOL (UNII: 1O6C93RI7Z)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-009-01	4 in 1 PACKAGE	06/09/2025	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)		06/09/2025	

**Labeler** - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment			
Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-009)