# POLYETHYLENE GLYCOL 3350- polyethylene glycol 3350 powder, for solution Kesin Pharma Corporation

-----

#### Polyethelene Glycol 3350 Powder for OralSolution

# Polyethylene Glycol 3350 increases frequency of bowel movements and softens stools

#### **Drug Facts**

#### Active ingredient (in each dose)

Polyethlene Glycol 3350, 17 g

#### Purpose

Osmotic Laxative

#### Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

#### Warnings

#### Allergy alert:

Do not use if you are allergic to polyethylene glycol

#### Do not use

if you have kidney disease, except under the advice and supervision of a doctor

#### Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

#### Ask a doctor or pharmacist before use if you are taking

a prescription drug

#### When using this product

you may have loose, watery, more frequent stools

#### Stop use and ask a doctor if

• you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets

worse. These may be signs of a serious condition.

- you need to use a laxative for longer than 1 week
- you get diarrhea

# If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

# Directions

- do not take more than directed unless advised by your doctor
- adults and children 17 years of age and older:
- use once a day
- stir and dissolve one packet of powder (17 g) in any 4 to 8 ounce of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

# Other information

- store at 20°C to 25°C (68°F to 77°F)
- tamper-evident: do not use if printed foil pouch is open or broken
- this package is not child-resistant

#### Inactive ingredients

none

#### **Questions or comments?**

Call 1-833-537-4679

# TAMPER-EVIDENT: DO NOT USE IF FOIL IS OPEN OR BROKEN

\*This product is not manufactured by Bay HealthCare LLC, owner of the registered trademark MiraLAX  $^{\mbox{\tiny (B)}}$ 

Distributed by:

#### Kesin Pharma

Oldsmar, FL 34677

# PACKAGE LABEL.PRINCIPAL DISPLAY PANEL


# NDC 81033-762-14

## Polyethylene Glycol 3350 Powder for Oral Solution

#### **Osmotic Laxative**

#### 14 Packets

(14 once-daily-doses)



# PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

#### NDC 81033-762-30

#### Polyethylene Glycol 3350 Powder for Oral Solution

#### **Osmotic Laxative**

#### 30 Packets

(30 once-daily doses)



# PACKAGE LABEL.PRINCIPAL DISPLAY PANEL


## NDC 81033-762-01

# Polyethylene Glycol 3350 Powder for Oral Solution

#### **Osmotic laxative**

#### **100 Packets**

#### (100 once-daily doses)



# POLYETHYLENE GLYCOL 3350

polyethylene glycol 3350 powder, for solution

| Product Information  |  |  |   |                        |  |                        |             |                |  |  |  |  |
|--|--|--|---|------------------------|--|------------------------|-------------|----------------|--|--|--|--|
| Product Type   |  |  | HUMAN OTC DRUG  | ltem Code              | (Source)                                     | NDC:81033              | -762(NDC:59 | 9556-762)      |  |  |  |  |
| Route of Administration  |  | ORAL   |   |                        |  |                        |             |                |  |  |  |  |
|  |  |  |   |                        |  |                        |             |                |  |  |  |  |
| Δ  | Active Ingredient/Active Moiety  |  |   |                        |  |                        |             |                |  |  |  |  |
| Ingredient/Active Molecy<br>Ingredient Name Basis of Strength Stre |  |  |   |                        |  |                        |             |                |  |  |  |  |
| POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLE            |  |  |   |                        | E GLYCOL                                     | POLYETHYLENE 17 g      |             |                |  |  |  |  |
| 33   | 50 - UNII:G2M7P1   | 5E5P)  |   |                        |  |                        | GLYCOL 3350 |                |  |  |  |  |
|  |  |  |   |                        |  |                        |             |                |  |  |  |  |
| Product Characteristics  |  |  |   |                        |  |                        |             |                |  |  |  |  |
| Color white (Colorle   |  | ss upon dissolution)   |   |                        | Score  |                        |             |                |  |  |  |  |
| Shape  |  |  |   |                        |  | Size                   |             |                |  |  |  |  |
|  | avor   |  |   |                        |  | Imprint Co             | ode         |                |  |  |  |  |
| Contains   |  |  |   |                        |  |                        |             |                |  |  |  |  |
|  |  |  |   |                        |  |                        |             |                |  |  |  |  |
| Packaging  |  |  |   |                        |  |                        |             |                |  |  |  |  |
|  |  |  |   |                        |  |                        |             |                |  |  |  |  |
| #  | ltem Code  | Рас  | ckage Descriptio  | n                      | Marketir<br>Da                               | -                      |             | ing End<br>ate |  |  |  |  |
| #<br>1   | Item Code<br>NDC:81033-762-<br>14  | Pao<br>14 in 1 CARTO   |   |                        |  | -                      |             | -              |  |  |  |  |
|  | NDC:81033-762-   | 14 in 1 CARTO  |   |                        | Da   | -                      |             | -              |  |  |  |  |
| 1  | NDC:81033-762-<br>14<br>NDC:81033-762-   | 14 in 1 CARTO<br>17 g in 1 PACK  | N<br>ŒT; Type 0: Not a Co   | mbination              | Da   | -                      |             | -              |  |  |  |  |
| 1  | NDC:81033-762-<br>14<br>NDC:81033-762-<br>17<br>NDC:81033-762-   | 14 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>30 in 1 CARTO  | N<br>ŒT; Type 0: Not a Co   | mbination              | Da <sup>.</sup><br>06/09/2025                | -                      |             | -              |  |  |  |  |
| 1<br>1<br>2<br>2   | NDC:81033-762-<br>14<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>30<br>NDC:81033-762-   | 14 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>30 in 1 CARTO<br>17 g in 1 PACK  | N<br>ŒT; Type 0: Not a Co<br>N<br>ŒT; Type 0: Not a Co  | mbination<br>mbination | Da <sup>.</sup><br>06/09/2025                | -                      |             | -              |  |  |  |  |
| 1<br>1<br>2<br>2<br>3  | NDC:81033-762-<br>17<br>NDC:81033-762-<br>30<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>01   | 14 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>30 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>100 in 1 CARTO   | N<br>ŒT; Type 0: Not a Co<br>N<br>ŒT; Type 0: Not a Co  | mbination              | Da<br>06/09/2025<br>06/09/2025               | -                      |             | -              |  |  |  |  |
| 1<br>1<br>2<br>2<br>3  | NDC:81033-762-<br>17<br>NDC:81033-762-<br>30<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>01<br>NDC:81033-762-   | <ul> <li>14 in 1 CARTO</li> <li>17 g in 1 PACK</li> <li>Product</li> <li>30 in 1 CARTO</li> <li>17 g in 1 PACK</li> <li>Product</li> <li>100 in 1 CARTO</li> <li>17 g in 1 PACK</li> </ul> | N<br>ŒT; Type 0: Not a Co<br>N<br>ŒT; Type 0: Not a Co<br>ON  | mbination              | Da<br>06/09/2025<br>06/09/2025               | -                      |             | -              |  |  |  |  |
| 1<br>1<br>2<br>2<br>3<br>3   | NDC:81033-762-<br>17<br>NDC:81033-762-<br>30<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>01<br>NDC:81033-762-   | 14 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>30 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>100 in 1 CARTO<br>17 g in 1 PACK<br>Product  | N<br>ŒT; Type 0: Not a Co<br>N<br>ŒT; Type 0: Not a Co<br>ON<br>ŒT; Type 0: Not a Co  | mbination              | Da<br>06/09/2025<br>06/09/2025               | -                      |             | -              |  |  |  |  |
| 1<br>1<br>2<br>2<br>3<br>3   | NDC:81033-762-<br>17<br>NDC:81033-762-<br>30<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01 | 14 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>30 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>100 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>17 g in 1 PACK<br>Product                       | N<br>(ET; Type 0: Not a Col<br>N<br>(ET; Type 0: Not a Col<br>ON<br>(ET; Type 0: Not a Col<br><b>ion</b><br>tion Number or M                    | mbination              | Da<br>06/09/2025<br>06/09/2025<br>06/09/2025 | -                      | Da          | -              |  |  |  |  |
| 1<br>1<br>2<br>2<br>3<br>3   | NDC:81033-762-<br>17<br>NDC:81033-762-<br>30<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>01   | 14 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>30 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>100 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>17 g in 1 PACK<br>Product                       | N<br>(ET; Type 0: Not a Con<br>N<br>(ET; Type 0: Not a Con<br>ON<br>(ET; Type 0: Not a Con<br><b>ion</b><br><b>tion Number or M</b><br>Citation | mbination              | Da<br>06/09/2025<br>06/09/2025<br>06/09/2025 | te<br>ing Start<br>ate | Da          | ting End       |  |  |  |  |
| 1<br>1<br>2<br>2<br>3<br>3   | NDC:81033-762-<br>17<br>NDC:81033-762-<br>30<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>01<br>NDC:81033-762-<br>17<br>NDC:81033-762-<br>17<br><b>Authority</b><br><b>Marketing</b><br><b>Marketing</b>             | 14 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>30 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>100 in 1 CARTO<br>17 g in 1 PACK<br>Product<br>17 g in 1 PACK<br>Product                       | N<br>(ET; Type 0: Not a Con<br>N<br>(ET; Type 0: Not a Con<br>ON<br>(ET; Type 0: Not a Con<br><b>ion</b><br><b>tion Number or M</b><br>Citation | mbination              | Da<br>06/09/2025<br>06/09/2025<br>06/09/2025 | te<br>ing Start<br>ate | Da          | ting End       |  |  |  |  |

Labeler - Kesin Pharma Corporation (117447816)

| Establishment            |         |           |  |  |  |  |  |  |
|--------------------------|---------|-----------|--|--|--|--|--|--|
| Name                     | Address | ID/FEI    | Business Operations                                    |  |  |  |  |  |
| Kesin Pharma Corporation |         | 117447816 | label(81033-762) , pack(81033-762) , repack(81033-762) |  |  |  |  |  |