

**CHILDRENS PAIN RELIEF- acetaminophen tablet, chewable  
CVS Pharmacy, Inc.**

-----  
**Children's Pain Relief Acetaminophen 160mg Dye Free Bubblegum Flavor  
Chewable Tablets**

***Active ingredient (in each tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen.

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- chew before swallowing
- if needed, repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lbs)</b>	under 24	24-35	36-47	48-59	60-71	72-95
<b>Age (yrs)</b>	under 2 years	2-3- years	4-5 years	6-8 years	9-10 years	11 years
<b>Dose(tablets)*</b>	ask a doctor	1	1 1/2	2	2 1/2	3

- \*or as directed by a doctor

**Other information**

- store at room temperature Avoid high humidity.
- see end flap for expiration date and lot number
- keep this carton for future reference on full labeling

### ***Inactive ingredients***

citric acid, crospovidone, dextrose, flavor, magnesium stearate, maltodextrin, starch, sucralose

### **Questions or comments?**

**1-866-467-2748**

### ***Principal Display Panel***

NDC 69842-160-24

Compare to the active ingredient in Children's Tylenol<sup>®</sup> Chewables†

Children's

Pain Relief

Acetaminophen 160 mg

Pain reliever/Fever reducer

Ages 2-11

Free of: Aspirin & Ibuprofen

BUBBLEGUM FLAVOR

24 CHEWABLE TABLETS

160 mg each

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol<sup>®</sup> Chewables.

Distributed by: CVS Pharmacy, Inc,

One CVS Drive, Woonsocket, RI 02895

©2017 CVS/Pharmacy

CVS.com 1-800-SHOP CVS

CVSHealth.

Chewable

Children's  
**Pain Relief**

ACETAMINOPHEN 160 mg

Pain reliever/Fever reducer

Ages 2-11

Free of: Aspirin & Ibuprofen



CVSHealth.

Compare to the active ingredient  
in Children's Tylenol® Chewables\*

Chewable

Children's  
**Pain Relief**

SEE NEW WARNINGS

ACETAMINOPHEN 160 mg

Pain reliever/Fever reducer

Ages 2-11

Free of: Aspirin & Ibuprofen



Actual Size  
Bubblegum Flavor

DYE  
FREE

24 CHEWABLE TABLETS  
160 mg each



#237567

160DRE24/03/SFC

Exp:

Lot:

Drug Facts (continued)

**Inactive ingredients** citric acid, croscopolone, dextrose, flavor, magnesium stearate, maltodextrin, starch, sucralose.

**Questions or comments?** 1-866-467-2748

This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895

© 2017 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

V-30486



Drug Facts

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Active ingredient (in each tablet)

Purpose

Acetaminophen 160 mg Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to:  
■ the common cold ■ flu ■ headache ■ sore throat ■ toothache  
■ temporarily reduces fever

Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen

**Allergy Alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away

Drug Facts (continued)

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product  
**Ask a doctor before use if your child has** liver disease.

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if** ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.

**Keep out of reach of children. Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

**Directions** ■ this product does not contain directions or complete warnings for adult use. ■ do not give more than directed (see overdose warning) ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ chew before swallowing ■ if needed, repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (yrs)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1	1 1/2	2	2 1/2	3

\*or as directed by a doctor

**Other information** ■ store at room temperature. Avoid high humidity ■ see end flap for expiration date and lot number ■ keep this carton for future reference on full labeling

# CHILDRENS PAIN RELIEF

acetaminophen tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-160
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

## Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	RP160
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-160-24	4 in 1 CARTON	11/01/2017	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/01/2017	

**Labeler** - CVS Pharmacy,Inc. (062312574)

Revised: 12/2025

CVS Pharmacy, Inc.