

ACETAMINOPHEN- acetaminophen tablet, coated
COSTCO WHOLESALE CORPORATION

Kirkland 44-519-Acetaminophen

Active ingredient (in each gelcap)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - backache
 - the common cold
 - muscular aches
 - headache
 - toothache
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps every 6 hours while symptoms last
 - do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- avoid high humidity

Inactive ingredients

croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Principal Display Panel

KIRKLAND

Signature

**COMPARE TO
EXTRA STRENGTH TYLENOL®
RAPID RELEASE**
*active ingredient**

NDC 63981-019-05
ITM. / ART. 355476

**EXTRA STRENGTH
ACETAMINOPHEN
GELCAPS, 500 mg**

Pain Reliever/Fever Reducer

Temporarily Relieves:

- *Headache*
- *Minor Pain of Arthritis*
- *Muscular Aches*
- *Backaches*

*Actual
Size*

*400
Gelcaps
500 mg EACH*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Rapid Release.

50844 REV0322R51905

Manufactured by: LNK INTERNATIONAL, INC., 60 Arkay Drive, Hauppauge, NY 11788
USA 1-800-426-9391

Distributed by: Costco Wholesale Corporation, 999 Lake Drive, Issaquah, WA 98027
USA

www.costco.com 22V13038a

No Print / No Varnish Area
Lot # and Exp. Info

Drug Facts (continued)

■ fever gets worse or lasts more than 3 days ■ redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a
Poison Control Center right away. Prompt medical attention is critical for adults as
well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed
■ adults and children 12 years and over
■ take 2 gelcaps every 6 hours while symptoms last
■ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
■ do not take for more than 10 days unless directed by a doctor
■ children under 12 years: ask a doctor

Other information
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ use by expiration date on package ■ avoid high humidity

Inactive ingredients croscarmellose sodium, D&C red #33, FD&C blue #1,
FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black,
iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized
starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Manufactured by: LINK INTERNATIONAL, INC., 60 Arkay Drive, Hauppauge, NY 11788 USA, 1-800-426-9391
Distributed by: Costco Wholesale Corporation, 999 Lake Drive, Issaquah, WA 98027 USA
www.costco.com 22913003a

ITM / ART: 96619 355476



0 96619 35547 1

KIRKLAND
Signature

COMPARE TO
EXTRA STRENGTH TYLENOL®
RAPID RELEASE
active ingredient*

NDC 63981-019-05
ITM. / ART. 355476

EXTRA STRENGTH
ACETAMINOPHEN
GELCAPS, 500 mg

Pain Reliever/Fever Reducer

Temporarily Relieves:

- Headache
- Minor Pain of Arthritis
- Muscular Aches
- Backaches



400
Gelcaps
Actual Size **500 mg EACH**

Drug Facts TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredient (in each gelcap) **Purpose**
Acetaminophen 500 mg Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
■ backache ■ the common cold ■ muscular aches ■ headache
■ toothache ■ minor pain of arthritis ■ premenstrual and menstrual cramps
■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if
you take ■ more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may
include: ■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or
nonprescription). If you are not sure whether a drug contains acetaminophen, ask a
doctor or pharmacist.
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug
warfarin.**

Stop use and ask a doctor if
■ pain gets worse or lasts more than 10 days ■ new symptoms occur

*This product is not manufactured or distributed by Johnson & Johnson Corporation,
owner of the registered trademark Extra Strength Tylenol® Rapid Release.
50844 REV0322RS1905

Kirkland 44-519

ACETAMINOPHEN

acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63981-019
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red, blue	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	L;5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-019-05	400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/12/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/12/2022	

Labeler - COSTCO WHOLESALE CORPORATION (103391843)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(63981-019) , pack(63981-019)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63981-019)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63981-019)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(63981-019)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63981-019)