

**DERMOPLAST POST PARTUM- benzocaine aerosol, spray**  
**Advantice Health, LLC**

-----  
**Dermoplast Post Partum Spray**

Ingredient: Benzocaine 20% Purpose: Local Anesthetic

- When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting and blotting with an appropriate cleansing pad.
- Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Hold can 6 to 12 inches away from affected area. Direct the spray nozzle towards the skin and press the button to activate spray.
- Apply to the affected area up to 6 times daily.
- Children under 12 years of age: consult a doctor.

acetylated lanolin alcohol, aloe vera gel (decolorized), butane, cetyl acetate, hydrofluorocarbon 152a, methylparaben USP, PEG-400 monolaurate, menthol, polysorbate 85

For external use only

Flammable: do not use near heat, flame, or fire or while smoking

When using this product:

- Do not exceed the recommended daily dosage unless directed by a doctor.
- Do not get into eyes.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.
- Intentional misuse by deliberately concentrating or inhaling the contents can be harmful or fatal.
- Do not puncture or incinerate. Contents under pressure.
- Do not store at temperatures above 120°F.

Stop use and ask a doctor if:

- Condition worsens or does not improve within 7 days.
- Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.
- In case of bleeding, consult a doctor promptly

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- helps relieve the itching and discomfort in the perianal area.
- for temporary relief of pain, soreness and burning.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Local Anesthetic

**Drug Facts** (continued)

**Directions**  
Adults:

- When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Hold can 6 to 12 inches from affected area. Direct spray nozzle towards skin and press the button to activate spray.
- Apply to the affected area up to 6 times daily.

Children under 12 years of age: consult a doctor.

**Other information**


- Avoid contact with leather, fabric, and upholstery to prevent possible staining or discoloration
- Store at 20°-25°C (68°-77°F)

**Inactive ingredients**  
acetylated lanolin alcohol, aloe vera gel (decolorized), butane, cetyl acetate, hydrofluorocarbon 152a, menthol, methylparaben, PEG-400 monolaurate, polysorbate 85

**Questions?** 1-800-345-0032  
[www.dermoplast.com](http://www.dermoplast.com)

NDC 16864-640-01  
©2025 Distributed by Advantice Health, LLC  
Bridgewater, NJ 08807  
Advantice Health™

DOT 2P M5793  
DPUS016502



# Dermoplast®

Benzocaine/  
Hemorrhoidal Spray

HOSPITAL STRENGTH

## POSTPARTUM spray

Relieves pain,  
burning & discomfort

Safe for  
intimate areas

No-touch  
cooling spray

NET WT. 2.75 oz (78 g)

**Drug Facts**

Active ingredient	Purpose
Benzocaine 20%	Local Anesthetic

**Uses**

- helps relieve the itching and discomfort in the perianal area.
- for temporary relief of pain, soreness and burning.

**Warnings**  
For external use only

**Flammable** do not use near heat, flame, or fire or while smoking

**When using this product**

- do not exceed the recommended daily dosage unless directed by a doctor
- do not get into eyes
- do not put this product into the rectum by using fingers or any mechanical device or applicator
- intentional misuse by deliberately concentrating or inhaling the contents can be harmful or fatal
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F

**Stop use and ask a doctor if**

- condition worsens or does not improve within 7 days
- Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase
- in case of bleeding, consult a doctor promptly

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

# DERMOPLAST POST PARTUM

benzocaine aerosol, spray

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16864-640
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYSORBATE 85</b> (UNII: A7F3N56197)	
<b>CETYL ACETATE</b> (UNII: 4Q43814HXS)	
<b>1,1-DIFLUOROETHANE</b> (UNII: 0B1U8K2ME0)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	

**ALOE VERA LEAF** (UNII: ZY81Z83H0X)

**ACETYLATED LANOLIN ALCOHOLS** (UNII: SNN716810P)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16864-640-01	78 g in 1 CAN; Type 0: Not a Combination Product	01/01/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	01/01/2025	

**Labeler** - Advantice Health, LLC (192527062)

Revised: 6/2025

Advantice Health, LLC