

BALM STICK- camphor, menthol, methyl salicylate stick
Indo Abadi Sari Makmur, PT

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Indo Abadi Sari Makmur, PT

Active Ingredients

Methyl Salicylate 7%

Menthol 13%

Camphor 12%

Purpose

Methyl Salicylate External Analgesic

Menthol External Analgesic

Camphor External Analgesic

Uses

Relieves muscle pains, lumbago, insect bites, itching

DIRECTIONS

Apply to the affected area as needed.

Warnings

External Use Only. Do not use for children below 2 years of age. Avoid direct application into the nostrils.

Warnings

Keep out of reach of children.

Warnings

Stop use and ask doctor if

Condition worsens

Symptoms persist for more than 7 days

Symptoms clear up and occur again within a few days

Excessive irritation of the skin develops

Nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs

When using for pain of arthritis: pain persists for more than 10 days, redness is present, in conditions affecting children 12 years of age.

Other Information

Keep container tightly closed. Store at 16 to 30 degrees centigrade (69 to 86 Fahrenheit).

Inactive Ingredients

Eucalyptus Oil, Capsicum, Peppermint Oil, Borneol

Drug Facts

34 mm



FAST RELIEF

热力渗透快

FAST RELIEF

热力渗透快



Balstick
Balm Stick
酸痛膏



热力渗透 • 一擦见效
Relief of Muscular
& Joint Pains

DRUG FACTS

Active Ingredients :

- Methyl Salicylate 7%
- Menthol 13%
- Camphor 12%

Purpose :

- Methyl Salicylate External Analgesic
- Menthol External Analgesic
- Camphor External Analgesic

Uses :

Relieves muscle pains, lumbago, insect bites, itching

NDC Number 70815-001-20

No. Batch :

netto: 20g

G.M.P

Manufactured by :

INDOSAR

PT. INDO ABADI SARIMAKMUR
Medicated Plaster, First Aid Bandage, Medical Equipment
SURABAYA - INDONESIA

南洋永豐製藥廠



Balstick
Balsem Stick
酸痛膏



热力渗透 • 一擦见效
Meredakan Rasa Sakit

DRUG FACTS (Cont.)

DIRECTIONS :

Apply to the affected area as needed.

Warnings :

- External Use Only.
 - Do not use for children below 2 years of age.
 - Avoid direct application into the nostrils.
 - Keep out of reach of children.
- Stop use and ask doctor if
- Condition worsens
 - Symptoms persist for more than 7 days
 - Symptoms clear up and occur again within a few days
 - Excessive irritation of the skin develops
 - Nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
 - When using for pain of arthritis: pain persists for more than 10 days, redness is present, in conditions affecting children 12 years of age.

Other Information :

- Keep container tightly closed.
- Store at 16 to 30 degrees centigrade (69 to 86 Farenheit).

Inactive Ingredients :

Eucalyptus Oil, Capsicum, Peppermint Oil, Borneol

100 mm

BALM STICK

camphor, menthol, methyl salicylate stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70815-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	7 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	13 g in 100 g
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	12 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
EUCALYPTUS OIL (UNII: 2R04ONI662)	
CAPSICUM (UNII: 00UK7646FG)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
BORNEOL (UNII: M89NIB437X)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70815-001-20	1 in 1 CARTON	07/31/2016	
1		20 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/31/2016	

Revised: 12/2021

Indo Abadi Sari Makmur, PT