TATTOO NUMBING CREAM- numbing cream cream Changsha Beiliang E-commerce Co., Ltd

83887-009

Active Ingredient

Lidocaine 5%

Purpose

Local Anesthetic

Use

For temporary relief of local and anorectal itching, discomfort, and inflammation associated with anorectal disorders.

For temporary relief of pain, burning, and soreness.

Warnings

- 1. If symptoms worsen or do not improve within 7 days, seek medical advice.
- 2. Do not exceed the recommended daily dosage without a doctor's instruction.
- 3. Consult a doctor immediately if bleeding occurs.
- 4. Do not insert this product into the rectum using fingers or any applicator.

5. Some people may be allergic to the ingredients. Discontinue use and consult a doctor if symptoms persist or worsen, including redness, irritation, swelling, or pain.

Note: Discontinue use and consult a doctor if symptoms persist or worsen, including redness, irritation, swelling, or pain due to possible allergies to product ingredients.

Do not use

Do not use this product if the seal is broken or missing.

When Using

If symptoms worsen or do not imorove within 7 davs seek medicaladvice,Do not exceed the recommended daily dosage Do not insert this product into the rectum using fingers or any applicator Some peoole mav be aleroic to he inoredients, biscontinwe use and consut a doctor if symotoms persistor worsen including redness irtation swelina or nain without doctor'sinstruction.Consult a doctor immediately if bleedina occurs

Stop Use

Discontinue use and consult a doctor if symptoms persist or worsen, including redness, irritation, swelling, or pain due to possible allergies to product ingredients.

Ask Doctor

Discontinue use and consul a doctor if symptoms persist or worsen, including redness, iritaion. sweling, or pain due to possible allergies to product ingredients

Keep Out Of Reach Of Children

This package is child-resistant. Keep out of reach of children

Directions

Adults: When practical. cleanse theaffected area with mild soap andwarm water. and rinse thoroughlyGently dry by patting or blotting withtoilet tissue or a soft cloth beforeapplication of this product


Other information

Keep away from direct sunlight orheat Store at room temperaturebetween 15°C to 30°C(59°F - 86°F)) This package is chld.resisiantKeep out ofreach of chidren.in case ofacidenlal overdose omgesion,cala ocororpoisonconr0. cemerimmediately. Do notuse this productifthe seals broken or mising

Inactive ingredients

Vitamin E,Allantoin,Mineral Oil,Dimethicone,Methylparaben,Propylparaben,Petrolatum,IPBC,Diazolidinyl Urea,Glycerin,Cetostearyl Alcohol,Isopropyl Myristate,Propylene Glycol,Ammonium,Methacrylate,Purified Water,Laurocapram,Steareth-2,Steareth-21,Rose Oil

PRINCIPAL DISPLAY PANEL













EXTENAL NET: 60ml / 2.1oz **DRUG FACTS** Active Ingredient Purpose

Lidocaine 5% Local Anesthetic Uses

• For temporary relief of local and anorectal itching, discomfort, and inflammation associated with anorectal disorders.

• For temporary relief of pain, burning, and soreness.

Directions

• Adults: When practical, cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.

 Children under 12 years of age: Consult a doctor. Keep out of reach of

children. • Apply externally to the affected area

up to 6 times daily. Warnings (For external use

only) If symptoms worsen or do not

improve within 7 days, seek medical advice. • Do not exceed the recommended

daily dosage without doctor's instruction.

• Consult a doctor immediately if bleeding occurs.

• Do not insert this product into the rectum using fingers or any applicator. • Some people may be allergic to the

ingredients. Discontinue use and consult a doctor if symptoms persist or worsen, including redness, irritation, swelling, or pain.

Note: Discontinue use and consult a doctor if symptoms persist or worsen, including redness, irritation, swelling, or pain due to possible allergies to product ingredients.











EXTENAL NET: 60ml / 2.1oz **DRUG FACTS (Continued) Inactive Ingredients**

Vitamin E, Allantoin, Mineral Oil, Dimethicone, Methylparaben, Propylparaben, Petrolatum, IPBC, Diazolidinyl Urea, Glycerin, Cetostearyl Alcohol, Isopropyl Myristate, Propylene Glycol, Ammonium Methacrylate, Purified Water, Laurocapram, Steareth-2, Steareth-21, Rose Oil.

Other Information

- Keep away from direct sunlight or heat.
- Store at room temperature between 15°C and 30°C (59°F 86°F).
- This package is child-resistant. Keep out
- of reach of children. In case of accidental overdose or
- ingestion, call a doctor or poison control center immediately.
- Do not use this product if the seal is broken or missing.

Usage Method

- Clean and dry the area of skin where the tattoo will be applied.
- Apply a generous amount of cream onto the skin.

• Cover the cream-coated area with plastic wrap for approximately 40-60 minutes.

• Remove plastic wrap, gently pat to help cream absorb. Wipe off residue, wait 15-20 mins for maximum numbness before proceeding.

Distributed by

Ophyte care LLC 1942 Broadway St Ste 314C Boulder, CO 80302 Tel:1-719-201-4680

Manufactured by

Changsha Beiliang E-commerce Co., Ltd Changsha, Hunan, China 410000 www.pressycare.com





TATTOO NUMBING CREAM numbing cream cream **Product Information** HUMAN OTC DRUG NDC:83887-009 **Product Type** Item Code (Source)

Active Ingredi	ent/Active Moiety			
	Ingredient Name	Basis of Strength	n Strength	
LIDOCAINE (UNII: 9	8PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 mL	
nactive Ingre	dients Ingredient Name		Ctropath	
	Strength			
DIMETHICONE (UN STEARETH-21 (UNI				
METHYLPARABEN	•			
MINERAL OIL (UNII:				
PETROLATUM (UNI	·			
	DL (UNII: 6DC9Q167V3)			
STEARETH-2 (UNII:				
ODOPROPYNYL B	UTYLCARBAMATE (UNII: 603P14DHEB)			
GLYCERIN (UNII: PD	C6A3C0OX)			
WATER (UNII: 059Q	F0KO0R)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
DIAZOLIDINYL URE	A (UNII: H5RIZ3MPW4)			
CETOSTEARYL ALC	COHOL (UNII: 2DMT128M1S)			
LAUROCAPRAM (UN	NII: 1F3X9DRV9X)			
ALLANTOIN (UNII: 3	44S277G0Z)			
AMMONIUM METH	ACRYLATE (UNII: J2243103QO)			
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)				
ROSE OIL (UNII: WUB68Y35M7)				
ALPHATOCOPHE	ROL (UNII: H4N855PNZ1)			
Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:83887-009- 01	60 mL in 1 TUBE; Type 0: Not a Combination Product	06/12/2025		
Marketing I	nformation			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	

Labeler - Changsha Beiliang E-commerce Co., Ltd (632138945)

Establishment						
Name	Address	ID/FEI	Business Operations			

Revised: 6/2025

Changsha Beiliang E-commerce Co., Ltd